



# HG tile impregnating sealer and protector

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)  
Issue date: 2021-10-29 Version: 1.0

### SECTION 1: Identification

#### 1.1. Product identifier

Product form : Mixture  
Product name : HG tile impregnating sealer and protector  
Product code : 391 ART  
Product group : Trade product

#### 1.2. Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

##### Manufacturer

HG International B.V.  
Damsluisweg 70  
Almere, 1332 EJ  
The Netherlands  
T +31 (0)36 54 94 700  
[safety@hg.eu](mailto:safety@hg.eu) - [www.hg.eu](http://www.hg.eu)

##### Distributor

Toolway Industries Ltd.  
1-280 Hunter's Valley Road  
Woodbridge, On L4H 3V9  
Canada

#### 1.4. Emergency telephone number

Emergency number : +31 (0)36 54 94 777  
Only for medical personnel  
Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country	Organization/Company	Address	Emergency number	Comment
Canada	Chemtrec		(813) 248 0585	Toll Free (800) 255 3924 (24h)

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS CA)

Not classified

#### 2.2. GHS Label elements, including precautionary statements

##### GHS CA labeling

Precautionary statements (GHS CA) : P101 - If medical advice is needed, have product container or label at hand.  
P102 - Keep out of reach of children.

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS CA)

No data available

# HG tile impregnating sealer and protector

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
2-methylpropan-2-ol, tert-butyl alcohol	2-methylpropan-2-ol, tert-butyl alcohol	CAS-No.: 75-65-0	≥ 1 – < 5	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting without medical advice. If you feel unwell, seek medical advice.
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
------------------	--

#### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

#### 5.2. Unsuitable extinguishing media

Unsuitable extinguishing media	: Do not use a heavy water stream.
--------------------------------	------------------------------------

#### 5.3. Specific hazards arising from the hazardous product

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

#### 5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

# HG tile impregnating sealer and protector

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

#### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.  
Heat-ignition : Keep away from heat and direct sunlight.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 2-methylpropan-2-ol, tert-butyl alcohol (75-65-0)

##### Canada (Alberta) - Occupational Exposure Limits

Local name	tert-Butanol
OEL TWA	303 mg/m <sup>3</sup>
OEL TWA [ppm]	100 ppm
Regulatory reference	Alberta Regulation 87/2009 (Alberta Regulation 150/2020)

##### Canada (Quebec) - Occupational Exposure Limits

Local name	tert-Butyl alcohol
VEMP (OEL TWA)	303 mg/m <sup>3</sup>
VEMP (OEL TWA) [ppm]	100 ppm
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety

##### Canada (British Columbia) - Occupational Exposure Limits

Local name	tert-Butanol
OEL TWA [ppm]	100 ppm
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)

##### Canada (Manitoba) - Occupational Exposure Limits

Local name	tert-Butanol
------------	--------------

# HG tile impregnating sealer and protector

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

<b>2-methylpropan-2-ol, tert-butyl alcohol (75-65-0)</b>	
OEL TWA [ppm]	100 ppm
Notations and remarks	TLV® Basis: CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH
<b>Canada (New Brunswick) - Occupational Exposure Limits</b>	
Local name	tert-Butanol
OEL TWA [ppm]	100 ppm
Notations and remarks	CNS impair
<b>Canada (Newfoundland and Labrador) - Occupational Exposure Limits</b>	
Local name	tert-Butanol
OEL TWA [ppm]	100 ppm
Notations and remarks	TLV® Basis: CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH
<b>Canada (Nova Scotia) - Occupational Exposure Limits</b>	
Local name	tert-Butanol
OEL TWA [ppm]	100 ppm
Notations and remarks	TLV® Basis: CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH
<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
Local name	tert-Butyl alcohol (tert-butanol)
OEL TWA [ppm]	100 ppm
OEL STEL [ppm]	125 ppm
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016
<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
Local name	tert-Butyl alcohol (tert-butanol)
OEL TWA [ppm]	100 ppm
OEL STEL [ppm]	125 ppm
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)
<b>Canada (Ontario) - Occupational Exposure Limits</b>	
Local name	tert-Butanol
OEL TWA [ppm]	100 ppm
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833
<b>Canada (Prince Edward Island) - Occupational Exposure Limits</b>	
Local name	tert-Butanol
OEL TWA [ppm]	100 ppm
Notations and remarks	TLV® Basis: CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH

# HG tile impregnating sealer and protector

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

### 2-methylpropan-2-ol, tert-butyl alcohol (75-65-0)

#### Canada (Saskatchewan) - Occupational Exposure Limits

Local name	tert-Butyl alcohol (tert-butanol)
OEL TWA [ppm]	100 ppm
OEL STEL [ppm]	125 ppm
Regulatory reference	The Occupational Health and Safety Regulations, 1996. Chapter O-1.1 Reg 1

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Protective shoes.

#### Hand protection:

Protective gloves

Type	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35	
Disposable gloves	butyl rubber	6 (> 480 minutes)	0.5	

#### Eye protection:

Safety glasses with side shields. EN 166

Type	Field of application	Characteristics
Safety glasses	Normal use conditions	

#### Skin and body protection:

Long sleeved protective clothing. Chemical resistant safety shoes

#### Respiratory protection:

No respiratory protection needed under normal use conditions

#### Personal protective equipment symbol(s):



#### Other information:

Do not eat, drink or smoke during use.

# HG tile impregnating sealer and protector

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Color	: light yellow
Odor	: characteristic
Odor threshold	: No data available
pH	: 4.2
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: 0 °C
Freezing point	: No data available
Boiling point	: 100 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1.006
Solubility	: Soluble in the following materials: cold water and hot water. Diethyl ether. Methanol. Acetone.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

2-methylpropan-2-ol, tert-butyl alcohol (75-65-0)	
ATE CA (Gases (except aerosol dispensers and lighters))	4500 ppmV/4h
ATE CA (vapors)	11 mg/l/4h
ATE CA (dust,mist)	1.5 mg/l/4h

# HG tile impregnating sealer and protector

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Skin corrosion/irritation	: Not classified pH: 4.2
Serious eye damage/irritation	: Not classified pH: 4.2
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

### 2-methylpropan-2-ol, tert-butyl alcohol (75-65-0)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Ozone	: Not classified
-------	------------------

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Ecology - waste materials	: Avoid release to the environment.

## SECTION 14: Transport information

In accordance with TDG / DOT / IMDG / IATA

# HG tile impregnating sealer and protector

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

TDG	DOT	IMDG	IATA
<b>14.1. UN number</b>			
Not regulated for transport			
<b>14.2. Proper Shipping Name</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>Transport document description</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

### 14.6. Special precautions for user

#### TDG

No data available

#### DOT

No data available

#### IMDG

No data available

#### IATA

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. National regulations

2-methylpropan-2-ol, tert-butyl alcohol (75-65-0)

Listed on the Canadian DSL (Domestic Substances List)

### 15.2. International regulations

2-methylpropan-2-ol, tert-butyl alcohol (75-65-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

## SECTION 16: Other information

Issue date : 10-29-2021

# HG tile impregnating sealer and protector

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Other information

: **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

### Full text of H-phrases:

H225	Highly flammable liquid and vapor
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

### Abbreviations and acronyms:

CAS-No.	Chemical Abstract Service number
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
N.O.S.	Not Otherwise Specified
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
ThOD	Theoretical oxygen demand (ThOD)
SDS	Safety Data Sheet

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.