

### SECTION 1: Identification

#### 1.1. Product identifier

Product form : Mixture  
Product name : HG tile extreme power cleaner  
Type of product : Detergent  
Product code : 435 ART  
Product group : Trade product

#### 1.2. Recommended use and restrictions on use

Recommended uses and restrictions : Extremely powerful grease and dirt remover for the removal of truly stubborn staining of floor tiles, flagstones and all natural stone types. Also suitable for the removal of all types of tile (polish) protection films.

#### 1.3. Supplier

##### Manufacturer

HG International B.V.  
Damsluisweg 70  
Almere, 1332 EJ  
The Netherlands  
T +31 (0)36 54 94 700  
[safety@hg.eu](mailto:safety@hg.eu) - [www.hg.eu](http://www.hg.eu)

##### Distributor

Toolway Industries Ltd.  
1-280 Hunter's Valley Road  
Woodbridge, On L4H 3V9  
Canada

#### 1.4. Emergency telephone number

Emergency number : +31 (0)36 54 94 777  
Only for medical personnel  
Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country	Organization/Company	Address	Emergency number	Comment
Canada	Chemtrec		(813) 248 0585	Toll Free (800) 255 3924 (24h)

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS CA)

Skin corrosion/irritation Category 1 H314 Causes severe skin burns and eye damage  
Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage  
Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS CA labeling

Hazard pictograms (GHS CA) :



Signal word (GHS CA) : Danger

Hazard statements (GHS CA) : H314 - Causes severe skin burns and eye damage

# HG tile extreme power cleaner

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Precautionary statements (GHS CA) : P101 - If medical advice is needed, have product container or label at hand.  
P102 - Keep out of reach of children.  
P103 - Read label before use.  
P260 - Do not breathe vapors, mist.  
P264 - Wash hands thoroughly after handling.  
P280 - Wear protective clothing, protective gloves, eye protection.  
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a doctor, a POISON CENTER.  
P363 - Wash contaminated clothing before reuse.  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS CA)

No data available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
Butoxydiglycol	Ethers	CAS-No.: 112-34-5	≥ 10 – < 15	Eye Irrit. 2, H319
Tridecanol, branched, ethoxylated (>5-10 EO)	Fattyalcohol ethoxylates	CAS-No.: 69011-36-5	≥ 2 – < 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Tetrapotassiumpyrophosphate	Tetrapotassiumpyrophosphate	CAS-No.: 7320-34-5	≥ 2 – < 5	Eye Irrit. 2, H319
Sodium p-cumenesulphonate	-	CAS-No.: 15763-76-5	≥ 1 – < 2	Eye Irrit. 2, H319
Sodium hydroxide	Bases	CAS-No.: 1310-73-2	≥ 1 – < 2	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt	Bases	CAS-No.: 6834-92-0	≥ 1 – < 2	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

# HG tile extreme power cleaner

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
First-aid measures general	: Call a physician immediately.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

#### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

#### 5.2. Unsuitable extinguishing media

Unsuitable extinguishing media	: Do not use a heavy water stream.
--------------------------------	------------------------------------

#### 5.3. Specific hazards arising from the hazardous product

Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Sulphur oxides. Phosphorus oxides. Metallic oxides.
--	---

#### 5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

#### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

#### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

# HG tile extreme power cleaner

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Do not breathe vapors, mist. Avoid contact with skin and eyes. Wear personal protective equipment.
- Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Sodium hydroxide (1310-73-2)	
<b>Canada (Alberta) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Notations and remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.
Regulatory reference	Alberta Regulation 87/2009 (Alberta Regulation 150/2020)
<b>Canada (Quebec) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
Plafond (OEL C)	2 mg/m <sup>3</sup>
Notations and remarks	RP
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
<b>Canada (British Columbia) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
<b>Canada (Manitoba) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Notations and remarks	TLV® Basis: URT, eye, & skin irr
Regulatory reference	ACGIH
<b>Canada (Newfoundland and Labrador) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Notations and remarks	TLV® Basis: URT, eye, & skin irr
Regulatory reference	ACGIH

# HG tile extreme power cleaner

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

<b>Sodium hydroxide (1310-73-2)</b>	
<b>Canada (Nova Scotia) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Notations and remarks	TLV® Basis: URT, eye, & skin irr
Regulatory reference	ACGIH
<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016
<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)
<b>Canada (Ontario) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833
<b>Canada (Prince Edward Island) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Notations and remarks	TLV® Basis: URT, eye, & skin irr
Regulatory reference	ACGIH
<b>Canada (Saskatchewan) - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL C	2 mg/m <sup>3</sup>
Regulatory reference	The Occupational Health and Safety Regulations, 1996. Chapter O-1.1 Reg 1
<b>Butoxydiglycol (112-34-5)</b>	
<b>Canada (Manitoba) - Occupational Exposure Limits</b>	
Local name	Diethylene glycol monobutyl ether
OEL TWA [ppm]	10 ppm (IFV - Inhalable fraction and vapor)
Notations and remarks	TLV® Basis: Hematologic, liver & kidney eff
Regulatory reference	ACGIH
<b>Canada (Newfoundland and Labrador) - Occupational Exposure Limits</b>	
Local name	Diethylene glycol monobutyl ether
OEL TWA [ppm]	10 ppm (IFV - Inhalable fraction and vapor)
Notations and remarks	TLV® Basis: Hematologic, liver & kidney eff
Regulatory reference	ACGIH

# HG tile extreme power cleaner

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

<b>Butoxydiglycol (112-34-5)</b>	
<b>Canada (Nova Scotia) - Occupational Exposure Limits</b>	
Local name	Diethylene glycol monobutyl ether
OEL TWA [ppm]	10 ppm (IFV - Inhalable fraction and vapor)
Notations and remarks	TLV® Basis: Hematologic, liver & kidney eff
Regulatory reference	ACGIH
<b>Canada (Ontario) - Occupational Exposure Limits</b>	
Local name	Diethylene glycol monobutyl ether
OEL TWA [ppm]	10 ppm (IFV - Inhalable fraction and vapour)
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833
<b>Canada (Prince Edward Island) - Occupational Exposure Limits</b>	
Local name	Diethylene glycol monobutyl ether
OEL TWA [ppm]	10 ppm (IFV - Inhalable fraction and vapor)
Notations and remarks	TLV® Basis: Hematologic, liver & kidney eff
Regulatory reference	ACGIH

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Protective clothing. Gloves. Protective shoes. Safety glasses.

<b>Hand protection:</b>				
Protective gloves				
Type	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35	
Disposable gloves	butyl rubber	6 (> 480 minutes)	0.5	

<b>Eye protection:</b>		
Safety glasses with side shields		
Type	Field of application	Characteristics
Safety glasses	Normal use conditions	With side shields

<b>Skin and body protection:</b>
Long sleeved protective clothing. Chemical resistant safety shoes
Type
Use chemically protective clothing

# HG tile extreme power cleaner

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

### Respiratory protection:

No respiratory protection needed under normal use conditions

### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Color	: Colorless
Odor	: characteristic
Odor threshold	: No data available
pH	: 13.8
pH solution	: 100 %
Relative evaporation rate (butyl acetate=1)	: 0.003
Relative evaporation rate (ether=1)	: No data available
Melting point	: -3.62 °C
Freezing point	: No data available
Boiling point	: 100 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1.047
Solubility	: Soluble in : Water. Methanol. Diethyl ether. Acetone.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: Acids.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

# HG tile extreme power cleaner

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Tridecanol, branched, ethoxylated (>5-10 EO) (69011-36-5)

LD50 dermal	> 2000 mg/kg body weight
ATE CA (oral)	500 mg/kg body weight

#### Butoxydiglycol (112-34-5)

LD50 oral	5660 mg/kg body weight
LD50 dermal	2764 mg/kg body weight
LC50 Inhalation - Rat (Dust/Mist)	> 196 mg/l
ATE CA (oral)	5660 mg/kg body weight
ATE CA (Dermal)	2764 mg/kg body weight

#### Tetrapotassiumpyrophosphate (7320-34-5)

LD50 oral	4640 mg/kg body weight
LD50 dermal	> 4640 mg/kg body weight
LC50 Inhalation - Rat (Dust/Mist)	> 1100 mg/l
ATE CA (oral)	4640 mg/kg body weight

Skin corrosion/irritation : Causes severe skin burns.  
pH: 13.8  
Serious eye damage/irritation : Causes serious eye damage.  
pH: 13.8  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified

#### Silicic acid (H<sub>2</sub>SiO<sub>3</sub>), disodium salt (6834-92-0)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified  
Symptoms/effects after skin contact : Burns.  
Symptoms/effects after eye contact : Serious damage to eyes.  
Symptoms/effects after ingestion : Burns.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Not classified

# HG tile extreme power cleaner

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

<b>Sodium hydroxide (1310-73-2)</b>	
LC50 - Fish [1]	> 35 mg/l
EC50 - Crustacea [1]	40.4 mg/l
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea
Partition coefficient n-octanol/water (Log Pow)	-3.88
<b>Butoxydiglycol (112-34-5)</b>	
LC50 - Fish [1]	1300 mg/l
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 100 mg/l
Partition coefficient n-octanol/water (Log Pow)	0.56
<b>Tetrapotassiumpyrophosphate (7320-34-5)</b>	
EC50 - Other aquatic organisms [1]	> 100 mg/l waterflea
Partition coefficient n-octanol/water (Log Pow)	-10.45
<b>Silicic acid (H<sub>2</sub>SiO<sub>3</sub>), disodium salt (6834-92-0)</b>	
LC50 - Fish [1]	210 mg/l
Partition coefficient n-octanol/water (Log Pow)	-5.65

### 12.2. Persistence and degradability

<b>HG tile extreme power cleaner</b>	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 12.3. Bioaccumulative potential

<b>Sodium hydroxide (1310-73-2)</b>	
Partition coefficient n-octanol/water (Log Pow)	-3.88
<b>Butoxydiglycol (112-34-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	0.56
<b>Tetrapotassiumpyrophosphate (7320-34-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	-10.45
<b>Silicic acid (H<sub>2</sub>SiO<sub>3</sub>), disodium salt (6834-92-0)</b>	
Partition coefficient n-octanol/water (Log Pow)	-5.65

### 12.4. Mobility in soil

<b>Sodium hydroxide (1310-73-2)</b>	
Partition coefficient n-octanol/water (Log Pow)	-3.88
<b>Butoxydiglycol (112-34-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	0.56

# HG tile extreme power cleaner

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Tetrapotassiumpyrophosphate (7320-34-5)	
Partition coefficient n-octanol/water (Log Pow)	-10.45
Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt (6834-92-0)	
Partition coefficient n-octanol/water (Log Pow)	-5.65

### 12.5. Other adverse effects

Ozone : Not classified

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with TDG / DOT / IMDG / IATA

TDG	DOT	IMDG	IATA
14.1. UN number			
UN1760	1760	1760	1760
14.2. Proper Shipping Name			
CORROSIVE LIQUID, N.O.S. (Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt ; Sodium hydroxide)	Corrosive liquids, n.o.s. (Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt ; Sodium hydroxide)	CORROSIVE LIQUID, N.O.S. (Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt ; Sodium hydroxide)	Corrosive liquid, n.o.s. (Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt ; Sodium hydroxide)
Transport document description			
UN1760 CORROSIVE LIQUID, N.O.S. (Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt ; Sodium hydroxide), 8, III	UN1760 Corrosive liquids, n.o.s. (Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt ; Sodium hydroxide), 8, III	UN 1760 CORROSIVE LIQUID, N.O.S. (Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt ; Sodium hydroxide), 8, III	UN 1760 Corrosive liquid, n.o.s. (Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt ; Sodium hydroxide), 8, III
14.3. Transport hazard class(es)			
8	8	8	8
			
14.4. Packing group			
III	III	III	III
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available			

### 14.6. Special precautions for user

TDG  
UN-No. (TDG) : UN1760

# HG tile extreme power cleaner

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

TDG Special Provisions	: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment: (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS.
Explosive Limit and Limited Quantity Index	: 5 L
Excepted quantities (TDG)	: E1
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 5 L
Emergency Response Guide (ERG) Number	: 154

### DOT

UN-No.(DOT)	: UN1760
DOT Special Provisions (49 CFR 172.102)	: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a (tr - tf)$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx)	:
DOT Packaging Non Bulk (49 CFR 173.xxx)	:
DOT Packaging Bulk (49 CFR 173.xxx)	:
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"

### IMDG

Special provision (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7

# HG tile extreme power cleaner

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes.

### IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provision (IATA)	: A3, A803
ERG code (IATA)	: 8L

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. National regulations

#### Sodium p-cumenesulphonate (15763-76-5)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

#### Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

#### Tridecanol, branched, ethoxylated (>5-10 EO) (69011-36-5)

Listed on the Canadian DSL (Domestic Substances List)

#### Butoxydiglycol (112-34-5)

Listed on the Canadian DSL (Domestic Substances List)

#### Tetrapotassiumpyrophosphate (7320-34-5)

Listed on the Canadian DSL (Domestic Substances List)

#### Silicic acid (H<sub>2</sub>SiO<sub>3</sub>), disodium salt (6834-92-0)

Listed on the Canadian DSL (Domestic Substances List)

### 15.2. International regulations

#### Sodium p-cumenesulphonate (15763-76-5)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

# HG tile extreme power cleaner

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

### Tridecanol, branched, ethoxylated (>5-10 EO) (69011-36-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### Butoxydiglycol (112-34-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### Tetrapotassiumpyrophosphate (7320-34-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### Silicic acid (H<sub>2</sub>SiO<sub>3</sub>), disodium salt (6834-92-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

## SECTION 16: Other information

Issue date : 10-29-2021

Other information : **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

### Full text of H-phrases:

H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H402	Harmful to aquatic life

### Abbreviations and acronyms:

CAS-No.	Chemical Abstract Service number
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
EC50	Median effective concentration
EN	European Standard

# HG tile extreme power cleaner

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Abbreviations and acronyms:	
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
IOELV	Indicative Occupational Exposure Limit Value
LOAEL	Lowest Observed Adverse Effect Level
N.O.S.	Not Otherwise Specified
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
ThOD	Theoretical oxygen demand (ThOD)
SDS	Safety Data Sheet

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.