

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) Issue date: 2021-10-30 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture

Product name : HG internal jet whirlpool bath cleaner

Type of product : Detergent
Product code : 448 ART
Product group : Trade product

1.2. Recommended use and restrictions on use

Recommended uses and restrictions : Hygienic whirlpool bath cleaner

1.3. Supplier

Manufacturer Distributor

HG International B.V.

Damsluisweg 70

Almere, 1332 EJ

Toolway Industries Ltd.
1-280 Hunter's Valley Road
Woodbridge, On L4H 3V9
The Netherlands

Canada

T +31 (0)36 54 94 700 safety@hg.eu - www.hg.eu

1.4. Emergency telephone number

Emergency number : +31 (0)36 54 94 777

Only for medical personnel

Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country	Organization/Company	Address	Emergency number	Comment
Canada	Chemtrec		(813) 248 0585	Toll Free (800) 255 3924 (24h)

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Flammable liquids Category 4 H227 Combustible liquid

Skin corrosion/irritation Category 1C H314 Causes severe skin burns and eye damage

Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS CA labeling

Hazard pictograms (GHS CA) :



Signal word (GHS CA) : Danger

Hazard statements (GHS CA) : H227 - Combustible liquid

H314 - Causes severe skin burns and eye damage

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Precautionary statements (GHS CA)

: P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 - Do not breathe vapors, mist.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective clothing, protective gloves, eye protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor, a POISON CENTER.

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use carbon dioxide (CO2), foam, extinguishing powder, sand to extinguish.

P403 - Store in a well-ventilated place.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
I-(+)-Lactic acid	Acids	CAS-No.: 79-33-4	≥ 5 – < 10	Skin Corr. 1C, H314 Eye Dam. 1, H318
Isopropyl alcohol	Alcohols	CAS-No.: 67-63-0	≥ 2 – < 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Sodium 2-ethylhexylsulphate	Alkylsulphates	CAS-No.: 126-92-1	≥ 2 - < 5	Skin Irrit. 2, H315 Eye Dam. 1, H318
Alcohols, C12-16, ethoxylated	-	CAS-No.: 68551-12-2	≥1-<2	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of hazard classes and H-statements : see section 16

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

First-aid measures general : Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

5.3. Specific hazards arising from the hazardous product

Fire hazard : Combustible liquid.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

2021-10-30 (Issue date) CA - en 3/14

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ensure good ventilation of the work station. Do not breathe vapors, mist. Avoid contact with skin

and eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Isopropyl alcohol (67-63-0)		
Canada (Alberta) - Occupational Exposure Limits		
Local name	2-Propanol (Isopropyl alcohol, isopropanol)	
OEL TWA	492 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	984 mg/m³	
OEL STEL [ppm]	400 ppm	
Regulatory reference	Alberta Regulation 87/2009 (Alberta Regulation 150/2020)	
Canada (Quebec) - Occupational Exposure Limits		
Local name	Isopropyl alcohol	
VECD (OEL STEL)	1230 mg/m³	
VECD (OEL STEL) [ppm]	500 ppm	
VEMP (OEL TWA)	985 mg/m³	
VEMP (OEL TWA) [ppm]	400 ppm	
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety	
Canada (British Columbia) - Occupational Exposure Limits		
Local name	Isopropanol (Isopropyl alcohol, 2-Propanol)	
OEL TWA [ppm]	200 ppm	
OEL STEL [ppm]	400 ppm	
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)	
Canada (Manitoba) - Occupational Exposure Limits		
Local name	2-Propanol	
OEL TWA [ppm]	200 ppm	
OEL STEL [ppm]	400 ppm	
Notations and remarks	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI	

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

ACGIH		
Canada (New Brunswick) - Occupational Exposure Limits Local name 2-Propanol OEL TWA [ppm] 200 ppm OEL STEL [ppm] 400 ppm Notations and remarks Eye & URT irr; CNS impair Canada (Newfoundland and Labrador) - Occupational Exposure Limits Local name 2-Propanol OEL TWA [ppm] 200 ppm OEL STEL [ppm] 400 ppm Notations and remarks TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human		
Local name 2-Propanol OEL TWA [ppm] 200 ppm 400 ppm Notations and remarks Eye & URT irr; CNS impair Canada (Newfoundland and Labrador) - Occupational Exposure Limits Local name 2-Propanol OEL TWA [ppm] 200 ppm OEL STEL [ppm] 400 ppm Notations and remarks TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human		
OEL TWA [ppm] 200 ppm OEL STEL [ppm] 400 ppm Notations and remarks Eye & URT irr; CNS impair Canada (Newfoundland and Labrador) - Occupational Exposure Limits Local name 2-Propanol OEL TWA [ppm] 200 ppm OEL STEL [ppm] 400 ppm Notations and remarks TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human		
OEL STEL [ppm] 400 ppm Notations and remarks Eye & URT irr; CNS impair Canada (Newfoundland and Labrador) - Occupational Exposure Limits Local name 2-Propanol OEL TWA [ppm] 200 ppm OEL STEL [ppm] 400 ppm Notations and remarks TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human		
Notations and remarks Eye & URT irr; CNS impair Canada (Newfoundland and Labrador) - Occupational Exposure Limits Local name 2-Propanol OEL TWA [ppm] OEL STEL [ppm] 400 ppm Notations and remarks TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human		
Canada (Newfoundland and Labrador) - Occupational Exposure Limits Local name 2-Propanol OEL TWA [ppm] 200 ppm OEL STEL [ppm] 400 ppm Notations and remarks TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human		
Local name 2-Propanol OEL TWA [ppm] 200 ppm OEL STEL [ppm] 400 ppm Notations and remarks TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human		
OEL TWA [ppm] 200 ppm OEL STEL [ppm] 400 ppm Notations and remarks TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human		
OEL STEL [ppm] 400 ppm Notations and remarks TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human		
Notations and remarks TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human		
Regulatory reference ACGIH		
Canada (Nova Scotia) - Occupational Exposure Limits		
Local name 2-Propanol		
OEL TWA [ppm] 200 ppm		
OEL STEL [ppm] 400 ppm		
Notations and remarks TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI		
Regulatory reference ACGIH		
Canada (Nunavut) - Occupational Exposure Limits		
Local name Isopropyl alcohol		
OEL TWA [ppm] 200 ppm		
OEL STEL [ppm] 400 ppm		
Regulatory reference Occupational Health and Safety Regulations, Nu Reg 003-2016		
Canada (Northwest Territories) - Occupational Exposure Limits		
Local name Isopropyl alcohol		
OEL TWA [ppm] 200 ppm		
OEL STEL [ppm] 400 ppm		
Regulatory reference Occupation Health and Safety Regulations R-039-2015 (R-013-2020)		
Canada (Ontario) - Occupational Exposure Limits		
Local name 2-Propanol		
OEL TWA [ppm] 200 ppm		
OEL STEL [ppm] 400 ppm		
Regulatory reference Ontario Occuational Exposure Limits under Regulation 833		
Canada (Prince Edward Island) - Occupational Exposure Limits		
Local name 2-Propanol		

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Isopropyl alcohol (67-63-0)		
OEL TWA [ppm]	200 ppm	
OEL STEL [ppm]	400 ppm	
Notations and remarks	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI	
Regulatory reference	ACGIH	
Canada (Saskatchewan) - Occupational Exposure Limits		
Local name	Isopropyl alcohol	
OEL TWA [ppm]	200 ppm	
OEL STEL [ppm]	400 ppm	
Regulatory reference	The Occupational Health and Safety Regulations, 1996. Chapter O-1.1 Reg 1	

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Protective clothing. Protective shoes. Gloves. Safety glasses.

Hand protection:				
Protective gloves				
Туре	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35	

Eye protection:		
Safety glasses with side shields		
Туре	Field of application	Characteristics
Safety glasses	Normal use conditions	With side shields
Chemical goggles or face shield	Droplet	

Skin and body protection:	
Long sleeved protective clothing. Chemical resistant safety shoes	
Туре	
Use chemically protective clothing	

Respiratory protection:

No respiratory protection needed under normal use conditions

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Personal protective equipment symbol(s):









SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : No data available

Color : Blue Odor : Floral

Odor threshold : No data available

pH : 1.9 pH solution : 100 %

Relative evaporation rate (butyl acetate=1) : No data available Relative evaporation rate (ether=1) : No data available

Melting point : 0 °C

Freezing point : No data available

Boiling point : 82.5 °C

Flash point : 61 – 93.3 °C (Closed cup)

Auto-ignition temperature : 399 °C

Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density : 1.0237

Solubility : In water, material soluble.

Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available

Viscosity, dynamic : 26 mPa·s (room temperature)

Explosion limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

Incompatible materials : Alkalines.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

Hardening time: : No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Acute toxicity (inhalation) : Not classified			
Sodium 2-ethylhexylsulphate (126-92-1)			
LD50 oral rat	4000 mg/kg		
LD50 dermal rat	> 2000 mg/kg body weight		
LD50 dermal rabbit	6540 mg/kg		
ATE CA (oral)	4000 mg/kg body weight		
ATE CA (Dermal)	6540 mg/kg body weight		
Isopropyl alcohol (67-63-0)			
LD50 oral rat	5840 mg/kg		
LD50 oral	4396 mg/kg body weight		
LD50 dermal rabbit	12800 mg/kg		
LD50 dermal	12800 mg/kg body weight		
LC50 Inhalation - Rat (Dust/Mist)	46600 mg/l		
ATE CA (oral)	4396 mg/kg body weight		
ATE CA (Dermal)	12800 mg/kg body weight		
ATE CA (dust,mist)	46600 mg/l/4h		
Alcohols, C12-16, ethoxylated (68551-12-2)			
ATE CA (oral)	500 mg/kg body weight		
I-(+)-Lactic acid (79-33-4)	I-(+)-Lactic acid (79-33-4)		
LD50 oral	3730 mg/kg body weight		
LD50 dermal rabbit	> 2000 mg/kg body weight		
LD50 dermal	> 2000 mg/kg body weight		
LC50 Inhalation - Rat	> 7.94 mg/l air		
LC50 Inhalation - Rat (Dust/Mist)	> 7940 mg/l		
ATE CA (oral)	3730 mg/kg body weight		
	Causes severe skin burns.		
	pH: 1.9 Causes serious eye damage.		
	pH: 1.9		
. ,	Not classified		
3	Not classified Not classified		
	Not classified Not classified		
	Not classified Not classified		
Isopropyl alcohol (67-63-0)			
STOT-single exposure	May cause drowsiness or dizziness.		
,	Not classified		
Sodium 2-ethylhexylsulphate (126-92-1)			
LOAEL (oral,rat,90 days)	1016 mg/kg body weight		
NOAEL (oral,rat,90 days)	488 mg/kg body weight		
- (,,	5 5 ,		

2021-10-30 (Issue date) CA - en 8/14

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Aspiration hazard : Not classified Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Sodium 2-ethylhexylsulphate (126-92-1)		
LC50 - Fish [1]	> 100 mg/l	
EC50 - Crustacea [1]	483 mg/l	
EC50 72h - Algae [1]	> 511 mg/l	
EC50 72h - Algae [2]	511 mg/l	
EC50 96h - Algae [1]	13859.488 mg/l	
NOEC chronic fish	≥ 1357 mg/l	
NOEC (chronic)	1.4 mg/l	
Partition coefficient n-octanol/water (Log Pow)	-0.35	
LOEC (chronic)	6.86 mg/l	
Isopropyl alcohol (67-63-0)		
LC50 - Fish [1]	9640 mg/l	
LC50 - Fish [2]	9640 mg/l	
EC50 - Other aquatic organisms [1]	13299 mg/l waterflea	
EC50 - Other aquatic organisms [2]	> 1000 mg/l	
Partition coefficient n-octanol/water (Log Pow)	0.05	
I-(+)-Lactic acid (79-33-4)		
LC50 - Fish [1]	195 mg/l	
EC50 - Crustacea [1]	130 mg/l	
EC50 - Other aquatic organisms [1]	130 mg/l waterflea	
EC50 - Other aquatic organisms [2]	> 2800 mg/l	
Partition coefficient n-octanol/water (Log Pow)	-0.62	

12.2. Persistence and degradability

HG internal jet whirlpool bath cleaner	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

12.3. Bioaccumulative potential

Sodium 2-ethylhexylsulphate (126-92-1)		
Partition coefficient n-octanol/water (Log Pow)	-0.35	
Isopropyl alcohol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05	
I-(+)-Lactic acid (79-33-4)		
Partition coefficient n-octanol/water (Log Pow) -0.62		

12.4. Mobility in soil

Sodium 2-ethylhexylsulphate (126-92-1)		
Partition coefficient n-octanol/water (Log Pow)	-0.35	
Isopropyl alcohol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05	
I-(+)-Lactic acid (79-33-4)		
Partition coefficient n-octanol/water (Log Pow)	-0.62	

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with TDG / DOT / IMDG / IATA

TDG	DOT	IMDG	IATA	
14.1. UN number				
UN1760	Not applicable	1760	1760	
14.2. Proper Shipping Name				
CORROSIVE LIQUID, N.O.S. (I-(+)- Lactic acid)	Compounds, cleaning liquid (I-(+)- Lactic acid)	CORROSIVE LIQUID, N.O.S. (I-(+)- Lactic acid)	Corrosive liquid, n.o.s. (I-(+)-Lactic acid)	
Transport document description				
UN1760 CORROSIVE LIQUID, N.O.S. (I-(+)-Lactic acid), 8, III	NA1760 Compounds, cleaning liquid (I-(+)-Lactic acid), 8, III	UN 1760 CORROSIVE LIQUID, N.O.S. (I-(+)-Lactic acid), 8, III	UN 1760 Corrosive liquid, n.o.s. (I- (+)-Lactic acid), 8, III	
14.3. Transport hazard class(es)				
8	8	8	8	

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

TDG	DOT	IMDG	IATA
B	CORROSIVE 8	8	a Film
14.4. Packing group			
III	III	III	III
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available			

14.6. Special precautions for user

TDG

UN-No. (TDG) : UN1760

TDG Special Provisions

- 16 (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks).
 (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name:
 - (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S;
 - (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S;
 - (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S;
 - (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or
 - (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S.
 - (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment:
 - (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS.
- Explosive Limit and Limited Quantity Index :
- Excepted quantities (TDG) : |
 Passenger Carrying Road Vehicle or Passenger : :

2 - maria a Daileana Makiala Iadaa

Carrying Railway Vehicle Index

: 5 L : E1 : 5 L

DOT

UN-No.(DOT) : NA1760

2021-10-30 (Issue date) CA - en 11/14

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

DOT Special Provisions (49 CFR 172.102)

: 386 - Notwithstanding the provisions of §177.834(I) of this subchapter, cargo heaters may be used when weather conditions are such that the freezing of a wetted explosive material is likely. Shipments must be made by private, leased or contract carrier vehicles under exclusive use of the offeror. Cargo heaters must be reverse refrigeration (heat pump) units. Shipments made in accordance with this Special provision are excepted from the requirements of §173.60(b)(4) of this subchapter.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

N37 - This material may be shipped in an integrally-lined fiber drum (1G) which meets the general packaging requirements of subpart B of part 173 of this subchapter, the requirements of part 178 of this subchapter at the packing group assigned for the material and to any other special provisions of column 7 of the 172.101 table.

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx)

DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Quantity Limitations Passenger aircraft/rail (49

DOT Packaging Bulk (49 CFR 173.xxx)

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

IMDG

Special provision (IMDG) : 223, 274

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP1, TP28

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE EmS-No. (Spillage) : S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES

Stowage category (IMDG) : A

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

IATA

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) Y841 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) 852 : 5L PCA max net quantity (IATA) : 856 CAO packing instructions (IATA) CAO max net quantity (IATA) : 60L : A3, A803 Special provision (IATA) ERG code (IATA) : 8L

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

Sodium 2-ethylhexylsulphate (126-92-1)

Listed on the Canadian DSL (Domestic Substances List)

Isopropyl alcohol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C12-16, ethoxylated (68551-12-2)

Listed on the Canadian DSL (Domestic Substances List)

I-(+)-Lactic acid (79-33-4)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Sodium 2-ethylhexylsulphate (126-92-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

Isopropyl alcohol (67-63-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

Alcohols, C12-16, ethoxylated (68551-12-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

I-(+)-Lactic acid (79-33-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16: Other information

Issue date : 10-30-2021

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Full text of H-phrases:	
H225	Highly flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

Abbreviations and acronyms:		
CAS-No.	Chemical Abstract Service number	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
IOELV	Indicative Occupational Exposure Limit Value	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
N.O.S.	Not Otherwise Specified	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
ThOD	Theoretical oxygen demand (ThOD)	
SDS	Safety Data Sheet	

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.