

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) Issue date: 2021-10-29 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture

Product name : HG washing machine and dishwasher cleaner and descaler

Type of product : Detergent
Product code : 248 ART
Product group : Trade product

1.2. Recommended use and restrictions on use

Recommended use : Cleaning agent

1.3. Supplier

Manufacturer

HG International B.V.

Damsluisweg 70

Almere, 1332 EJ

The Netherlands

T +31 (0)36 54 94 700

safety@hg.eu - www.hg.eu

Distributor

Toolway Industries Ltd. 1-280 Hunter's Valley Road Woodbridge, On L4H 3V9

Canada

1.4. Emergency telephone number

Emergency number : +31 (0)36 54 94 777

Only for medical personnel

Mon-Fri 09:00 AM - 05:00 PM (CEST)

| Country | Organization/Company | Address | Emergency number | Comment |
|---------|----------------------|---------|------------------|--------------------------------|
| Canada | Chemtrec | | (813) 248 0585 | Toll Free (800) 255 3924 (24h) |

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Skin corrosion/irritation Category 1 H314 Causes severe skin burns and eye damage

Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS CA labeling

Hazard pictograms (GHS CA)



Signal word (GHS CA) : Danger

Hazard statements (GHS CA) : H314 - Causes severe skin burns and eye damage

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Precautionary statements (GHS CA)

: P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

P260 - Do not breathe dust, fume.

P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Chemical name / Synonyms | Product identifier | % | Classification (GHS CA) |
|--|------------------------------|---------------------|-------------|--|
| Sodium hydroxide | Bases | CAS-No.: 1310-73-2 | ≥ 15 – < 25 | Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402 |
| Sodium carbonate | Bases | CAS-No.: 497-19-8 | ≥ 10 – < 15 | Eye Irrit. 2, H319 |
| Alcohols, C12-15-branched and linear, ethoxylated propoxylated | alkylethoxy- propoxylates | CAS-No.: 120313-48- | ≥ 2 – < 5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.

2021-10-29 (Issue date) CA - en 2/13

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

First-aid measures general : Never give anything by mouth to an unconscious person. If medical advice is needed, have

product container or label at hand. Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

5.3. Specific hazards arising from the hazardous product

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Sulphur oxides. Metallic

oxides. Halogenated compounds.

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Do not breathe dust. Avoid contact with skin and

eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

2021-10-29 (Issue date) CA - en 3/13

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in original container. Keep cool. Store locked up.

Heat-ignition : Keep away from heat and direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Sodium hydroxide (1310-73-2) | | |
|--|---|--|
| Canada (Alberta) - Occupational Exposure Limits | | |
| Local name | Sodium hydroxide | |
| OEL C | 2 mg/m³ | |
| Notations and remarks | Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required. | |
| Regulatory reference | Alberta Regulation 87/2009 (Alberta Regulation 150/2020) | |
| Canada (Quebec) - Occupational Exposure Limits | | |
| Local name | Sodium hydroxide | |
| Plafond (OEL C) | 2 mg/m³ | |
| Notations and remarks | RP | |
| Regulatory reference | S-2.1, r. 13 - Regulation respecting occupational health and safety | |
| Canada (British Columbia) - Occupational Exposure Limits | | |
| Local name | Sodium hydroxide | |
| OEL C | 2 mg/m³ | |
| Regulatory reference | OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC) | |
| Canada (Manitoba) - Occupational Exposure Limits | | |
| Local name | Sodium hydroxide | |
| OEL C | 2 mg/m³ | |
| Notations and remarks | TLV® Basis: URT, eye, & skin irr | |
| Regulatory reference | ACGIH | |
| Canada (Newfoundland and Labrador) - Occupation | nal Exposure Limits | |
| Local name | Sodium hydroxide | |
| OEL C | 2 mg/m³ | |
| Notations and remarks | TLV® Basis: URT, eye, & skin irr | |
| Regulatory reference | ACGIH | |
| Canada (Nova Scotia) - Occupational Exposure Limits | | |
| Local name | Sodium hydroxide | |
| OEL C | 2 mg/m³ | |
| Notations and remarks | TLV® Basis: URT, eye, & skin irr | |
| Regulatory reference | ACGIH | |

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

| Sodium hydroxide (1310-73-2) | | |
|--|---|--|
| Canada (Nunavut) - Occupational Exposure Limits | | |
| Local name | Sodium hydroxide | |
| OEL C | 2 mg/m³ | |
| Regulatory reference | Occupational Health and Safety Regulations, Nu Reg 003-2016 | |
| Canada (Northwest Territories) - Occupational Expo | osure Limits | |
| Local name | Sodium hydroxide | |
| OEL C | 2 mg/m³ | |
| Regulatory reference | Occupation Health and Safety Regulations R-039-2015 (R-013-2020) | |
| Canada (Ontario) - Occupational Exposure Limits | | |
| Local name | Sodium hydroxide | |
| OEL C | 2 mg/m³ | |
| Regulatory reference | Ontario Occuational Exposure Limits under Regulation 833 | |
| Canada (Prince Edward Island) - Occupational Exposure Limits | | |
| Local name | Sodium hydroxide | |
| OEL C | 2 mg/m³ | |
| Notations and remarks | TLV® Basis: URT, eye, & skin irr | |
| Regulatory reference | ACGIH | |
| Canada (Saskatchewan) - Occupational Exposure Limits | | |
| Local name | Sodium hydroxide | |
| OEL C | 2 mg/m³ | |
| Regulatory reference | The Occupational Health and Safety Regulations, 1996. Chapter O-1.1 Reg 1 | |

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Protective shoes.

| Hand protection: | | | | |
|-------------------|----------------------|-------------------|----------------|-------------|
| Protective gloves | | | | |
| Туре | Material | Permeation | Thickness (mm) | Penetration |
| Disposable gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | 0.35 | |
| Disposable gloves | butyl rubber | 6 (> 480 minutes) | 0.5 | |

Eye protection:

Safety glasses with side shields. EN 166

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

| Туре | Field of application | Characteristics |
|----------------------------------|-----------------------|-----------------|
| Safety glasses with side shields | Normal use conditions | |

Skin and body protection:

Long sleeved protective clothing. Chemical resistant safety shoes

Respiratory protection:

No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment

| Device | Filter type | Condition |
|-----------|-------------|-----------------|
| Dust mask | FFFP2 | Dust protection |

Personal protective equipment symbol(s):









Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : No data available
Color : white light yellow
Odor : characteristic
Odor threshold : No data available

pH : 13.66 pH solution : 10 %

Relative evaporation rate (butyl acetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available : No data available

Flash point : > 60

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available

Relative density : 1.218

Solubility : Soluble in the following materials: cold water and hot water.

Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Explosion limits : No data available

9.2. Other information

No additional information available

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 10: Stability and reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : None under recommended storage and handling conditions (see section 7).

Incompatible materials : No additional information available

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

Hardening time: : No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| Sodium carbonate (497-19-8) | | |
|-----------------------------------|--------------------------|--|
| LD50 oral rat | 2800 mg/kg body weight | |
| LD50 oral | 4090 mg/kg body weight | |
| LD50 dermal rabbit | > 2000 mg/kg body weight | |
| LD50 dermal | > 2000 mg/kg body weight | |
| LC50 Inhalation - Rat (Dust/Mist) | 2300 mg/l | |
| ATE CA (oral) | 2800 mg/kg body weight | |
| ATE CA (dust,mist) | 2300 mg/l/4h | |

Skin corrosion/irritation : Causes severe skin burns.

pH: 13.66

Serious eye damage/irritation : Causes serious eye damage.

pH: 13.66

Respiratory or skin sensitization Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity Not classified STOT-single exposure Not classified Not classified STOT-repeated exposure Aspiration hazard Not classified Symptoms/effects after skin contact Burns

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

2021-10-29 (Issue date) CA - en 7/13

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

| Sodium hydroxide (1310-73-2) | | |
|---|---------------------|--|
| LC50 - Fish [1] | > 35 mg/l | |
| EC50 - Crustacea [1] | 40.4 mg/l | |
| EC50 - Other aquatic organisms [1] | > 33 mg/l waterflea | |
| Partition coefficient n-octanol/water (Log Pow) | -3.88 | |
| Sodium carbonate (497-19-8) | | |
| LC50 - Fish [1] | 300 mg/l | |
| EC50 - Crustacea [1] | 200 – 227 mg/l | |
| EC50 - Crustacea [2] | 200 – 227 mg/l | |
| EC50 - Other aquatic organisms [1] | 265 mg/l waterflea | |
| EC50 96h - Algae [1] | 242 mg/l | |
| Partition coefficient n-octanol/water (Log Pow) | -6.19 | |

12.2. Persistence and degradability

| HG washing machine and dishwasher cleaner and descaler | | |
|--|---|--|
| g , | The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. | |

12.3. Bioaccumulative potential

| Sodium hydroxide (1310-73-2) | | |
|---|--|--|
| Partition coefficient n-octanol/water (Log Pow) -3.88 | | |
| Sodium carbonate (497-19-8) | | |
| Partition coefficient n-octanol/water (Log Pow) -6.19 | | |

12.4. Mobility in soil

| Sodium hydroxide (1310-73-2) | | |
|---|--|--|
| Partition coefficient n-octanol/water (Log Pow) -3.88 | | |
| Sodium carbonate (497-19-8) | | |
| Partition coefficient n-octanol/water (Log Pow) -6.19 | | |

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Ecology - waste materials : Avoid release to the environment.

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 14: Transport information

In accordance with TDG / DOT / IMDG / IATA

| TDG | DOT | IMDG | IATA |
|--|---|---|--|
| 14.1. UN number | | | |
| UN3262 | 3262 | 3262 | 3262 |
| 14.2. Proper Shipping Name | | | |
| CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (CONTAINS : Sodium hydroxide) | Corrosive solid, basic, inorganic, n.o.s. (CONTAINS : Sodium hydroxide) | CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (CONTAINS : Sodium hydroxide) | Corrosive solid, basic, inorganic, n.o.s. (CONTAINS : Sodium hydroxide) |
| Transport document description | | | |
| UN3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (CONTAINS : Sodium hydroxide), 8, II | UN3262 Corrosive solid, basic, inorganic, n.o.s. (CONTAINS : Sodium hydroxide), 8, II | UN 3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (CONTAINS : Sodium hydroxide), 8, II | UN 3262 Corrosive solid, basic, inorganic, n.o.s. (CONTAINS : Sodium hydroxide), 8, II |
| 14.3. Transport hazard class(es | 3) | | |
| 8 | 8 | 8 | 8 |
| 8 | CORROSIVE | 8 | 8 |
| 14.4. Packing group | | | |
| II | II | II | II |
| 14.5. Environmental hazards | | | |
| Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No | Dangerous for the environment: No |
| No supplementary information availab | ole | | |

14.6. Special precautions for user

TDG

UN-No. (TDG) : UN3262

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

TDG Special Provisions

: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name:

(a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S:

(b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S;

(c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S;

(d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or

(e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S.

(3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment:

(a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS.

Explosive Limit and Limited Quantity Index

Excepted quantities (TDG)

Passenger Carrying Road Vehicle or Passenger

Carrying Railway Vehicle Index

Emergency Response Guide (ERG) Number

: E2 : 15 kg

: 154

DOT

UN-No.(DOT)

DOT Special Provisions (49 CFR 172.102)

: UN3262

: IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).

IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle.

IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner.

T3 - 2.65 178.274(d)(2) Normal...... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx)

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

CFR 175.75)

DOT Quantity Limitations Passenger aircraft/rail (49 : CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49

2021-10-29 (Issue date) CA - en 10/13

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

DOT Vessel Stowage Other : 52 - Stow "separated from" acids

IMDG

Special provision (IMDG) : 274 Limited quantities (IMDG) : 1 kg Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P002 IBC packing instructions (IMDG) : IBC08 : B21, B4 IBC special provisions (IMDG) Tank instructions (IMDG) : T3 : TP33 Tank special provisions (IMDG)

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE EmS-No. (Spillage) : S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES

Stowage category (IMDG) : B

Properties and observations (IMDG) : Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.

IATA

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y844 5kg PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) 859 PCA max net quantity (IATA) 15kg CAO packing instructions (IATA) 863 CAO max net quantity (IATA) 50kg Special provision (IATA) : A3, A803 ERG code (IATA) : 8L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

Sodium carbonate (497-19-8)

Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C12-15-branched and linear, ethoxylated propoxylated (120313-48-6)

Listed on the Canadian NDSL (Non-Domestic Substances List)

15.2. International regulations

Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

2021-10-29 (Issue date) CA - en 11/13

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Sodium carbonate (497-19-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

Alcohols, C12-15-branched and linear, ethoxylated propoxylated (120313-48-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

SECTION 16: Other information

Issue date : 10-29-2021

Other information : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we

believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used

as a component in another product, this SDS information may not be applicable.

| Full text of H-phrases: | | |
|-------------------------|---|--|
| H290 | May be corrosive to metals | |
| H314 | Causes severe skin burns and eye damage | |
| H315 | Causes skin irritation | |
| H318 | Causes serious eye damage | |
| H319 | Causes serious eye irritation | |
| H402 | Harmful to aquatic life | |

| Abbreviations and acronyms: | | |
|-----------------------------|---|--|
| CAS-No. | Chemical Abstract Service number | |
| ATE | Acute Toxicity Estimate | |
| BCF | Bioconcentration factor | |
| BOD | Biochemical oxygen demand (BOD) | |
| COD | Chemical oxygen demand (COD) | |
| EC50 | Median effective concentration | |
| EN | European Standard | |
| IARC | International Agency for Research on Cancer | |
| IATA | International Air Transport Association | |
| IMDG | International Maritime Dangerous Goods | |
| LC50 | Median lethal concentration | |
| LD50 | Median lethal dose | |
| LOAEL | Lowest Observed Adverse Effect Level | |
| N.O.S. | Not Otherwise Specified | |

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

| Abbreviations and acronyms: | | |
|-----------------------------|--|--|
| NOAEC | No-Observed Adverse Effect Concentration | |
| NOAEL | No-Observed Adverse Effect Level | |
| NOEC | No-Observed Effect Concentration | |
| OECD | Organisation for Economic Co-operation and Development | |
| OEL | Occupational Exposure Limit | |
| ThOD | Theoretical oxygen demand (ThOD) | |
| SDS | Safety Data Sheet | |

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.