

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) Issue date: 2024-12-27 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture

Product name : HG natural stone cleaner

Type of product : Detergent
Product code : 340 ART
Product group : Trade product

1.2. Recommended use and restrictions on use

Recommended use : Cleaners for kitchen areas

Restrictions on use : All other uses not recommended above

1.3. Supplier

Manufacturer

HG International B.V.
P.J. Oudweg 41
Almere, 1314 CJ
The Netherlands
T +31 (0)36 54 94 700
safety@hg.eu - www.hg.eu

Distributor

Toolway Industries Ltd. 1-280 Hunter's Valley Road Woodbridge, On L4H 3V9

Canada

1.4. Emergency telephone number

Emergency number : +31 (0)36 54 94 777

Only for medical personnel

Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country/Area	Organization/Company	Address	Emergency number	Comment
Canada	CANUTEC		1-888-CANUTEC (226- 8832) (North American) 1-613-996-6666 (International use)	Toll Free (800) 255 3924 (24h)

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Not classified

2.2. GHS Label elements, including precautionary statements

GHS CA labeling

No labeling applicable

2.3. Other hazards

Other hazards which do not result in classification : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons.

2.4. Unknown acute toxicity (GHS CA)

No additional information available

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
propan-2-ol, isopropyl alcohol, isopropanol	propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0	≥ 2 - < 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

First-aid measures general : If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

5.3. Specific hazards arising from the hazardous product

Fire hazard : No fire hazard.

Explosion hazard : Intense heat may cause container to burst.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Control run-off water by containing and keeping it out of sewers and watercourses. Do not enter

fire area without proper protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not handle until all safety precautions have been read and understood. Stop leak if safe to do

so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent

material-damage.

6.2. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent

migration and entry into sewers or streams. Stop leak, if possible without risk.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store in dry, cool, well-ventilated area. Store in original container. Keep container tightly closed.

Keep container closed when not in use. Always keep container in upright position.

Heat-ignition : Keep away from heat and direct sunlight.

Storage temperature : > 0 - < 30 °C

Special rules on packaging : Keep only in original container. Opened containers must be carefully closed and kept upright to

avoid leakage.

Packaging materials : Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
Canada (Alberta) - Occupational Exposure Limits		
Local name 2-Propanol (Isopropyl alcohol, isopropanol)		
OEL TWA	492 mg/m³	
	200 ppm	
OEL STEL	984 mg/m³	
	400 ppm	
Regulatory reference	Alberta Regulation 191/2021	
Canada (Quebec) - Occupational Exposure Limits		
Local name	Isopropyl alcohol	

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

propan-2-ol, isopropyl alcohol, isopropanol (6	57-63-0)	
VECD (OEL STEV)	400 ppm	
VEMP (OEL TWAEV)	200 ppm	
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety	
Canada (British Columbia) - Occupational Exposure Limits		
Local name	Isopropanol (Isopropyl alcohol, 2-Propanol)	
OEL TWA	200 ppm	
OEL STEL	400 ppm	
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)	
Canada (Manitoba) - Occupational Exposure Limits		
Local name	2-Propanol	
OEL TWA	200 ppm	
OEL STEL	400 ppm	
Notations and remarks	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI	
Regulatory reference	ACGIH 2024	
Canada (New Brunswick) - Occupational Exposure	Limits	
Local name	2-Propanol	
OEL TWA	200 ppm	
OEL STEL	400 ppm	
Notations and remarks	Eye & URT irr; CNS impair	
Canada (Newfoundland and Labrador) - Occupation	nal Exposure Limits	
Local name	2-Propanol	
OEL TWA	200 ppm	
OEL STEL	400 ppm	
Notations and remarks	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI	
Regulatory reference	ACGIH 2024	
Canada (Nova Scotia) - Occupational Exposure Lim	its	
Local name	2-Propanol	
OEL TWA	200 ppm	
OEL STEL	400 ppm	
Notations and remarks	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI	
Regulatory reference	ACGIH 2024	
Canada (Nunavut) - Occupational Exposure Limits		
Local name	Isopropyl alcohol	
OEL TWA	200 ppm	
OEL STEL	400 ppm	

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)	
Canada (Northwest Territories) - Occupational Exposure Limits		
Local name	Isopropyl alcohol	
OEL TWA	200 ppm	
OEL STEL	400 ppm	
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)	
Canada (Ontario) - Occupational Exposure Limits		
Local name	2-Propanol	
OEL TWAEV	200 ppm	
	400 ppm	
Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833	
Canada (Prince Edward Island) - Occupational Exposure Limits		
Local name	2-Propanol	
OEL TWA	200 ppm	
OEL STEL	400 ppm	
Notations and remarks	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI	
Regulatory reference	ACGIH 2024	
Canada (Saskatchewan) - Occupational Exposure L	imits	
Local name	Isopropyl alcohol	
OEL TWA	200 ppm	
OEL STEL	400 ppm	
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10	

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:				
In case of repeated or prolonged contact wear gloves				
Туре	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,35 mm	
Disposable gloves	butyl rubber	6 (> 480 minutes)	0,5 mm	

Eye protection:	
Safety glasses	

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Туре	Field of application	Characteristics
Safety glasses with side shields	Normal use conditions	

Skin and body protection:

In case of possible repeated skin contact wear protective clothing

Туре

Long sleeved protective clothing

Chemical resistant safety shoes

Respiratory protection:

No respiratory protection needed under normal use conditions

Personal protective equipment symbol(s):



Flash point







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : No data available Color : Colorless

Odor : Mixture contains one or more component(s) which have the following odour:

: > 100 °C

Odor threshold : No data available

pH : 7

Relative evaporation rate (butyl acetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Non flammable.
Vapor pressure : No data available
Relative vapor density at 20°C : No data available

Relative density : 0.995

Solubility : Soluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : No data available

Explosion limits : No data available

9.2. Other information

No additional information available

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 10: Stability and reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions No dangerous reactions known under normal conditions of use.

Conditions to avoid None under recommended storage and handling conditions (see section 7).

Incompatible materials No additional information available

Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

Hardening time: : No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met) : Not classified (Based on available data, the classification criteria are not met) Acute toxicity (dermal) Acute toxicity (inhalation) Not classified (Based on available data, the classification criteria are not met)

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
LD50 oral rat	5840 mg/kg Source: ECHA	
LD50 oral	4396 mg/kg body weight	
LD50 dermal rabbit	12800 mg/kg Source: ECHA	
LC50 Inhalation - Rat (Dust/Mist)	46600 mg/l	
ATE CA (oral)	4396 mg/kg body weight	
ATE CA (Dermal)	12800 mg/kg body weight	
ATE CA (dust,mist)	46600 mg/l/4h	
Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)		

pH: 7

Serious eye damage/irritation

: Not classified (Based on available data, the classification criteria are not met)

Respiratory or skin sensitization : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) Reproductive toxicity Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)

STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

HG natural stone cleaner

Vaporizer Spray

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)

2.658 mm²/s Viscosity, kinematic

2024-12-27 (Issue date) CA - en 7/11

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

Not classified (Based on available data, the classification criteria are not met).

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified (Based on available data, the classification criteria are not met).

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)

LC50 - Fish [1] 10000 mg/l Test organisms (species): Pimephales promelas

12.2. Persistence and degradability

HG natural stone cleaner

Persistence and degradability The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this

assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)

Rapidly degradable Persistence and degradability

12.3. Bioaccumulative potential

HG natural stone cleaner

Bioaccumulative potential No bioaccumulation expected.

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)

Partition coefficient n-octanol/water (Log Pow) 0.05

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation : Dispose of in accordance with relevant local regulations.

Waste treatment methods Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations Disposal must be done according to official regulations.

Product/Packaging disposal recommendations Empty containers should be taken for recycling, recovery or waste in accordance with local

regulation. Disposal must be done according to official regulations. Do not pierce or burn, even after use. Discharging into rivers and drains is forbidden.

Additional information Do not re-use empty containers.

Ecological waste information : Avoid release to the environment. Recycling is preferred to disposal or incineration.

2024-12-27 (Issue date) CA - en 8/11

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 14: Transport information

In accordance with TDG / DOT / IMDG / IATA

TDG	DOT	IMDG	IATA		
14.1. UN number	4.1. UN number				
Not applicable	Not applicable	Not regulated	Not regulated		
14.2. Proper Shipping Name					
Not applicable	Not applicable	Not regulated	Not regulated		
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not regulated	Not regulated		
14.4. Packing group					
Not applicable	Not applicable	Not regulated	Not regulated		
14.5. Environmental hazards					
Not applicable	Not applicable	Not regulated	Not regulated		
No supplementary information available					

14.6. Special precautions for user

TDG

Not applicable

DOT

Not applicable

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16: Other information

Issue date : 12-27-2024

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Full text of haza	Full text of hazard classes and H-statements:	
H225	Highly flammable liquid and vapor	
H319	Causes serious eye irritation	
H336	May cause drowsiness or dizziness	

Abbreviations a	and acronyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Abbreviations and acronyms:	
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.