

Edition n. 3

Edition dste 04/10/17

Printed on 04/10/17

Pag n. 1/10

FULL SERVICE APPLIANCE DESCALER MOT

Safety Data Sheet

SECTION 1. Identification of the substance or mixture and of the company / undertaking

1.1. Product identifier

Code: MOT

Name FULL SERVICE APPLIANCE DESCALER UFI CODE: QG20-J0PW-E00G-KSXU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Description / Use Dishwasher / Washing machine cleaner household.

1.3. Details of the supplier of the safety data sheet

Company Ecozone Ltd

Address: 10 Barley Mow Passage, Chiswick, London

W4 4PH United Kingdom tel. 0345 230 4200 fax 0845

230 4220

e-mail address of the person responsible,

responsible for the safety data sheet trade@ecozone.co.uk

1.4. Emergency telephone number

For urgent inquiries refer to 0345 230 4200 (10:00 - 16:00)

SECTION 2. Hazards Identification

2.1. Classification of the substance or mixture

The product is classified as dangerous according to the provisions of Regulation (EC) 1272/2008 (CLP) (and subsequent amendments and adjustments). The product therefore requires a safety data sheet in accordance with the provisions of Regulation (EC) 1907/2006 and subsequent amendments. Further information on health and / or environment hazards can be found in sections 11 and 12 of this data sheet.

Classification and Indications of Hazard:

Eye irritation, category 2 H319 Causes serious eye irritation.

2.2. Label elements.

Hazard labeling according to Regulation (EC) 1272/2008 (CLP) and subsequent modifications and adjustments.



Warnings: warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:



Edition n. 3

Edition dste 04/10/17

Printed on 04/10/17

Pag n. 2/10

FULL SERVICE APPLIANCE DESCALER MOT

P101 If medical advice is needed, please have the product container or label

P102 Keep out of reach of children.

P103 Read label before use.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue to rinse. P337 + P313 if irritation of the eyes persists, get medical advice/attention.

2.3. Other hazards.

Based on the available data, the product does not contain PBT or vPvB percentage greater than 0.1%.

SECTION 3. Composition / information on ingredients.

3.1. Substances.

Non relevant information.

3.2. Mixtures.

It Contains:

Identification. CITRIC ACID MONOHYDRATE	Conc.%.	Classification 1272/2008 (CLP).
CAS. 5949-29-1	30 - 50	Eye Irrit. 2 H319
CE. 201-069-1		
INDEX		
Nr. Reg. 02-2119457026-42		
DISODIUM CARBONATE, COMPOUND WITH		
HYDROGEN PEROXIDE (2:3) CAS. 15630-89-4	10 - 20	Ox. Sol. 3 H272, Acute Tox. 4 H302, Eye Dam. 1 H318
CE. 239-707-6		
INDEX		
Nr. Reg. 01-2119457268-30		
SODIUM CARBONATE		
CAS. 497-19-8	9 - 20	Eye Irrit. 2 H319
CE. 207-838-8		
INDEX. 011-005-00-2		
Nr. Reg. 01-2119485498-19		

Note: Value of upper range excluded.

The full text of hazard (H) phrases is given in section 16.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses. Wash immediately with plenty of water for at least 15 minutes, opening eyes. Consult a doctor if the problem persists. SKIN: Take off contaminated clothing. Wash immediately with plenty of water. If irritation persists, consult a doctor. Wash contaminated clothing before reuse. Inhalation: Move to fresh air. If breathing is difficult, seek medical attention.



Edition n. 3

Edition dste 04/10/17

Printed on 04/10/17

Pag n. 3/10

FULL SERVICE APPLIANCE DESCALER MOT

Ingestion: Consult a doctor immediately. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person unless authorized by the doctor.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances see chap. 11.

4.3. Indication of any need for immediate medical attention and special treatment.

Information not available.

SECTION 5. Fire-fighting measures.

5.1. Extinguishing.

SUITABLE EXTINGUISHING MEDIA

The fire fighting to the conventional kind: carbon dioxide, foam, powder and nebulised water.

EXTINGUISHING MEDIA NOT SUITABLE

None specific.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Avoid breathing products of combustion.

5.3. Recommendations for firefighting.

GENERAL INFORMATION

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention. Collect extinguishing water to prevent it from draining into the drain. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

EQUIPMENT

Normal clothing to fight the fire, like a compressed air breathing apparatus open circuit (EN 137), complete with flame retardant (EN469), fire resistant gloves (EN 659) and boots Firefighter (HO A29 or A30).

SECTION 6. Measures in case of accidental release.

6.1. Personal precautions, protective equipment and procedures in case of emergency.

Avoid formation of dust spraying the product with water if there are no contraindications. Avoid breathing vapors / mists / gas.

Wear suitable protective equipment (including personal protective equipment referred to in section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

6.2. Environmental precautions.

Prevent product from entering the sewers, surface water, ground water.

6.3. Methods and materials for containment and cleaning.

Manually collect leaked product and place in containers for recovery or disposal. Eliminate the remainder using jets of water if there are no contraindications.



Edition n. 3

Edition dste 04/10/17

Printed on 04/10/17

Pag n. 4/10

FULL SERVICE APPLIANCE DESCALER MOT

Ensure adequate ventilation of the area affected by the spillage. Check the incompatibilities for the container material in section 7. The disposal of contaminated material must be in compliance with the provisions of section 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Handle the product after consultation with all other sections of this sheet. Avoid dispersal to the environment. Do not eat, drink or smoke while handling. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store closed containers in a well-ventilated area, away from direct sunlight. Store containers away from any incompatible materials, checking section 10.

7.3. Specific end use.

Information not available.

SECTION 8. Exposure controls / personal protection.

8.1. Control parameters.

DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2: 3)

Concentration is not expected to effect `environmental - PNEC.

Reference value in fresh water 0.035 mg / I

Reference value in sea water 0.035 mg / I

Reference value for microorganisms STP 16,24 mg / I

Health - Derived No effect - DNEL / DMEL Effects

on consumers. Effects on workers

Route of Exposure Local acute Systemic acute chronic Systemic chronic Local Local Local acute Systemic acute chronic Systemic chronic Inhalation. 5 mg / m3 VND

Dermal. 6.4 mg VND 6.4 mg / m2 VND 12.8 mg / cm2 VND 12.8 mg / cm2 VND

SODIUM CARBONATE

Health - Derived No effect - DNEL / DMEL Effects

on consumers. Effects on workers

Route of Exposure Local acute Systemic acute chronic Systemic chronic Local Local Local acute Systemic acute chronic Systemic chronic Inhalation. 10 mg / m3 VND 10 mg / m3 VND

Legend:

VND = hazard identified but no DNELs / PNECs available; NEA = no anticipated exposure; NPI = no hazard identified.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protection equipment, ensure good ventilation in the workplace through effective local aspiration. Personal protective equipment must bear the CE mark attesting to their compliance with applicable regulations.

Provide emergency shower and eye bath.



Edition n. 3

Edition dste 04/10/17

Printed on 04/10/17

Pag n. 5/10

FULL SERVICE APPLIANCE DESCALER MOT

HAND PROTECTION

In case of prolonged contact with the product, you may want to protect your hands with gloves resistant to penetration (ref. Standard EN 374). Final selection of the material of the gloves must also evaluate the process of using the product and any other products derived from them.

SKIN PROTECTION

Wear work clothes with long sleeves and safety shoes for professional use of category I (ref. Directive 89/686 / EEC and standard EN ISO 20344). Wash with soap and water after removing protective clothing.

EYE PROTECTION

You should wear protective airtight goggles (ref. Standard EN 166).

RESPIRATORY PROTECTION

Not required, unless otherwise stated in the chemical risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS.

Emissions from production processes, including those from ventilation should be checked for compliance with local regulations.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical.

Appearance solid Colour White Odour Characteristic Odour threshold. Not available. 9-10 Not available. Melting or freezing. Initial boiling point. Not available. Not available. Boiling range. Flash point. Not available. Evaporation rate Not available. Flammability of solids and gases Not available. Lower explosive limit. Not available. Upper limit of flammability. Not available. Lower explosive limit. Not available Upper explosive limit. Not available. Vapour pressure. Not available. Vapour density Not available. Relative density. 1,000 Kg/I Solubility Not available. Partition coefficient: n-octanol / water: Not available. Auto-ignition temperature. Not available. Decomposition temperature. Not available. Not available. Viscosity Explosive properties Not available. Oxidising properties Not available.

9.2. Other information.

Information not available.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.



Edition n. 3

Edition dste 04/10/17

Printed on 04/10/17

Pag n. 6/10

FULL SERVICE APPLIANCE DESCALER MOT

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

In normal conditions of use and storage no dangerous reactions are expected.

10.4. Conditions to avoid.

None specific.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental toxicological data on the product itself, the potential risks of the product to health were evaluated based on the properties of substances, according to the criteria laid down by the relevant regulations for classifications. Consider therefore the concentration of each substance possibly dangerous cited in sect. 3, to evaluate the toxicological effects deriving to product exposure.

Acute effects: contact with eyes causes irritation; Symptoms may include: redness, swelling, pain and tearing. Ingestion may cause health disorders, including stomach pain and sting, nausea and vomiting.

CITRIC ACID MONOHYDRATE

LD50 (Oral) .5400 mg / kg mouse

LD50 (Dermal).> 2000 mg / kg

DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2: 3)

LD50 (Oral) .1034 mg / kg

LC50 (inhalation) .1200 mg / m3

SODIUM CARBONATE

LD50 (Oral) .4090 mg / kg Rat

LD50 (Dermal) .117 mg / kg Mouse

LC50 (inhalation) .2,3 mg / I / 2h Rat

SECTION 12. Ecological information.

Adopt good working practices, avoiding littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity.

DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2: 3)

LC50 - Fish. > 70 mg / I / 96h



Edition n. 3

Edition dste 04/10/17

Printed on 04/10/17

Pag n. 7/10

FULL SERVICE APPLIANCE DESCALER MOT

12.2. Persistence and degradability.

SODIUM CARBONATE

Solubility in water. mg / I 1000-10000 Biodegradation:

Not Available.

12.3. Bioaccumulation potential.

Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB.

Based on the available data, the product does not contain PBT or vPvB percentage greater than 0.1%. PBT:

no

VPvBs: no.

12.6. Other adverse effects.

None specific

SECTION 13. Disposal considerations.

13.1. Methods of waste treatment.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorized waste management agent, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

Recover if possible.

To dispose of the product or containers uncleaned / reclaimed use an authorized waste management agent (recovery or disposal of hazardous waste). Containers cleaned / decontaminated should be disposed of / recovered as special waste.

Never discharge the product into surface water or groundwater.

Where applicable, refer to the following regulatory provisions: 91/156 / EEC, 91/689 / EEC, 94/62 / EC and subsequent adjustment.

SECTION 14. Transport information.

14.1. UN number.

Not applicable.

14.2. Shipping Name ONU.

Not applicable.



Edition n. 3

Edition dste 04/10/17

Printed on 04/10/17

Pag n. 8/10

FULL SERVICE APPLIANCE DESCALER MOT

14.3. Classes Transport hazard.
Not applicable.
14.4. Packing group
Not applicable.
14.5. Dangers for the environment.
Not applicable.
14.6. Special precautions for users.
Not applicable.
14.7. Transport in bulk according Annex II of MARPOL 73/78 and the IBC Code.
Non relevant information.
SECTION 15. Regulatory information. 15.1. Standards and legislation, health legislation specific for the substance or mixture.
Seveso category. No.
Restrictions relating to the product or contained substances pursuant to Annex XVII to Regulation (EC) 1907/2006.
No.
Substances in Candidate List (Art. 59 REACH).
No.
Substances subject to authorization (Annex XIV REACH).
No.
Substances subject to export notification Reg. (EC) 649/2012:
No.
Substances subject to the Rotterdam Convention:
No.
Substances subject to the Stockholm Convention:
No.
Healthcare controls.



Edition n. 3

Edition dste 04/10/17

Printed on 04/10/17

Pag n. 9/10

FULL SERVICE APPLIANCE DESCALER MOT

Workers exposed to this chemical agent to health must undergo health checks according to the provisions of Article. 41 of Legislative Decree no. 81 dated 9 April 2008 unless the risk to the safety and health of the worker has been assessed irrelevant, according to art. 224 paragraph 2.

15.2. Chemical safety assessment.

It was developed a chemical safety assessment for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Ox. Sol. 3 Oxidising solid, category 3
Acute Tox. 4 Acute toxicity, category 4
Eye Dam. 1 Serious eye damage, category 1
Eye Irrit. 2 Eye irritation, category 2

H272 May intensify fire; combustion.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

LEGEND:

- ADR: European Agreement concerning the transport of dangerous goods by road
- CAS NUMBER: Chemical Abstract Service
- EC50: Concentration that gives effect to 50% of the population subject to testing
- EC NUMBER: ID number in ESIS (European archive of existing substances)
- CLP: Regulation EC 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonised System for classification and labeling of chemicals
- IATA DGR: Regulation for the transport of dangerous goods by the International Air Transport Association
- IC50: Concentration of immobilization of 50% of the population subject to testing
- IMDG Code International Maritime Dangerous Goods
- IMO: International Maritime Organization
- INDEX NUMBER: ID number on Annex VI of CLP
- LC50: Lethal concentration, 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic according to REACH
- PEC: Predicted Environmental Concentration
- PEL: Level foreseeable exposure
- Levels PNEC: Predicted No Effect
- REACH Regulation EC 1907/2006
- RID: Regulations concerning the international carriage of dangerous goods by rail
- TLV: Threshold Limit Value
- TLV CEILING: Concentration which should not be exceeded during any time EXPOSURE work.
- TWA STEL: Short Term Exposure Limit
- TWA: Exposure Limit Weighted average
- VOC: Volatile Organic Compound
- VPvB: Very persistent and very bioaccumulative according to REACH WGK: Water hazard class (Germany).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 of the European Parliament (REACH)
- 2. Regulation (EU) 1272/2008 of the European Parliament (CLP)
- 3. Regulation (EU) 790/2009 of the European Parliament (I Atp. CLP)
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 of the European Parliament (II Atp. CLP)
- 6. Regulation (EU) 618/2012 of the European Parliament (III Atp. CLP)
- 7. Regulation (EU) 487/2013 of the European Parliament (IV Atp. CLP)



Edition n. 3

Edition dste 04/10/17

Printed on 04/10/17

Pag n. 10/10

FULL SERVICE APPLIANCE DESCALER MOT

- 8. Regulation (EU) 944/2013 of the European Parliament (V Atp. CLP)
- 9. Regulation (EU) 605/2014 of the European Parliament (VI Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition Web Site Agency ECHA Note: USER:

The information in this sheet are based on our knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

It should not be construed as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility to respect the laws and the existing provisions on hygiene and safety. We do not assume responsibility for improper use. Provide adequate training to staff that use chemicals.

Changes to previous review.

Changes were made to the following sections: 02/04/07/08/09/11 / 12 / 14.