

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 16/12/2022 Revision date: 03/05/2023 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : HG terra cotta cleaner shine restorer

UFI : XSG2-9JMS-900N-MAN4

Product code : 191 ART
Type of product : Detergent
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

1.2.2. Uses advised against

Restrictions on use : All other uses not recommended above

1.3. Details of the supplier of the safety data sheet

ManufacturerDistributorHG International B.V.HG UKI LTD

P.J. Oudweg 41 Weston Business Centre NL- 1314 CJ Almere Parsonage Road

The Netherlands UK- CM22 6PU Takeley - Essex

T +31 (0)36 54 94 700 United Kingdom

<u>safety@hg.eu</u> - <u>www.hg.eu</u> T +44 (0) 1206 822 744

www.hg.eu

1.4. Emergency telephone number

Emergency number : +31 (0)36 54 94 777

Only for medical personnel

Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P264 - Wash hands thoroughly after handling.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

EUH-statements : EUH208 - Contains triisobutyl phosphate (126-71-6) (00086), Rosin, fumarated, polymer

with glycerol, ammonium salt (68554-18-7) (00305), 2-methylisothiazol-3(2H)-one (2682-20-

4) (00180). May produce an allergic reaction.

Child-resistant fastening : Not applicable Tactile warning : Not applicable

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component		
(2-methoxymethylethoxy)propanol(34590-94-8)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2 REACH-no: 01-2119450011- 60	≥ 2 - < 5	Not classified
Isotridecanol, ethoxylated	CAS-No.: 69011-36-5 EC-No.: 500-241-6	≥1-<2	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
1-methoxy-2-propanol; monopropylene glycol methyl ether substance with a Community workplace exposure limit	CAS-No.: 107-98-2 EC-No.: 203-539-1 EC Index-No.: 603-064-00-3 REACH-no: 01-2119457435- 35	≥ 0.1 – < 1	Flam. Liq. 3, H226 STOT SE 3, H336
Poly(oxy-1,2-ethanediyl), α-isodecyl-ω-hydroxy-	CAS-No.: 61827-42-7 EC-No.: 612-519-5	≥ 0.1 – < 1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Rosin, fumarated, polymer with glycerol, ammonium salt	CAS-No.: 68554-18-7 EC-No.: 812-691-3	≥ 0.1 – < 1	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 4, H413
triisobutyl phosphate	CAS-No.: 126-71-6 EC-No.: 204-798-3 REACH-no: 01-2119957118- 32	≥ 0.1 – < 1	Skin Sens. 1, H317 Aquatic Chronic 3, H412
2-butoxyethanol; ethylene glycol monobutyl ether substance with a Community workplace exposure limit	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0 REACH-no: 01-2119475108-	< 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	0,00125	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Specific concentration limits:			
Name	Product identifier	Specific concentration limits (Conc. (% w/w))	
Isotridecanol, ethoxylated	CAS-No.: 69011-36-5 EC-No.: 500-241-6	(1 ≤ C < 10) Eye Irrit. 2, H319 (10 ≤ C < 100) Eye Dam. 1, H318	
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	(0.0015 ≤ C ≤ 100) Skin Sens. 1A, H317	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Stop leak if safe to do so.

Firefighting instructions : Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Protect from freezing.

Storage temperature : 0 - 35 °C

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

03/05/2023 (Revision date) IE - en 4/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

C2-microsymethylethoxypropanol (34590-94-8)					
Local name (2-Methoxymethylerhoxyl-propanol IOEL TWA 308 mg/m³ IOEL TWA [pgm] 50 ppm Remark Skin Regulatory reference CoMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Treland - Occupational Exposure Limits DEL TWA [1] 308 mg/m³ OEL TWA [2] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), (DELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) EU-Indicative Occupational Exposure Limit (IOEL) LOCA I name 1-Methoxypropanol-2 IOEL TWA 375 mg/m³ IOEL TWA [2] 100 ppm Remark Skin Regulatory reference CoMMISSION DIRECTIVE 2000/39/EC IOEL STEL [pm] 150 ppm Remark Occupational Exposure Limits Local name Propylene glycol monomethyl ether [1-Methyoxypropan-2-o] OEL TWA [2] 100 ppm OEL TWA [2]					
IOEL TWA [ppm] 308 mg/m³ IOEL TWA [ppm] 50 ppm Remark Skin Regulatory reference CoMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name (2-Methoxymethylethoxy)-1-propanol [Dipropylene glycol methyl ether] OEL TWA [1] 308 mg/m³ OEL TWA [2] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with 1, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) EU - Indicative Occupational Exposure Limit (IOEL) 1-Methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) EU - Indicative Occupational Exposure Limit (IOEL) 1-Methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) 1-Methoxy-2-propanol; monopropylene glycol methyl ether (107-98-	EU - Indicative Occupational Exposure Limit (IOEL)				
IOEL TWA [ppm] 50 ppm Remark 50 kin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits C-Methoxymethylethoxy)-1-propanol [Dipropylene glycol methyl ether] OEL TWA [1] 308 mg/m³ OEL TWA [2] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 ************************************	Local name	(2-Methoxymethylethoxy)-propanol			
Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Include - Occupational Exposure Limits Local name (2-Methoxymethylethoxy)-1-propanol [Dipropylene glycol methyl ether] OEL TWA [1] 308 mg/m² OEL TWA [2] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 1-methoxy-2-propanol; monopropylene glycot methyl ether (107-98-2) EU-Indicative Occupational Exposure Limit (IOEL**) Local name 1-Methoxypropanol-2 IOEL TWA 375 mg/m³ IOEL STEL [pm] 150 ppm Gerata (Pm) 50 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Ioel STEL [pm] 375 mg/m³ OEL TWA [1] 375 mg/m³ OEL TWA [2] 100 ppm OEL TWA [2] 100 ppm OEL STEL [pm] 375 mg/m³ OEL STEL [pm] 150 ppm Remark<	IOEL TWA	308 mg/m³			
Regulatory reference C2-Methoxymethylethoxy)-1-propanol [Dipropylene glycol methyl ether] Deal name (2-Methoxymethylethoxy)-1-propanol [Dipropylene glycol methyl ether] DeL TWA [1] 308 mg/m³ DeL TWA [2] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IDELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 E-Wethoxy-2-propanol; monopropylene glycot methyl ether (107-98-2) E-U-Indicative Occupational Exposure Limit (IDEL) Local name 1-Methoxypropanol-2 DEL TWA [2] 50 ppm Remark Sk (Substances Management) DEL STEL [2pm] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IDELV (Indicative Occupational Exposure Limit (IDEL) Local name 1-Methoxy-2-propanol; monopropylene glycot methyl ether (107-98-2) DEL TWA [2] 100 ppm DEL STEL [2pm] 100 ppm DEL TWA [2] 100 ppm DEL STEL [2pm] 100 p	IOEL TWA [ppm]	50 ppm			
Ireland - Occupational Exposure Limits Local name (2-Methoxymethylethoxy)-1-propanol [Dipropylene glycol methyl ether] OEL TWA [1] 308 mg/m³ OEL TWA [2] 50 ppm Remark \$6 ppm Remark \$6 k(Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) EU - Indicative Occupational Exposure Limit (IOEU) Local name 1-Methoxypropanol-2 OEL TWA [2] 375 mg/m³ IOEL TWA [2] 568 mg/m³ IOEL STEL [6pm] 150 ppm Remark 9kin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Code Iname OEL TWA [1] 375 mg/m³ OEL TWA [2] 100 ppm OEL TWA [2] 100 ppm OEL STEL [6pm] 150 ppm Remark IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemi	Remark	Skin			
Local name (2-Methoxymethylethoxy)-1-propanol [Dipropylene glycol methyl ether] OEL TWA [1] 308 mg/m³ OEL TWA [2] 50 ppm Remark \$6 k (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) EU - Indicative Occupational Exposure Limit (IOEU) Local name 1-Methoxypropanol-2 IOEL TWA [2] 375 mg/m³ IOEL TWA [3pm] 100 ppm IOEL STEL [3pm] 150 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits COMMISSION DIRECTIVE 2000/39/EC Local name Propylene glycol monomethyl ether [1-Methyoxypropan2-ol] OEL TWA [1] 375 mg/m³ OEL STEL [3pm] 150 ppm Remark 100 ppm OEL STEL [3pm] 150 ppm Remark 10 ppm OEL STEL [3pm] 150 ppm Remark 10	Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC			
OEL TWA [1] 308 mg/m³ OEL TWA [2] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 1-methoxy-2-propanol; monopropylene glycot methyl ether (107-98-2) EU-Indicative Occupational Exposure Limit (IOEL) Local name 1-Methoxypropanol-2 IOEL TWA 375 mg/m³ IOEL TWA [ppm] 100 ppm IOEL STEL 568 mg/m³ IOEL STEL [ppm] 150 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits COMMISSION DIRECTIVE 2000/39/EC Local name Propylene glycol monomethyl ether [1-Methyoxypropan2-ol] OEL TWA [1] 375 mg/m³ OEL TWA [2] 100 ppm OEL STEL 568 mg/m³ OEL STEL [ppm] 150 ppm Remark IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 2-butoxyet	Ireland - Occupational Exposure Limits				
OEL TWA [2] 50 ppm Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 1-methoxy-2-propanol; monopropylene glycot methyl ether (107-98-2) EU - Indicative Occupational Exposure Limit (IOEL) Local name 1-Methoxypropanol-2 IOEL TWA (10 ppm) 100 ppm IOEL STEL (10 ppm) 150 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limit (10 ppm) OEL TWA [1] 375 mg/m³ OEL TWA [2] 100 ppm CEL TWA [2] 100 ppm QEL STEL (100 ppm) 150 ppm Remark (100 ppm) 150 ppm Remark (100 ppm) 150 ppm QEL TWA [2] 150 ppm Remark (100 ppm) 150 ppm Remark (100	Local name	(2-Methoxymethylethoxy)-1-propanol [Dipropylene glycol methyl ether]			
Remark Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) EU - Indicative Occupational Exposure Limit (IOELT) Local name 1-Methoxypropanol-2 Local name 1-Methoxypropanol-2 LOEL TWA (ppm) 100 ppm LOEL STEL 100 ppm 150 ppm Remark Skin 100 ppm Remark Skin 100 ppm 100	OEL TWA [1]	308 mg/m³			
contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) EU-Indicative Occupational Exposure Limit (IOEL) Local name 1-Methoxypropanol-2 IOEL TWA 375 mg/m³ IOEL TWA [ppm] 100 ppm IOEL STEL 568 mg/m³ IOEL STEL [ppm] Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name Propylene glycol monomethyl ether [1-Methyoxypropan2-ol] OEL TWA [1] 375 mg/m³ OEL TWA [2] 100 ppm OEL STEL	OEL TWA [2]	50 ppm			
Temethoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) EU - Indicative Occupational Exposure Limit (IOELTWA	Remark	contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure			
EU- Indicative Occupational Exposure Limit (IOEL) Local name 1-Methoxypropanol-2 10EL TWA 375 mg/m³ 100L TWA [ppm] 100 ppm 100L STEL 568 mg/m³ 10EL STEL [ppm] 150 ppm Remark Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limit (IOEL) Local name Propylene glycol monomethyl ether [1-Methyoxypropan2-ol] OEL TWA [1] 375 mg/m³ OEL TWA [2] 100 ppm OEL STEL OEL STEL 568 mg/m³ OEL STEL OEL STEL 568 mg/m³ OEL STEL 568 mg/m³ OEL STEL 568 mg/m³ OEL STEL 568 mg/m³ CUL (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 2-butoxyethanol; ethylene glycol monobutyl ether (11-76-2) EU- Indicative Occupational Exposure Limit (IOEL) Local name 2-Butoxyethanol OEL TWA 375 mg/m³ 2-Butoxyethanol	Regulatory reference	Chemical Agents Code of Practice 2021			
Local name 1-Methoxypropanol-2 IOEL TWA 375 mg/m³ IOEL TWA [ppm] 100 ppm OEL STEL 568 mg/m³ IOEL STEL [ppm] 150 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name Propylene glycol monomethyl ether [1-Methyoxypropan2-ol] OEL TWA [1] 375 mg/m³ OEL TWA [2] 100 ppm OEL STEL 568 mg/m³ OEL STEL [ppm] 150 ppm Remark IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2) EU - Indicative Occupational Exposure Limit (IOEL) Local name 2-Butoxyethanol IOEL TWA 3-Butoxyethanol	1-methoxy-2-propanol; monopropylene glyco	I methyl ether (107-98-2)			
IOEL TWA [ppm] 100 ppm IOEL STEL 568 mg/m³ IOEL STEL [ppm] 150 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name Propylene glycol monobutyl ether [1-Methyoxypropan2-ol] OEL TWA [1] 375 mg/m³ OEL TWA [2] 100 ppm OEL STEL [ppm] 1500 ppm Remark S68 mg/m³ OEL STEL [ppm] 1500 ppm Remark 1500 ppm Remar	EU - Indicative Occupational Exposure Limit (IOEL)				
IOEL TWA [ppm] 100 ppm 150 ppm	Local name	1-Methoxypropanol-2			
IOEL STEL [ppm] 150 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name Propylene glycol monomethyl ether [1-Methyoxypropan2-ol] OEL TWA [1] 375 mg/m³ OEL TWA [2] 100 ppm OEL STEL 568 mg/m³ OEL STEL 568 mg/m³ OEL STEL 568 mg/m³ OEL STEL [ppm] 150 ppm Remark IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 2-butoxyethanol; ethylene glycol monobutyl ether (11-76-2) EU - Indicative Occupational Exposure Limit (IOEL) Local name 2-Butoxyethanol IOEL TWA 98 mg/m³	IOEL TWA	375 mg/m³			
IOEL STEL [ppm] 150 ppm Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name Propylene glycol monomethyl ether [1-Methyoxypropan2-ol] OEL TWA [1] 375 mg/m³ OEL TWA [2] 100 ppm OEL STEL 568 mg/m³ OEL STEL 568 mg/m³ OEL STEL [ppm] 150 ppm Remark IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2) EU - Indicative Occupational Exposure Limit (IOEL) Local name 2-Butoxyethanol IOEL TWA [3] 98 mg/m³	IOEL TWA [ppm]	100 ppm			
Remark Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name Propylene glycol monomethyl ether [1-Methyoxypropan2-ol] OEL TWA [1] 375 mg/m³ OEL TWA [2] 100 ppm OEL STEL [568 mg/m³ OEL STEL [579m] 150 ppm Remark IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2) EU - Indicative Occupational Exposure Limit (IOEL) Local name 2-Butoxyethanol OEL TWA 98 mg/m³	IOEL STEL	568 mg/m³			
Regulatory reference COMMISSION DIRECTIVE 2000/39/EC Ireland - Occupational Exposure Limits Local name Propylene glycol monomethyl ether [1-Methyoxypropan2-ol] OEL TWA [1] 375 mg/m³ OEL TWA [2] 100 ppm OEL STEL 568 mg/m³ OEL STEL [ppm] 150 ppm Remark IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2) EU - Indicative Occupational Exposure Limit (IOEL) Local name 2-Butoxyethanol IOEL TWA 98 mg/m³	IOEL STEL [ppm]	150 ppm			
Ireland - Occupational Exposure Limits Local name Propylene glycol monomethyl ether [1-Methyoxypropan2-ol] OEL TWA [1] 375 mg/m³ OEL TWA [2] 100 ppm OEL STEL 568 mg/m³ OEL STEL [ppm] 150 ppm Remark IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2) EU - Indicative Occupational Exposure Limit (IOEL) Local name 2-Butoxyethanol IOEL TWA 98 mg/m³	Remark	Skin			
Local name Propylene glycol monomethyl ether [1-Methyoxypropan2-ol] OEL TWA [1] 375 mg/m³ OEL TWA [2] 100 ppm OEL STEL 568 mg/m³ OEL STEL [ppm] 150 ppm Remark IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2) EU - Indicative Occupational Exposure Limit (IOEL) Local name 2-Butoxyethanol IOEL TWA 98 mg/m³	Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC			
OEL TWA [1] 375 mg/m³ OEL TWA [2] 100 ppm OEL STEL 568 mg/m³ OEL STEL [ppm] 150 ppm Remark IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2) EU - Indicative Occupational Exposure Limit (IOEL) Local name 2-Butoxyethanol IOEL TWA 98 mg/m³	Ireland - Occupational Exposure Limits				
OEL TWA [2] 100 ppm OEL STEL 568 mg/m³ OEL STEL [ppm] 150 ppm Remark IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2) EU - Indicative Occupational Exposure Limit (IOEL) Local name 2-Butoxyethanol IOEL TWA 98 mg/m³	Local name	Propylene glycol monomethyl ether [1-Methyoxypropan2-ol]			
OEL STEL [ppm] 568 mg/m³ OEL STEL [ppm] 150 ppm Remark IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2) EU - Indicative Occupational Exposure Limit (IOEL) Local name 2-Butoxyethanol IOEL TWA 98 mg/m³	OEL TWA [1]	375 mg/m³			
OEL STEL [ppm] 150 ppm Remark IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2) EU - Indicative Occupational Exposure Limit (IOEL) Local name 2-Butoxyethanol IOEL TWA 98 mg/m³	OEL TWA [2]	100 ppm			
Remark IOELV (Indicative Occupational Exposure Limit Values) Regulatory reference Chemical Agents Code of Practice 2021 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2) EU - Indicative Occupational Exposure Limit (IOEL) Local name 2-Butoxyethanol IOEL TWA 98 mg/m³	OEL STEL	568 mg/m³			
Regulatory reference Chemical Agents Code of Practice 2021 2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2) EU - Indicative Occupational Exposure Limit (IOEL) Local name 2-Butoxyethanol IOEL TWA 98 mg/m³	OEL STEL [ppm]	150 ppm			
2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2) EU - Indicative Occupational Exposure Limit (IOEL) Local name 2-Butoxyethanol IOEL TWA 98 mg/m³	Remark	IOELV (Indicative Occupational Exposure Limit Values)			
EU - Indicative Occupational Exposure Limit (IOEL) Local name 2-Butoxyethanol IOEL TWA 98 mg/m³	Regulatory reference	Chemical Agents Code of Practice 2021			
Local name 2-Butoxyethanol IOEL TWA 98 mg/m³	2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)				
IOEL TWA 98 mg/m³	EU - Indicative Occupational Exposure Limit (IOEL)				
	Local name	2-Butoxyethanol			
IOFI TWA [ppm] 20 ppm	IOEL TWA	98 mg/m³			
	IOEL TWA [ppm]	20 ppm			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)			
IOEL STEL	246 mg/m³		
IOEL STEL [ppm]	50 ppm		
Remark	Skin		
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC		
Ireland - Occupational Exposure Limits			
Local name	2-Butoxyethanol (EGBE) [Ethylene glycol monobutyl ether]		
OEL TWA [1]	98 mg/m³		
OEL TWA [2]	20 ppm		
OEL STEL	246 mg/m³		
OEL STEL [ppm]	50 ppm		
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)		
Regulatory reference	Chemical Agents Code of Practice 2021		
Ireland - Biological limit values			
Local name	2-Butoxyethanol		
BMGV	200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift		
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Protective clothing. Gloves. Safety glasses.

Personal protective equipment symbol(s):









8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side shields

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Normal use conditions		EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Skin and body protection		
Туре	Standard	
Long sleeved protective clothing		
Chemical resistant safety shoes	EN ISO 20345	

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0,5		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid : White. Colour Odour : Floral. Odour threshold : Not available : Not applicable Melting point Freezing point : Not available : 100 °C Boiling point Flammability : Not applicable Lower explosion limit : 1.1 vol % Upper explosion limit : 14 vol %

Flash point : 75 °C (closed cup)

Auto-ignition temperature : 207 °C

Decomposition temperature : Not available pH : 8.8
pH solution concentration : 100 %

Viscosity, kinematic : Not available

Viscosity, dynamic : 1034 mPa·s (room temperature)

Solubility : Soluble in: Water. Diethyl ether. Dispersible (partial solubilisation) in: Methanol. Acetone.

Partition coefficient n-octanol/water (Log Kow) : Not available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : Not available
Relative density : 1.01
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : 0.36

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Isotridecanol, ethoxylated (69011-36-5)		
LD50 oral	> 2000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LD50 dermal rabbit	≈ 5960 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other:	
(2-methoxymethylethoxy)propanol (34590-94-8)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rat	> 19020 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

(2-methoxymethylethoxy)propanol (34590-94-	-8)
LD50 dermal rabbit	9510 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
1-methoxy-2-propanol; monopropylene glyco	ll methyl ether (107-98-2)
LD50 oral	3739 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal))
LD50 dermal	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	> 26315 mg/l
2-butoxyethanol; ethylene glycol monobutyl (ether (111-76-2)
LD50 oral	1414 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1020 - 1961
LD50 dermal rat	> 2000 mg/kg Source: ECHA
LD50 dermal	435 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	2200 mg/l
triisobutyl phosphate (126-71-6)	
LD50 oral	> 5000 mg/kg bodyweight
LD50 dermal	> 5000 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	> 5140 mg/l
2-methylisothiazol-3(2H)-one (2682-20-4)	
LD50 oral rat	66 – 105 mg/kg
LD50 dermal rabbit	200 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	0.33 mg/l
Skin corrosion/irritation :	Not classified pH: 8.8
2-methylisothiazol-3(2H)-one (2682-20-4)	
рН	2.58 Temp.: 25 °C Concentration: 50 g/L
Serious eye damage/irritation :	Causes serious eye irritation. pH: 8.8
2-methylisothiazol-3(2H)-one (2682-20-4)	
рН	2.58 Temp.: 25 °C Concentration: 50 g/L
Respiratory or skin sensitisation :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
2-butoxyethanol; ethylene glycol monobutyl (
IARC group	3 - Not classifiable
•	Not classified
	Not classified
1-methoxy-2-propanol; monopropylene glyco	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure :	Not classified

03/05/2023 (Revision date) IE - en 9/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Instridential otherwisted (60011 26 5)		
Isotridecanol, ethoxylated (69011-36-5)		
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)	
(2-methoxymethylethoxy)propanol (34590-94-8)		
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other:	
1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
LOAEL (oral, rat, 90 days)	2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)	
NOAEL (oral, rat, 90 days)	919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)	
NOAEL (dermal, rat/rabbit, 90 days)	> 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)	
2-methylisothiazol-3(2H)-one (2682-20-4)		
LOAEL (oral, rat, 90 days)	71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents), Guideline: other:	
Aspiration hazard :	Not classified	
1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
Viscosity, kinematic	1.848 mm²/s	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

ort-term : Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

(chronic)		
Isotridecanol, ethoxylated (69011-36-5)		
LC50 - Fish [1] > 1 mg/l		
EC50 - Crustacea [1]	1.5 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [1]	> 1 mg/l waterflea	
EC50 96h - Algae [1]	11.5 mg/l Source: EPISUITE v4.1	
(2-methoxymethylethoxy)propanol (34590-94-8)		
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Poecilia reticulata	
EC50 - Other aquatic organisms [1]	1930 mg/l Test organisms (species): other aquatic crustacea:	
EC50 72h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'	
NOEC (chronic)	≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
LC50 - Fish [1]	> 4600 mg/l	
EC50 - Other aquatic organisms [1]	2954 mg/l Test organisms (species): other aquatic crustacea:	
EC50 - Other aquatic organisms [2]	> 500 mg/l	
2-butoxyethanol; ethylene glycol monobutyl e	ther (111-76-2)	
LC50 - Fish [1]	1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	≈ 1800 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [1]	1550 mg/l waterflea	
EC50 - Other aquatic organisms [2]	911 mg/l	
EC50 72h - Algae [1]	911 mg/l Source: ECHA	
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	≥ 100 mg/l Test organisms (species): Oryzias latipes Duration: '14 d'	
triisobutyl phosphate (126-71-6)		
EC50 - Other aquatic organisms [1]	11 mg/l waterflea	
EC50 - Other aquatic organisms [2]	34.1 mg/l	
2-methylisothiazol-3(2H)-one (2682-20-4)		
LC50 - Fish [1]	4.77 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	1.6 mg/l Test organisms (species): Daphnia magna	

12.2. Persistence and degradability

HG terra cotta cleaner shine restorer	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
Partition coefficient n-octanol/water (Log Pow) -0.49		
2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)		
Partition coefficient n-octanol/water (Log Pow) 0.8		
triisobutyl phosphate (126-71-6)		
Partition coefficient n-octanol/water (Log Pow) 3.7		
Poly(oxy-1,2-ethanediyl), α-isodecyl-ω-hydroxy- (61827-42-7)		
Partition coefficient n-octanol/water (Log Pow) 2.12 Source: Quantitative Structure Activity Relation		
2-methylisothiazol-3(2H)-one (2682-20-4)		
Partition coefficient n-octanol/water (Log Pow) -0.49		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.4. Mobility in soil

Isotridecanol, ethoxylated (69011-36-5)

Mobility in soil 111.3 Source: EPISUITE v4.1

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
Not regulated for transport				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippin	14.2. UN proper shipping name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

Allergenic fragrances > 0.01 %:

LIMONENE

LINALOOL

Labelling of contents	
Component	%
non-ionic surfactants, phosphates	<5%
BENZISOTHIAZOLINONE	
METHYLISOTHIAZOLINONE	
perfumes	
LIMONENE	
LINALOOL	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information

Abbreviations and acr	onyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4	
EUH208	Contains triisobutyl phosphate (126-71-6) (00086), Rosin, fumarated, polymer with glycerol, ammonium salt (68554-18-7) (00305), 2-methylisothiazol-3(2H)-one (2682-20-4) (00180). May produce an allergic reaction.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H331	Toxic if inhaled.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H413	May cause long lasting harmful effects to aquatic life.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.