

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 08/12/2022 Revision date: 08/12/2022 Version: 1.0

SECTION 1: Identification of the	substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product form Product name Product code Type of product Product group	 Mixture HG natural stone protector 201 ART Detergent Trade product 	
1.2. Relevant identified uses of the	substance or mixture and uses advised against	
 1.2.1. Relevant identified uses Intended for general public Main use category 1.2.2. Uses advised against 	: Consumer use	
Restrictions on use	: All other uses not recommended above	
1.3. Details of the supplier of the sa	fety data sheet	
Manufacturer HG International B.V. P.J. Oudweg 41 NL– 1314 CJ Almere The Netherlands T +31 (0)36 54 94 700 <u>safety@hg.eu</u> - <u>www.hg.eu</u>	Distributor HG UKI LTD Weston Business Centre Parsonage Road UK– CM22 6PU Takeley – Essex United Kingdom T +44 (0) 1206 822 744 www.hg.eu	
1.4. Emergency telephone number		
Emergency number	: +31 (0)36 54 94 777 Only for medical personnel	

:	+31 (0)36 54 94 777
	Only for medical personnel
	Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008	[CLP]
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Full text of H- and EUH-statements: see section 16	
Adverse physicochemical, human health and environmen	tal effects

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements	
Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	GHS07
Signal word (CLP)	: Warning
Contains	: Rosin, fumarated, polymer with glycerol, ammonium salt; 2-methylisothiazol-3(2H)-one
Hazard statements (CLP)	: H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.
Precautionary statements (CLP)	 P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P280 - Wear protective gloves. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P501 - Dispose of contents and container to a hazardous or special waste collection point.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Tetraamminezinc(2+) carbonate	CAS-No.: 38714-47-5 EC-No.: 254-099-2 REACH-no: 01-2120760626- 49	≥ 0.01 – < 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Ethoxydiglycol substance with national workplace exposure limit(s) (AT, DE, NL, SE, SI)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	≥2-<5	Not classified
PPG-2 METHYL ETHER substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2 REACH-no: 01-2119450011- 60	≥2-<5	Not classified
Rosin, fumarated, polymer with glycerol, ammonium salt	CAS-No.: 68554-18-7 EC-No.: 812-691-3	≥1-<2	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 4, H413

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Tris-(2-butoxyethyl) phosphate	CAS-No.: 78-51-3 EC-No.: 201-122-9 REACH-no: 01-2119485835- 23	≥1-<2	Aquatic Chronic 3, H412
Poly(oxy-1,2-ethanediyl), α-isodecyl-ω-hydroxy-	CAS-No.: 61827-42-7 EC-No.: 612-519-5	≥ 0.1 – < 1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Ammonia% substance with national workplace exposure limit(s) (FI, NL) (Note B)	CAS-No.: 1336-21-6 EC-No.: 215-647-6 EC Index-No.: 007-001-01-2 REACH-no: 01-2119982985- 14	≥ 0.01 – < 1	Skin Corr. 1A, H314 Aquatic Acute 1, H400 STOT SE 3, H335
2-methylisothiazol-3(2H)-one substance with national workplace exposure limit(s) (AT)	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	< 0.001	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Ammonia%	CAS-No.: 1336-21-6 EC-No.: 215-647-6 EC Index-No.: 007-001-01-2 REACH-no: 01-2119982985- 14	(5 ≤C < 100) STOT SE 3, H335
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	(0.0015 ≤C ≤ 100) Skin Sens. 1A, H317

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: '... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a physician immediately. Call a doctor.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and eas to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after skin contact Symptoms/effects after eye contact	May cause an allergic skin reaction.Eye irritation.	
4.3. Indication of any immediate medical attention and special treatment needed		

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measure	es
6.1. Personal precautions, protective equip	ment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment a	and cleaning up
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up Other information	streams. : Take up liquid spill into absorbent material. : Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling	g		
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.		
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage,	including any incompatibilities		
Storage conditions Storage temperature	 Store in a well-ventilated place. Keep cool. 20 °C 		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

PPG-2 METHYL ETHER (34590-94-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	(2-Methoxymethylethoxy)-propanol	
IOEL TWA	308 mg/m ³	
IOEL TWA [ppm]	50 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Ireland - Occupational Exposure Limits		
Local name	(2-Methoxymethylethoxy)-1-propanol [Dipropylene glycol methyl ether]	
OEL TWA [1]	308 mg/m ³	
OEL TWA [2]	50 ppm	
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2021	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Normal use conditions		EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Skin and body protection	
Туре	Standard
Long sleeved protective clothing	
Chemical resistant safety shoes	EN ISO 20345

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,35		EN ISO 374
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0,5		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Colour	:	white.
Odour	:	characteristic.
Odour threshold	:	Not available
Melting point	:	Not applicable
Freezing point	:	Not available
Boiling point	:	Not available
Flammability	:	Non flammable.
Explosive limits	:	Not available
Lower explosion limit	:	Not available
Upper explosion limit	:	Not available
Flash point	:	> 60 °C
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available
рН	:	9.1
Viscosity, kinematic	:	Not available
Solubility	:	Not available
Partition coefficient n-octanol/water (Log Kow)	:	Not available
Vapour pressure	:	Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

: Not available
: Not available
: Not available
: Not available
: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal) :	Not classified Not classified Not classified	
Ethoxydiglycol (111-90-0)		
LD50 oral rat	5490 mg/kg Source: GESTIS	
LD50 oral	6031 mg/kg bodyweight	
LD50 dermal rabbit	9143 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 6928 - 12060	
LD50 dermal	9143 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	> 5240 mg/l	
Tris-(2-butoxyethyl) phosphate (78-51-3)		
LD50 oral rat	3000 mg/kg Source: Corporate Solution From Thomson Micromedex	
LD50 oral	3000 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LC50 Inhalation - Rat > 6.4 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxi Ammonia% (1336-21-6)	Tris-(2-butoxyethyl) phosphate (78-51-3)		
LD50 oral rat > 350 mg/kg Source: HSDB LD50 oral 350 mg/kg bodyweight LC50 Inhlation - Rat (Dust/Mist) 3310 mg/l 2-methylisothiazol-3(2H)-one (2682-20-4) ED50 dermal rabbit LD50 dermal rabbit 200 mg/kg LC50 Inhlation - Rat (Dust/Mist) 0.33 mg/l Skin corrosion/irritation : Not classified pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) PH PH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) PH PH 2.58 Temp.: 25 °C Concentration: 50 g/L Serious eye damage/irritation : Causes serious eye irritation. pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) PH PH 2.58 Temp.: 25 °C Concentration: 50 g/L Serious eye damage/irritation : Causes serious eye irritation. pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) PH PH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) PH PH 2.58 Temp.: 25 °C Concentration: 50 g/L Respiratory or skin sensitisation : May cause an allergic skin reaction. Germethylisothiazol-3(2H)-one (2682-20-4)	;ity)		
LD50 oral 350 mg/kg bodyweight LC50 Inhalation - Rat (Dust/Mist) 310 mg/l 2-methylisothiazol-3(2H)-one (2682-20-4) LD50 demal rabbit 200 mg/kg LC50 Inhalation - Rat (Dust/Mist) 0.33 mg/l Skin corrosion/irritation : Not classified pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH 2.58 Temp.: 25 °C Concentration: 50 g/L Serious eye damage/irritation : Causes serious eye irritation. pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH 2.58 Temp.: 25 °C Concentration: 50 g/L Serious eye damage/irritation : Causes serious eye irritation. pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH 2.58 Temp.: 25 °C Concentration: 50 g/L Respiratory or skin sensitisation : May cause an allergic skin reaction. <td></td>			
LC50 Inhalation - Rat (Dust/Mist) 3310 mg/l 2-methylisothiazol-3(2H)-one (2682-20-4) LD50 oral rat 66 – 105 mg/kg LD50 Inhalation - Rat (Dust/Mist) 0.33 mg/l Skin corrosion/irritation Not classified pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH 2.58 Temp.: 25 °C Concentration: 50 g/L Serious eye damage/irritation : Causes serious eye irritation. pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH 2.58 Temp.: 25 °C Concentration: 50 g/L Serious eye damage/irritation : Causes serious eye irritation. pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH 2.58 Temp.: 25 °C Concentration: 50 g/L Respiratory or skin sensitisation : May cause an allergic skin reaction. Garcinogenicity : Not classified Reproductive toxicity : Not classified			
2-methylisothiazol-3(2H)-one (2682-20-4) LD50 oral rat 66 – 105 mg/kg LD50 dermal rabbit 200 mg/kg LC50 Inhalation - Rat (Dust/Mist) 0.33 mg/l Skin corrosion/irritation : Not classified pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) PH PH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) PH PH 2.58 Temp.: 25 °C Concentration: 50 g/L Serious eye damage/irritation : Causes serious eye irritation. pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) PH 2.58 Temp.: 25 °C Concentration: 50 g/L Serious eye damage/irritation : Causes serious eye irritation. pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) PH PH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) PH PH X Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) PH PH X Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) PH PH V classified Carcinogenicity <t< td=""><td></td></t<>			
LD50 oral rat66 – 105 mg/kgLD50 dermal rabbit200 mg/kgLC50 Inhalation - Rat (Dust/Mist)0.33 mg/lSkin corrosion/irritationNot classified pH: 9.1Tris-(2-butoxyethyl) phosphate (78-51-3)pH7 Source: National Institute of Technology and Evaluation2-methylisothiazol-3(2H)-one (2682-20-4)pH2.58 Temp.: 25 °C Concentration: 50 g/LSerious eye damage/irritation: Causes serious eye irritation. pH: 9.1Tris-(2-butoxyethyl) phosphate (78-51-3)pH7 Source: National Institute of Technology and Evaluation2-methylisothiazol-3(2H)-one (2682-20-4)pH2.58 Temp.: 25 °C Concentration: 50 g/LSerious eye damage/irritation: Causes serious eye irritation. pH: 9.1Tris-(2-butoxyethyl) phosphate (78-51-3)pH7 Source: National Institute of Technology and Evaluation2-methylisothiazol-3(2H)-one (2682-20-4)pH2.58 Temp.: 25 °C Concentration: 50 g/LRespiratory or skin sensitisation: May cause an allergic skin reaction. Germ cell mutagenicityerm cell mutagenicity: Not classifiedCarcinogenicity: Not classifiedReproductive toxicity: Not classifiedSTOT-single exposure: Not classifiedAmmonia% (1336-21-6):STOT-single exposureMay cause respiratory irritation.Tetraamminezinc(2+) carbonate (38714-47-5):STOT-single exposureMay cause respiratory irritation.			
LD50 dermal rabbit 200 mg/kg LC50 Inhalation - Rat (Dust/Mist) 0.33 mg/l Skin corrosion/irritation : Not classified pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH pH 2.58 Temp.: 25 °C Concentration: 50 g/L Serious eye damage/irritation : Causes serious eye irritation. pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH pH 2.58 Temp.: 25 °C Concentration: 50 g/L Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Garcinogenicity : Not classified STOT-single exposure : Not classified Anmonia% (1336-21-6) STOT-single exposure STOT-single exposure May cause respiratory irritation.			
LC50 Inhalation - Rat (Dust/Mist) 0.33 mg/l Skin corrosion/irritation : Not classified pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH PH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH PH 2.58 Temp.: 25 °C Concentration: 50 g/L Serious eye damage/irritation : Causes serious eye irritation. pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH PH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH PH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH PH 2.58 Temp.: 25 °C Concentration: 50 g/L Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure May cause respiratory irritation. Tetraamminezinc(2+) carbonate (38714-47-5) STOT-single exposure			
Skin corrosion/irritation : Not classified pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH 2.58 Temp.: 25 °C Concentration: 50 g/L Serious eye damage/irritation : Causes serious eye irritation. pH 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH 2.58 Temp.: 25 °C Concentration: 50 g/L 2-methylisothiazol-3(2H)-one (2682-20-4) pH 2.58 Temp.: 25 °C Concentration: 50 g/L Respiratory or skin sensitisation : May cause an allergic skin reaction. Gern cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified ST			
PH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH 2.58 Temp.: 25 °C Concentration: 50 g/L Serious eye damage/irritation clauses serious eye irritation. pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH 2.58 Temp.: 25 °C Concentration: 50 g/L Respiratory or skin sensitisation germ cell mutagenicity May cause an allergic skin reaction. Germ cell mutagenicity Not classified Carcinogenicity Not classified STOT-single exposure Not classified Struction: (1336-21-6) STOT-single exposure May cause respiratory irritation. Tetraaminezinc(2+) carbonate (38714-47-5) STOT-single exposure May cause respiratory irritation.			
pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH pH 2.58 Temp:: 25 °C Concentration: 50 g/L Serious eye damage/irritation : Causes serious eye irritation. pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH pH 2.58 Temp:: 25 °C Concentration: 50 g/L Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified STOT-single exposure May cause respiratory irritation. Tetraamminezinc(2+) carbonate (38714-47-5) May cause respiratory irritation.			
2-methylisothiazol-3(2H)-one (2682-20-4) pH 2.58 Temp.: 25 °C Concentration: 50 g/L Serious eye damage/irritation : Causes serious eye irritation. pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH 2.58 Temp.: 25 °C Concentration: 50 g/L Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified STOT-single exposure May cause respiratory irritation. Tetraamminezinc(2+) carbonate (38714-47-5) May cause respiratory irritation.			
pH 2.58 Temp.: 25 °C Concentration: 50 g/L Serious eye damage/irritation : Causes serious eye irritation. pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH pH 2.58 Temp.: 25 °C Concentration: 50 g/L Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified STOT-single exposure May cause respiratory irritation. Tetraamminezinc(2+) carbonate (38714-47-5) May cause respiratory irritation.			
Serious eye damage/irritation : Causes serious eye irritation. pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH 2.58 Temp.: 25 °C Concentration: 50 g/L Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified STOT-single exposure : Not classified STOT-single exposure May cause respiratory irritation. Tetraamminezinc(2+) carbonate (38714-47-5) May cause respiratory irritation.			
pH: 9.1 Tris-(2-butoxyethyl) phosphate (78-51-3) pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH 2.58 Temp.: 25 °C Concentration: 50 g/L Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure May cause respiratory irritation. Tetraamminezinc(2+) carbonate (38714-47-5) May cause respiratory irritation.			
pH 7 Source: National Institute of Technology and Evaluation 2-methylisothiazol-3(2H)-one (2682-20-4) pH 2.58 Temp.: 25 °C Concentration: 50 g/L Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure May cause respiratory irritation. Tetraamminezinc(2+) carbonate (38714-47-5) May cause respiratory irritation.			
2-methylisothiazol-3(2H)-one (2682-20-4) pH 2.58 Temp.: 25 °C Concentration: 50 g/L Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure May cause respiratory irritation. Tetraamminezinc(2+) carbonate (38714-47-5) STOT-single exposure STOT-single exposure May cause respiratory irritation.			
pH2.58 Temp.: 25 °C Concentration: 50 g/LRespiratory or skin sensitisation: May cause an allergic skin reaction.Germ cell mutagenicity: Not classifiedCarcinogenicity: Not classifiedReproductive toxicity: Not classifiedSTOT-single exposure: Not classifiedSTOT-single exposureMay cause respiratory irritation.Tetraamminezinc(2+) carbonate (38714-47-5)STOT-single exposureMay cause respiratory irritation.			
Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure May cause respiratory irritation. Tetraamminezinc(2+) carbonate (38714-47-5) STOT-single exposure STOT-single exposure May cause respiratory irritation.			
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure May cause respiratory irritation. Tetraamminezinc(2+) carbonate (38714-47-5) STOT-single exposure STOT-single exposure May cause respiratory irritation.			
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified Ammonia% (1336-21-6) STOT-single exposure STOT-single exposure May cause respiratory irritation. Tetraamminezinc(2+) carbonate (38714-47-5) STOT-single exposure STOT-single exposure May cause respiratory irritation.			
Reproductive toxicity : Not classified STOT-single exposure : Not classified Ammonia% (1336-21-6) : STOT-single exposure STOT-single exposure May cause respiratory irritation. Tetraamminezinc(2+) carbonate (38714-47-5) : STOT-single exposure STOT-single exposure May cause respiratory irritation.			
STOT-single exposure Not classified Ammonia% (1336-21-6) STOT-single exposure STOT-single exposure May cause respiratory irritation. Tetraamminezinc(2+) carbonate (38714-47-5) STOT-single exposure STOT-single exposure May cause respiratory irritation.			
Ammonia% (1336-21-6) STOT-single exposure May cause respiratory irritation. Tetraamminezinc(2+) carbonate (38714-47-5) STOT-single exposure May cause respiratory irritation.			
Tetraamminezinc(2+) carbonate (38714-47-5) STOT-single exposure May cause respiratory irritation.			
STOT-single exposure May cause respiratory irritation.			
STOT-repeated exposure : Not classified			
Ethoxydiglycol (111-90-0)			
NOAEL (dermal, rat/rabbit, 90 days) 300 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dermal Toxicity: 21/28-Day Study)	l Dose		
2-methylisothiazol-3(2H)-one (2682-20-4)			
LOAEL (oral, rat, 90 days) 71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Day Oral Toxicity Study in Rodents), Guideline: other:	lose 28-		
Aspiration hazard : Not classified			
Ethoxydiglycol (111-90-0)			
Viscosity, kinematic ≈ 3.895 mm²/s			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general : Hazardous to the aquatic environment, short-term : (acute) Hazardous to the aquatic environment, long-term : (chronic) Not rapidly degradable	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified
Ethoxydiglycol (111-90-0)	
LC50 - Fish [1]	6010 mg/l
EC50 - Crustacea [1]	3940 – 4670 mg/l Source: IUCLID
EC50 - Other aquatic organisms [1]	1982 mg/l waterflea
EC50 - Other aquatic organisms [2]	14861 mg/l
EC50 72h - Algae [1]	14861 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Tris-(2-butoxyethyl) phosphate (78-51-3)	
LC50 - Fish [1]	24 mg/l
EC50 - Crustacea [1]	53 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	75 mg/l waterflea
EC50 72h - Algae [1]	33 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	61 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC chronic algae	7.6 mg/l
Ammonia% (1336-21-6)	
LC50 - Fish [1]	9 mg/l
EC50 - Crustacea [1]	> 0.66 mg/l Source: HSDB, ECHA
EC50 - Other aquatic organisms [1]	101 mg/l waterflea
2-methylisothiazol-3(2H)-one (2682-20-4)	
LC50 - Fish [1]	4.77 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	1.6 mg/l Test organisms (species): Daphnia magna
12.2. Persistence and degradability	
No additional information available	

12.3. Bioaccumulative potential	
Ethoxydiglycol (111-90-0)	
Partition coefficient n-octanol/water (Log Pow)	-0.54

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tris-(2-butoxyethyl) phosphate (78-51-3)		
Partition coefficient n-octanol/water (Log Pow)	4.56	
Ammonia% (1336-21-6)		
Partition coefficient n-octanol/water (Log Pow)	-2.66	
Poly(oxy-1,2-ethanediyl), α-isodecyl-ω-hydroxy- (61827-42-7)		
Partition coefficient n-octanol/water (Log Pow) 2.12 Source: Quantitative Structure Activity Relation		
2-methylisothiazol-3(2H)-one (2682-20-4)		
Partition coefficient n-octanol/water (Log Pow)	-0.49	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
No additional information available		

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Regional legislation (waste) Waste treatment methods	Disposal must be done according to official regulations.Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

n accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard of	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haz	zards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary informatic	on available			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea Not regulated

Air transport Not regulated

Inland waterway transport Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
phosphates	<5%
BENZISOTHIAZOLINONE	
METHYLISOTHIAZOLINONE	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information			
Abbreviations and acr	Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
ΙΑΤΑ	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
РВТ	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
VOC	Volatile Organic Compounds		
CAS-No.	Chemical Abstract Service number		
N.O.S.	Not Otherwise Specified		
vPvB	Very Persistent and Very Bioaccumulative		
ED	Endocrine disrupting properties		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.