

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 26/07/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: HG car cleaner and protector
UFI	: EMP8-RPQV-7003-UUEW
Product code	: 238 ART
Type of product	: Detergent
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Function or use category

Consumer useExterior care products - all vehicle types

1.2.2. Uses advised against

Restrictions on use

: All other uses not recommended above

1.3. Details of the supplier of the safety data sheet

Manufacturer

HG International B.V. P.J. Oudweg 41 NL– 1314 CJ Almere The Netherlands T +31 (0)36 54 94 700 <u>safety@hg.eu</u> - <u>www.hg.eu</u> Importer HG UKI LTD Weston Business Centre Parsonage Road UK– CM22 6PU Takeley – Essex United Kingdom T +44 (0) 1206 822 744 www.hg.eu

1.4. Emergency telephone number

Emergency number

: +31 (0)36 54 94 777 Only for medical personnel Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1 Full text of H- and EUH-statements: see section 16 H318

Adverse physicochemical, human health and environmental effects

Causes serious eye damage.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	: GHS05
Signal word (CLP)	: Danger
Contains	: Isotridecanol, ethoxylated; Amides, C8-18 (even numbered) and C18-unsatd., N, N- bis(hydroxyethyl)
Hazard statements (CLP)	: H318 - Causes serious eye damage.
Precautionary statements (CLP)	 P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P280 - Wear eye protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
EUH-statements	: EUH208 - Contains 2-methylisothiazol-3(2H)-one (2682-20-4) (00180). May produce an allergic reaction.
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Isotridecanol, ethoxylated	CAS-No.: 69011-36-5 EC-No.: 500-241-6	≥ 10 – < 15	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	CAS-No.: 68155-07-7 EC-No.: 931-329-6 REACH-no: 01-2119490100- 53	≥2-<5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Reaction products of C18 (unsaturated) fatty acids and dimethyl sulfate and triethanolamine	CAS-No.: 1335202-95-3 EC-No.: 931-216-1 REACH-no: 01-2119472309- 33	≥ 0.1 – < 2	Skin Irrit. 2, H315 Eye Irrit. 2, H319
3-butoxypropan-2-ol; propylene glycol monobutyl ether	CAS-No.: 5131-66-8 EC-No.: 225-878-4 EC Index-No.: 603-052-00-8 REACH-no: 01-2119475527- 28	≥ 0.1 – < 2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	≥1-<2	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
2-(2-butoxyethoxy)ethanol substance with a Community workplace exposure limit	CAS-No.: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8 REACH-no: 01-2119475104- 44	≥ 0.1 – < 1	Eye Irrit. 2, H319
2-butoxyethanol; ethylene glycol monobutyl ether substance with a Community workplace exposure limit	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0 REACH-no: 01-2119475108- 36	≥ 0.1 – < 1	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Diphenyl ether substance with a Community workplace exposure limit	CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545- 33	≥ 0.001 – < 0.1	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	≥ 0.001 – < 0.01	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (Conc. (% w/w))
Isotridecanol, ethoxylated	CAS-No.: 69011-36-5 EC-No.: 500-241-6	(1 ≤ C < 10) Eye Irrit. 2, H319 (10 ≤ C < 100) Eye Dam. 1, H318
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	(0.0015 ≤ C ≤ 100) Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/effects after eye contact	: Serious damage to eyes.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the subs	tance or mixture
Explosion hazard Hazardous decomposition products in case of fire	Intense heat may cause container to burst.Carbon dioxide. Carbon monoxide.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equip	oment and emergency procedures	
6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing mist, vapours.	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment and cleaning up		

For containment	: Stop leak if safe to do so. Contain any spills with dikes or absorbents to prevent migration
	and entry into sewers or streams.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includ	ling any incompatibilities
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool.
Storage temperature Heat and ignition sources	: > 0 − < 30 °C : Keep away from heat and direct sunlight.
Special rules on packaging	 Keep only in original container. Opened containers must be carefully closed and kept upright to avoid leakage.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Ireland - Occupational Exposure Limits		
Local name	Isopropyl alcohol [Propan-2-ol]	
OEL TWA [2]	200 ppm	
OEL STEL [ppm]	400 ppm	
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)	
Regulatory reference	Chemical Agents Code of Practice 2021	
Ireland - Biological limit values		
Local name	2-Propanol	
BMGV	40 mg/l Parameter: acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B (Background), Ns (Non-specific)	
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)	
2-(2-butoxyethoxy)ethanol (112-34-5)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	2-(2-Butoxyethoxy)ethanol	
IOEL TWA	67.5 mg/m³	
IOEL TWA [ppm]	10 ppm	
IOEL STEL	101.2 mg/m ³	
IOEL STEL [ppm]	15 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Ireland - Occupational Exposure Limits		
Local name	2-(2-Butoxyethoxy)ethanol	
OEL TWA [1]	67.5 mg/m³	
OEL TWA [2]	10 ppm	
OEL STEL	101.2 mg/m ³	
OEL STEL [ppm]	15 ppm	
Remark	IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2021	
2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	2-Butoxyethanol	
IOEL TWA	98 mg/m³	
IOEL TWA [ppm]	20 ppm	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)		
IOEL STEL	246 mg/m ³	
IOEL STEL [ppm]	50 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Ireland - Occupational Exposure Limits	· · · · · · · · · · · · · · · · · · ·	
Local name	2-Butoxyethanol (EGBE) [Ethylene glycol monobutyl ether]	
OEL TWA [1]	98 mg/m ³	
OEL TWA [2]	20 ppm	
OEL STEL	246 mg/m ³	
OEL STEL [ppm]	50 ppm	
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2021	
Ireland - Biological limit values		
Local name	2-Butoxyethanol	
BMGV	200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift	
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)	
Diphenyl ether (101-84-8)		
EU - Indicative Occupational Exposure	Limit (IOEL)	
Local name	Diphenyl ether	
IOEL TWA	7 mg/m ³	
IOEL TWA [ppm]	1 ppm	
IOEL STEL	14 mg/m ³	
IOEL STEL [ppm]	2 ppm	
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164	
Ireland - Occupational Exposure Limits	i	
Local name	Diphenyl ether (vapour)	
OEL TWA [1]	7 mg/m ³	
OEL TWA [2]	1 ppm	
OEL STEL	14 mg/m ³	
OEL STEL [ppm]	2 ppm	
Remark	IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2021	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Wear foot protection.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side shields

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Normal use conditions		EN 166

8.2.2.2. Skin protection

Skin and body protection:

If there is a risk of liquid being splashed : Long sleeved protective clothing. Chemical resistant safety shoes

Skin and body protection	
Туре	Standard
Long sleeved protective clothing	
Chemical resistant safety shoes	EN ISO 20345

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state Colour Odour Odour threshold Melting point Freezing point Boiling point Flammability Lower explosion limit Upper explosion limit Flash point Auto-ignition temperature Decomposition temperature pH Viscosity, kinematic Viscosity, kinematic Viscosity, dynamic Solubility Partition coefficient n-octanol/water (Log Kow) Vapour pressure Vapour pressure at 50°C Density	: Liquid : Green. : Characteristic. : Not available : Not applicable : $0 ^{\circ}$ C : 100 $^{\circ}$ C : Non flammable. : 2 vol % : 13 vol % : > 100 $^{\circ}$ C (closed cup) : 365 $^{\circ}$ C : Not available : $8 - 8.5$: Not available : 124 mPa·s : Not available : 124 mPa·s : Not available : 124 mPa·s : Not available : Not available	
Relative density Relative vapour density at 20°C	: 1.002 : Not available	
Particle characteristics	: Not applicable	
9.2. Other information 9.2.1. Information with regard to physical hazard classes No additional information available 9.2.2. Other safety characteristics Relative evaporation rate (butylacetate=1) : 1.7		
SECTION 10: Stability and reactivity		
10.1. Reactivity The product is non-reactive under normal condition	as of use, storage and transport	
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No dangerous reactions known under normal conditions of use.		
10.4. Conditions to avoid		
None under recommended storage and handling conditions (see section 7).		
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition products		
Under normal conditions of storage and use, hazardous decomposition products should not be produced.		

Safety Data Sheet

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral): Not classified (Conclusive but not sufficient for classification)Acute toxicity (dermal): Not classified (Conclusive but not sufficient for classification)Acute toxicity (inhalation): Not classified (Conclusive but not sufficient for classification)		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LD50 oral rat	5840 mg/kg Source: ECHA	
LD50 oral	4396 mg/kg bodyweight	
LD50 dermal rabbit	12800 mg/kg Source: ECHA	
LC50 Inhalation - Rat (Dust/Mist)	46600 mg/l	
Isotridecanol, ethoxylated (69011-36-5)		
LD50 oral	> 2000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LD50 dermal rabbit	≈ 5960 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other:	
Reaction products of C18 (unsaturated) fatty	acids and dimethyl sulfate and triethanolamine (1335202-95-3)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure), Remarks on results: other:	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Remarks on results: other:	
3-butoxypropan-2-ol; propylene glycol monol	outyl ether (5131-66-8)	
LD50 oral rat	5660 mg/kg Source: NLM;HSDB, TOMES;LOLI;	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LD50 dermal rabbit	3100 mg/kg Source: NLM;chemIDplus, TOMES;LOLI;	
2-(2-butoxyethoxy)ethanol (112-34-5)		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	2764 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 2090 - 3645	
LC50 Inhalation - Rat [ppm]	> 29 ppm ((OECD 403 method))	
LC50 Inhalation - Rat (Dust/Mist)	> 196 mg/l	
2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)		
LD50 oral	1414 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1020 - 1961	
LD50 dermal rat	> 2000 mg/kg Source: ECHA	
LD50 dermal	435 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	2200 mg/l	
Amides, C8-18 (even numbered) and C18-uns	atd., N, N-bis(hydroxyethyl) (68155-07-7)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral))	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit	

Safety Data Sheet

Diphenyl ether (101-84-8)	
LD50 oral rat	2830 mg/kg Source: ECHA
2-methylisothiazol-3(2H)-one (2682-20-4)	
LD50 oral rat	66 – 105 mg/kg
LD50 dermal rabbit	200 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	0.33 mg/l
Skin corrosion/irritation :	Not classified (Conclusive but not sufficient for classification) pH: 8 – 8.5
2-methylisothiazol-3(2H)-one (2682-20-4)	
рН	2.58 Temp.: 25 °C Concentration: 50 g/L
	Causes serious eye damage. pH: 8 – 8.5
2-methylisothiazol-3(2H)-one (2682-20-4)	
рН	2.58 Temp.: 25 °C Concentration: 50 g/L
Respiratory or skin sensitisation :	Not classified (Conclusive but not sufficient for classification)
C ,	Not classified (Conclusive but not sufficient for classification)
Carcinogenicity :	Not classified (Conclusive but not sufficient for classification)
2-butoxyethanol; ethylene glycol monobutyl e	ether (111-76-2)
IARC group	3 - Not classifiable
	Not classified (Conclusive but not sufficient for classification)
	Not classified (Conclusive but not sufficient for classification)
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure :	Not classified (Conclusive but not sufficient for classification)
Isotridecanol, ethoxylated (69011-36-5)	
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
Reaction products of C18 (unsaturated) fatty	acids and dimethyl sulfate and triethanolamine (1335202-95-3)
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))
3-butoxypropan-2-ol; propylene glycol monok	butyl ether (5131-66-8)
LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	350 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	880 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
2-(2-butoxyethoxy)ethanol (112-34-5)	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7)		
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
Diphenyl ether (101-84-8)		
NOAEL (dermal, rat/rabbit, 90 days)	1000 mg/kg bodyweight Animal: rat	
2-methylisothiazol-3(2H)-one (2682-20-4)		
LOAEL (oral, rat, 90 days)	71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents), Guideline: other:	
Aspiration hazard	Not classified (Conclusive but not sufficient for classification)	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Viscosity, kinematic	2.658 mm ² /s	
2-(2-butoxyethoxy)ethanol (112-34-5)		
Viscosity, kinematic	≈ 6.794 mm²/s	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties		
Adverse health effects caused by endocrine disrupting properties	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %	

11.2.2. Other information

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute)	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification)
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas
Isotridecanol, ethoxylated (69011-36-5)	
LC50 - Fish [1]	> 1 mg/l
EC50 - Crustacea [1]	1.5 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 1 mg/l waterflea
EC50 96h - Algae [1]	11.5 mg/l Source: EPISUITE v4.1
Reaction products of C18 (unsaturated) fatty	acids and dimethyl sulfate and triethanolamine (1335202-95-3)
LC50 - Fish [1]	1.91 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	2.23 mg/l Test organisms (species): Daphnia magna

Safety Data Sheet

Reaction products of C18 (unsaturated) fatty acids and dimethyl sulfate and triethanolamine (1335202-95-3)			
EC50 72h - Algae [1]	22.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
LC50 - Fish [1]	560 – 1000 mg/l Test organisms (species): Poecilia reticulata		
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna		
EC50 96h - Algae [1]	 > 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) 		
2-(2-butoxyethoxy)ethanol (112-34-5)			
LC50 - Fish [1]	1300 mg/l Test organisms (species): Lepomis macrochirus		
LC50 - Fish [2]	> 100 mg/l (Leuciscus idus (golden orfe))		
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna		
EC50 96h - Algae [1]	 > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) 		
2-butoxyethanol; ethylene glycol mono	butyl ether (111-76-2)		
LC50 - Fish [1]	1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
EC50 - Crustacea [1]	≈ 1800 mg/l Test organisms (species): Daphnia magna		
EC50 - Other aquatic organisms [1]	1550 mg/l waterflea		
EC50 - Other aquatic organisms [2]	911 mg/l		
EC50 72h - Algae [1]	911 mg/l Source: ECHA		
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic fish	≥ 100 mg/l Test organisms (species): Oryzias latipes Duration: '14 d'		
Amides, C8-18 (even numbered) and C	18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7)		
LC50 - Fish [1]	≈ 2.4 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
EC50 - Crustacea [1]	≈ 3.2 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	≈ 7.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
EC50 72h - Algae [2]	≈ 2.2 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
LOEC (chronic)	≈ 0.32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	≈ 0.1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic fish	≈ 0.32 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'		
NOEC chronic algae	2 mg/l		
Diphenyl ether (101-84-8)			
LC50 - Fish [1]	> 0.1 – ≤ 1 mg/l		
EC50 - Crustacea [1]	1.96 mg/l Test organisms (species): Daphnia magna		
ErC50 algae	0.455 mg/l Source: ECHA		

Safety Data Sheet

2-methylisothiazol-3(2H)-one (2682-20-4)		
LC50 - Fish [1]	4.77 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	1.6 mg/l Test organisms (species): Daphnia magna	
12.2. Persistence and degradability		
HG car cleaner and protector		
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
2-(2-butoxyethoxy)ethanol (112-34-5)		
Biodegradation	80 – 90 % ((OECD 301C method))	
Amides, C8-18 (even numbered) and C18-uns	atd., N, N-bis(hydroxyethyl) (68155-07-7)	
Biodegradation	92.5 % (OECD 301B method)	
12.3. Bioaccumulative potential		
HG car cleaner and protector		
Bioaccumulative potential	No bioaccumulation expected.	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05	
3-butoxypropan-2-ol; propylene glycol monol	outyl ether (5131-66-8)	
Partition coefficient n-octanol/water (Log Pow)	0.98 Source: EPISUITE	
2-(2-butoxyethoxy)ethanol (112-34-5)		
Partition coefficient n-octanol/water (Log Pow)	1 (OECD 117 method))	
2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)		
Partition coefficient n-octanol/water (Log Pow)	0.8	
Amides, C8-18 (even numbered) and C18-uns	atd., N, N-bis(hydroxyethyl) (68155-07-7)	
Partition coefficient n-octanol/water (Log Pow)	3.1	
Diphenyl ether (101-84-8)		
Partition coefficient n-octanol/water (Log Pow)	4.21 Source: ECHA	
2-methylisothiazol-3(2H)-one (2682-20-4)		
Partition coefficient n-octanol/water (Log Pow)	-0.49	
12.4. Mobility in soil		
HG car cleaner and protector		
Ecology - soil	Expected to be highly mobile in soil.	
Isotridecanol, ethoxylated (69011-36-5)		
Mobility in soil	111.3 Source: EPISUITE v4.1	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)		
Mobility in soil	9.228	
12.5. Results of PBT and vPvB assessment		
HG car cleaner and protector		
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
12.6. Endocrine disrupting properties		
Adverse effects on the environment caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.	
12.7. Other adverse effects		

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Regional legislation (waste) Waste treatment methods	 Dispose of in accordance with relevant local regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Empty containers retain product residue and can be hazardous. Do not dispose of the packaging without first carrying out the necessary cleaning. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.
Ecology - waste materials	: Recycling is preferred to disposal or incineration.
European List of Waste (LoW) code	 20 01 29* - detergents containing dangerous substances 20 01 39 - plastics
HP Code	: HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number or ID number					
Not regulated for transport					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.2. UN proper shippin	g name	· · · ·			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.3. Transport hazard o	class(es)	· · · ·			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.4. Packing group		· · · ·			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.5. Environmental haz	ards	· · · ·			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	

14.6. Special precautions for user

Overland transport Not regulated

Transport by sea Not regulated

Air transport Not regulated

Inland waterway transport Not regulated

Rail transport Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

Allergenic fragrances > 0.01 %:

LIMONENE

Labelling of contents	
Component	%
non-ionic surfactants	≥5-<15%
METHYLISOTHIAZOLINONE	
BENZISOTHIAZOLINONE	
perfumes	
LIMONENE	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:	
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Training advice

Other information

: Normal use of this product shall imply use in accordance with the instructions on the packaging. Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and E	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH208	Contains 2-methylisothiazol-3(2H)-one (2682-20-4) (00180). May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1A	Skin sensitisation, category 1A
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.