

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 08/03/2023 Revision date: 20/04/2023 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: HG toilet cleaner gel super powerful
UFI	: H7SR-YWKJ-100A-JAWC
Product code	: 322 ART
Type of product	: Detergent
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Use of the substance/mixture

: Consumer use : Toilet cleaners

1.2.2. Uses advised against

Restrictions on use

: All other uses not recommended above

1.3. Details of the supplier of the safety data sheet

Manufacturer

HG International B.V. P.J. Oudweg 41 NL– 1314 CJ Almere The Netherlands T +31 (0)36 54 94 700 <u>safety@hg.eu</u> - <u>www.hg.eu</u> Importer HG UKI LTD Weston Business Centre Parsonage Road UK– CM22 6PU Takeley – Essex United Kingdom T +44 (0) 1206 822 744 www.hg.eu

1.4. Emergency telephone number

Emergency number

: +31 (0)36 54 94 777 Only for medical personnel Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements	
Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS05
Signal word (CLP)	: Danger
Contains	: Glycollic acid
Hazard statements (CLP)	 H314 - Causes severe skin burns and eye damage. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P280 - Wear protective gloves, eye protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Child-resistant fastening Tactile warning	: Applicable : Applicable

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Glycollic acid	CAS-No.: 79-14-1 EC-No.: 201-180-5 REACH-no: 01-2119485579- 17	≥ 10 – < 15	Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318
Alcohols, C9-11, ethoxylated	CAS-No.: 68439-46-3	≥ 1	Eye Irrit. 2, H319
formic acid % substance with a Community workplace exposure limit (Note B)	CAS-No.: 64-18-6 EC-No.: 200-579-1 EC Index-No.: 607-001-00-0 REACH-no: 01-2119491174- 37	≥ 0.01 – < 1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation:vapour), H331 Skin Corr. 1A, H314 Eye Dam. 1, H318

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
formaldehyde% substance with a Community workplace exposure limit (Note B)(Note D)	CAS-No.: 50-00-0 EC-No.: 200-001-8 EC Index-No.: 605-001-00-5 REACH-no: 01-2119488953- 20	≥ 0.01 – < 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
formic acid %	CAS-No.: 64-18-6 EC-No.: 200-579-1 EC Index-No.: 607-001-00-0 REACH-no: 01-2119491174- 37	(2 ≤C < 10) Skin Irrit. 2, H315 (2 ≤C < 10) Eye Irrit. 2, H319 (10 ≤C < 90) Skin Corr. 1B, H314 (90 ≤C ≤ 100) Skin Corr. 1A, H314	
formaldehyde%	CAS-No.: 50-00-0 EC-No.: 200-001-8 EC Index-No.: 605-001-00-5 REACH-no: 01-2119488953- 20	(0.2 ≤C ≤ 100) Skin Sens. 1, H317 (5 ≤C < 25) Skin Irrit. 2, H315 (5 ≤C < 25) Eye Irrit. 2, H319 (5 ≤C ≤ 100) STOT SE 3, H335 (25 ≤C ≤ 100) Skin Corr. 1B, H314	

Note B:	Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries
	with Note B have a general designation of the following type: ' %'. In this case the supplier must state the percentage
	concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated
	on a weight/weight basis.
Note D:	Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market
	in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the
	words 'non-stabilised'.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Call a physician immediately.		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.		
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.		
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/effects after skin contact	: Burns.		
Symptoms/effects after eye contact	: Serious damage to eyes.		
Symptoms/effects after ingestion	: Burns.		

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Special hazards arising from the substance or mixture			
Fire hazard Hazardous decomposition products in case of fire	 Intense heat may cause container to burst. Carbon dioxide. Carbon monoxide. Halogenated compounds. Nitrogen oxides. Metallic oxides. 		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equip	oment and emergency procedures		
General measures	: Do not handle until all safety precautions have been read and understood.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Do not touch or walk on the spilled product. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		

6.2. Environmental precautions

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses. Notify authorities if liquid enters sewers or public waters.

Methods for cleaning up: Take up liquid spill into absorbent material.Other information: Dispose of materials or solid residues at an authorized site.	6.3. Methods and material for containment and cleaning up		
	0 1		

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13: "Disposal considerations". For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	 Store locked up. Store in a well-ventilated place. Keep cool. Always keep container in upright position. Alkalis. 	
Storage temperature	> 0 - < 30 °C	
Heat and ignition sources Special rules on packaging	 Keep away from heat and direct sunlight. Keep only in original container. Opened containers must be carefully closed and kept upright to avoid leakage. 	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

formic acid % (64-18-6)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Formic acid		
IOEL TWA	9 mg/m³		
IOEL TWA [ppm]	5 ppm		
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC		
Ireland - Occupational Exposure Limits			
Local name	Formic acid		
OEL TWA [1]	9 mg/m³		
OEL TWA [2]	5 ppm		
Remark	IOELV (Indicative Occupational Exposure Limit Values)		
Regulatory reference	Chemical Agents Code of Practice 2021		
formaldehyde% (50-00-0)			
EU - Binding Occupational Exposure Limit (BOEL)			
Local name	Formaldehyde		
BOEL TWA	0.37 mg/m ³ 0.62 mg/m ³ (Limit value for the health care, funeral and embalming sectors until 11 July 2024)		
BOEL TWA [ppm]	0.5 ppm (Limit value for the health care, funeral and embalming sectors until 11 July 2024) 0.3 ppm		
BOEL STEL	0.74 mg/m ³		
BOEL STEL [ppm]	0.6 ppm		
Notes	Dermal sensitisation (The substance can cause sensitisation of the skin)		
Regulatory reference	DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)		
Ireland - Occupational Exposure Limits			
Local name	Formaldehyde		
OEL TWA [1]	0.62 mg/m ³ for the healthcare, funeral and embalming sectors until 11 July 2024 0.37 mg/m ³		
OEL TWA [2]	0.3 ppm 0.5 ppm for the healthcare, funeral and embalming sectors until 11 July 2024		
OEL STEL	0.738 mg/m ³		
OEL STEL [ppm]	0.6 ppm		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

formaldehyde% (50-00-0)	
Remark	BOELV (Binding Occupational Exposure Limit Values), Carc.1B (Substances presumed to have carcinogenic potential for humans), Sens. (In the workplace respiratory or dermal exposures to sensitising agents may occur. Sensitizers may evoke respiratory or dermal reactions, e.g. asthma, rhinitis and allergic contact dermatitis. The notation does not distinguish between respiratory or dermal sensitisation. Chemical agents that are sensitizers present special problems in the workplace. Should an employee become sensitised, subsequent exposure may cause intense responses, even at low exposure concentrations well below the OELV. Exposure should be eliminated or significantly reduced through control measures such as engineering and process controls and use of personal protective equipment (PPE))
Regulatory reference	Chemical Agents Code of Practice 2021

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Wear foot protection.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side shields. Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Normal use conditions		EN 166

8.2.2.2. Skin protection

Skin and body protection:

Long sleeved protective clothing. Chemical resistant safety shoes

Skin and body protection		
	Туре	Standard
	Use chemically protective clothing	EN 13034

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Skin and body protection	
Туре	Standard
Chemical resistant safety shoes	EN ISO 20345
Long sleeved protective clothing	

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Red.
Appearance	: Gel.
Odour	: slight odour.
Odour threshold	: Not available
Melting point	: 0 °C
Freezing point	: Not available
Boiling point	: 100 °C
Flammability	: Non flammable.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: 2
Viscosity, kinematic	: Not available
Viscosity, dynamic	: 275 mPa·s Room temperature
Solubility	: Soluble in the following materials: cold water and hot water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.074
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

: Yes

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not sustained combustibility

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Alkalis.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information				
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008				
Acute toxicity (oral):Acute toxicity (dermal):Acute toxicity (inhalation):	Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification)			
Glycollic acid (79-14-1)				
LD50 oral rat	2040 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-1 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 1443 - 2469			
LC50 Inhalation - Rat (Dust/Mist)	3.6 mg/l/4h			
formic acid % (64-18-6)				
LD50 oral rat	730 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 618 - 863			
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)			
LC50 Inhalation - Rat	7.85 mg/l/4h Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)			
formaldehyde% (50-00-0)				
LC50 Inhalation - Rat (Dust/Mist)	> mg/l/4h			
Skin corrosion/irritation :	Causes severe skin burns. pH: 2			
Glycollic acid (79-14-1)				
рН	1.73			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

formaldehyde% (50-00-0)			
PH	2.8 - 4		
Serious eye damage/irritation :	Causes serious eye damage. pH: 2		
Glycollic acid (79-14-1)			
pH	1.73		
formaldehyde% (50-00-0)			
pH	2.8 – 4		
<u> </u>	Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification)		
formaldehyde% (50-00-0)			
IARC group	1 - Carcinogenic to humans		
formic acid … % (64-18-6)			
NOAEL (chronic, oral, animal/male, 2 years)	400 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:		
Reproductive toxicity : STOT-single exposure : STOT-repeated exposure :	Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification)		
Glycollic acid (79-14-1)			
LOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPP 82-1 (90- Day Oral Toxicity), Guideline: other:, Guideline: other:		
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Guideline: EPA OPP 82-1 (90-Day Oral Toxicity), Guideline: other:, Guideline: other:		
formic acid % (64-18-6)			
LOAEL (oral, rat, 90 days)	2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)		
NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)		
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)		
spiration hazard :	Not classified (Conclusive but not sufficient for classification)		
Glycollic acid (79-14-1)			
Viscosity, kinematic	6149 mm²/s Temp.: 'other:' Parameter: 'kinematic viscosity (in mm²/s)' Remarks on result: 'other:'		

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms. Hazardous to the aquatic environment, short-term (acute) : Not classified (Conclusive but not sufficient for classification) Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects. (Conclusive but not sufficient for			
(chronic)	classification)		
Glycollic acid (79-14-1)			
LC50 - Fish [1]	164 mg/l		
EC50 - Crustacea [1]	141 mg/l Test organisms (species): Daphnia magna		
formic acid % (64-18-6)			
LC50 - Fish [1]	68 mg/l		
EC50 - Crustacea [1]	365 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	1240 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
LOEC (chronic)	> 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	≥ 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
formaldehyde% (50-00-0)			
LC50 - Fish [1]	6.7 mg/l Test organisms (species): Morone saxatilis		
EC50 - Crustacea [1]	5.8 mg/l Test organisms (species): Daphnia pulex		
NOEC (chronic)	≥ 6.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic fish	≥ 48 mg/l Test organisms (species): Oryzias latipes Duration: '28 d'		
12.2. Persistence and degradability			
HG toilet cleaner gel super powerful			
Persistence and degradability	Readily biodegradable.		
12.3. Bioaccumulative potential			
HG toilet cleaner gel super powerful			
Bioaccumulative potential	No bioaccumulation expected.		
Glycollic acid (79-14-1)	·		
Partition coefficient n-octanol/water (Log Pow)	-1.1		
formic acid % (64-18-6)	•		
Partition coefficient n-octanol/water (Log Pow)	-2.1		
formaldehyde% (50-00-0)			
Partition coefficient n-octanol/water (Log Pow)	0.779		
12.4. Mobility in soil			
HG toilet cleaner gel super powerful			
Ecology - soil	Expected to be highly mobile in soil.		
۰ <u>ــــــــــــــــــــــــــــــــــــ</u>	•		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment
HG toilet cleaner gel super powerful
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Regional legislation (waste)	: Dispose of in accordance with relevant local regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Empty containers retain product residue and can be hazardous. Do not dispose of the packaging without first carrying out the necessary cleaning. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.
Ecology - waste materials	: Recycling is preferred to disposal or incineration.
European List of Waste (LoW) code	: 20 01 29* - detergents containing dangerous substances 20 01 39 - plastics
HP Code	 HP8 - "Corrosive:" waste which on application can cause skin corrosion. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID					
ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number or ID n	14.1. UN number or ID number				
UN 3265	UN 3265	UN 3265	UN 3265	UN 3265	
14.2. UN proper shippin	g name				
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glycollic acid)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glycollic acid)	Corrosive liquid, acidic, organic, n.o.s. (Glycollic acid)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glycollic acid)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glycollic acid)	
Transport document descr	iption				
UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glycollic acid), 8, III, (E)	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glycollic acid), 8, III	UN 3265 Corrosive liquid, acidic, organic, n.o.s. (Glycollic acid), 8, III	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glycollic acid), 8, III	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glycollic acid), 8, III	
14.3. Transport hazard class(es)					
8	8	8	8	8	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
	\bigcirc			
8	8	8	8	8
			•	•
14.4. Packing group				1
III	III	III	III	III
14.5. Environmental haza	ards			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment: No	environment: No	environment: No	environment: No	environment: No
	Marine pollutant: No			
No supplementary information	n available			
4.6. Special precautions	s for user			
verland transport				
Classification code (ADR)	: (23		
Special provisions (ADR)	: 2	74		
imited quantities (ADR)	: 5			
xcepted quantities (ADR)		1		
acking instructions (ADR)		2001, IBC03, LP01, R001		
lixed packing provisions (ADF		/IP19		
ortable tank and bulk contain				
ortable tank and bulk contain	er special provisions : 7	P1, TP28		
ank code (ADR)	• 1	.4BN		
ehicle for tank carriage	: /			
ransport category (ADR)	: 3			
Special provisions for carriage				
lazard identification number (I				
Drange plates	:			
5-1-5-1		80		
		2265		
		3265		
unnel restriction code (ADR)	: E			
× ,				
ransport by sea		00 074		
imited quantities (IMDG)	: 2	223, 274		
	: c : E			
Excepted quantities (IMDG)		2001, LP01		
Packing instructions (IMDG) BC packing instructions (IMD0		BC03		
ank instructions (IMDG)				
	: T	7 TP1, TP28		
ank special provisions (IMDG	,	,		
EmS-No. (Fire) : F				
EmS-No. (Spillage) : S-B Stowage category (IMDG) : A				
towage category (IMDG) towage and handling (IMDG)		SW2		
Begregation (IMDG)		5002 56G1, SG36, SG49		
roperties and observations (II		Causes burns to skin, eyes and	mucous membranes.	
ir trononort				
Air transport	۸)	- 4		
PCA Excepted quantities (IATA)	,			
CA Limited quantities (IATA)		/841		
CA limited quantity max net o				
CA packing instructions (IATA)				
PCA max net quantity (IATA)	: 5			
ULL DOOKIDG IDOTRIOTIODO (IAT		22		

CAO packing instructions (IATA)

: 856

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

	_
: 60L	
: A3, A803	
: 8L	
: C3	
: 274	
: 5L	
: E1	
: T	
: PP, EP	
: 0	
: C3	
: 274	
: 5L	
: E1	
: P001, IBC03, LP01, R0	01
: MP19	
: T7	
: TP1, TP28	
: L4BN	
: 3	
: W12	
: CE8	
: 80	
	 A3, A803 8L C3 274 5 L E1 T PP, EP 0 C3 274 5L E1 P001, IBC03, LP01, R00 MP19 T7 TP1, TP28 L4BN 3 W12 CE8

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
FORMALDEHYDE	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Removed	Environmental hazards
2.2	UFI : Unique Formula Identifier	Modified	
3	Composition/information on ingredients	Modified	
3.2	Hazardous Substances	Modified	
12.	General information	Modified	
16	Detergents, Labelling of Contents	Modified	

Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
ΙΑΤΑ	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:		
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Training advice

Other information

: Normal use of this product shall imply use in accordance with the instructions on the packaging. Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Carc. 1B	Carcinogenicity, Category 1B	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H341	Suspected of causing genetic defects.	
H350	May cause cancer.	
H412	Harmful to aquatic life with long lasting effects.	
Muta. 2	Germ cell mutagenicity, Category 2	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.