

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Revision date: 29/05/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product form : Mixture Product name : HG stainless-steel cleaner UFI : UFDF-JYV3-G003-UHQ5 Product code : 341 ART Type of product : Detergent : Aerosol Vaporizer Product group Trade product : 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Intended for general public Main use category : Consumer use Function or use category : Cleaners for kitchen machinery and equipment 1.2.2. Uses advised against Restrictions on use : All other uses not recommended above 1.3. Details of the supplier of the safety data sheet Manufacturer Importer HG UKI LTD HG International B.V. P.J. Oudweg 41 Weston Business Centre NL 1314 CJ Almere Parsonage Road The Netherlands UK CM22 6PU Takeley, Essex T +31 (0)36 54 94 700 United Kingdom T +44 (0) 1206 822 744 safety@hg.eu, www.hg.eu

1.4. Emergency telephone number

Emergency number

: +31 (0)36 54 94 777 Only for medical personnel Mon-Fri 09:00 AM - 05:00 PM (CEST)

www.hg.eu

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222;H229
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	GHS02 GHS09
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 122 °F, 50 °C. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Child-resistant fastening Tactile warning	: Not applicable : Not applicable

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	EC-No.: 927-510-4 REACH-no: 2119475515-33	≥2-<5	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hydrocarbons, C6, isoalkanes, <5% n-hexane	EC-No.: 931-254-9 REACH-no: 2119484651-34	≥1-<5	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
n-hexane substance with a Community workplace exposure limit	CAS-No.: 110-54-3 EC-No.: 203-777-6 EC Index-No.: 601-037-00-0	< 1	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361f STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Ammonium carbamate	CAS-No.: 1111-78-0 EC-No.: 214-185-2	≥ 0.1 – < 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318
cyclohexane substance with a Community workplace exposure limit	CAS-No.: 110-82-7 EC-No.: 203-806-2 EC Index-No.: 601-017-00-1 REACH-no: 01-2119463273- 41	< 0.1	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	CAS-No.: 52-51-7 EC-No.: 200-143-0 EC Index-No.: 603-085-00-8	≥ 0.01 – < 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10)
1,2-Ethanediol substance with a Community workplace exposure limit	CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1 REACH-no: 01-2119456816- 28	≥ 0.01 – < 0.1	Acute Tox. 4 (Oral), H302 STOT RE 2, H373

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (Conc. (% w/w))
n-hexane	CAS-No.: 110-54-3 EC-No.: 203-777-6 EC Index-No.: 601-037-00-0	(5 ≤ C ≤ 100) STOT RE 2, H373

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

4.1. Description of first aid measures	3
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 If you feel unwell, seek medical advice. Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Extremely flammable aerosol. Pressurised container: May burst if heated. Toxic fumes may be released. 	
5.3. Advice for firefighters		
Precautionary measures fire	: Runoff could create fire or explosion hazard. Runoff from fire control or dilution water may cause pollution.	
Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equi	pment and emergency procedures	
General measures	: Do not handle until all safety precautions have been read and understood. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.	
6.1.1. For non-emergency personnel		
Protective equipment Emergency procedures	 Wear recommended personal protective equipment. Ventilate spillage area. Avoid contact with skin, eyes and clothing. Do not breathe mist, spray, vapours. Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. 	
6.1.2. For emergency responders		
Protective equipment Emergency procedures	 Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Evacuate unnecessary personnel. Stop leak if safe to do so. 	
6.2. Environmental precautions		

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.	
Methods for cleaning up	: Mechanically recover the product.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

	Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including any	y incompatibilities
	Keep in a cool, well-ventilated place away from heat.
Storage conditions :	Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Storage temperature :	> 0 - < 30 °C
Heat and ignition sources :	Keep away from heat and direct sunlight. No flames. Eliminate all sources of ignition.
Special rules on packaging :	Keep only in original container. Opened containers must be carefully closed and kept upright to avoid leakage.
Packaging materials :	Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

n-hexane (110-54-3)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	n-Hexane	
IOEL TWA	72 mg/m ³	
	20 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Ireland - Occupational Exposure Limits		
Local name	n-Hexane	
OEL TWA	72 mg/m³	
	20 ppm	
Remark	IOELV (Indicative Occupational Exposure Limit Values), Skin (Substances which have the capacity to penetrate intact skin when they come in contact with it and be absorbed into the body. A substantial contribution to the total body burden via dermal exposure is possible)	
Regulatory reference	Chemical Agents Code of Practice 2024	
Ireland - Biological limit values	·	
Local name	Hexane	
BMGV	0.4 mg/l Parameter: 2,5-Hexanedion - Medium: urine - Sampling time: End of shift at end of workweek	
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)	
cyclohexane (110-82-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Cyclohexane	
IOEL TWA	700 mg/m³	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

cyclohexane (110-82-7)		
	200 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Ireland - Occupational Exposure Limits		
Local name	Cyclohexane	
OEL TWA	700 mg/m ³	
	200 ppm	
Remark	IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2024	
1,2-Ethanediol (107-21-1)		
EU - Indicative Occupational Exposure Limit (IOEL))	
Local name	Ethylene glycol	
IOEL TWA	52 mg/m³	
	20 ppm	
IOEL STEL	104 mg/m ³	
	40 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Ireland - Occupational Exposure Limits		
Local name	Ethane-1,2-diol [Ethylene glycol]	
OEL TWA	10 mg/m³ particulate 52 mg/m³ vapour	
	20 ppm vapour	
OEL STEL	104 mg/m³ vapour	
	40 ppm vapour	
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2021	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Wear foot protection.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

Salety	ylasses	

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Aerosols, mist		EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Skin and body protection	
Туре	Standard
Long sleeved protective clothing	
Chemical resistant safety shoes	EN ISO 20345

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Respiratory protection			
Device Filter type Condition Standar		Standard	
Half-mask	FFA2P3	Mist formation, Vapour protection	EN 405

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and che	emical properties	
Physical state Colour Odour Odour threshold Melting point Freezing point	 Liquid White. Characteristic. Not available Not applicable Not available 	
Boiling point Flammability Explosive properties Lower explosion limit Upper explosion limit Flash point Auto-ignition temperature Decomposition temperature	 Not available Extremely flammable aerosol. Pressurised container: May burst if heated. Not available Not available -18 - 23 °C (closed cup) Not available Not available Not available Not available 	
pH Viscosity, kinematic Solubility Partition coefficient n-octanol/water (Log Kow) Vapour pressure Vapour pressure at 50°C Density Relative density Relative vapour density at 20°C Particle characteristics	 Not available 	
9.2. Other information		
9.2.1. Information with regard to physical hazard	d classes	
% of flammable ingredients	: 25.526767 %	
9.2.2. Other safety characteristics		
Heat of reaction	: 7292 J/g Heat of combustion	
SECTION 10: Stability and reactivity		
10.1. Reactivity		

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 11: Toxicological information		
11.1. Information on hazard classes as define	d in Regulation (EC) No 1272/2008	
Acute toxicity (oral): Not classified (Conclusive but not sufficient for classification)Acute toxicity (dermal): Not classified (Conclusive but not sufficient for classification)Acute toxicity (inhalation): Not classified (Conclusive but not sufficient for classification)		
cyclohexane (110-82-7)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:	
LC50 Inhalation - Rat	> 32.88 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:	
1,2-Ethanediol (107-21-1)		
LD50 oral rat	7712 mg/kg bodyweight Animal: rat	
LD50 oral	7712 mg/kg bodyweight	
LD50 dermal	10600 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	> 2500 mg/l	
Bronopol (INN); 2-bromo-2-nitropropane-1,3-	diol (52-51-7)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:	
LD50 dermal	1600 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	> 5000 mg/l	
Ammonium carbamate (1111-78-0)	1	
LD50 oral rat	681 – 1470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics		
LC50 Inhalation - Rat	> 23.3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
Skin corrosion/irritation :	Not classified (Conclusive but not sufficient for classification)	
1,2-Ethanediol (107-21-1)		
рН	6 – 7.5 Source: GESTIS	
Serious eye damage/irritation :	Not classified (Conclusive but not sufficient for classification)	
1,2-Ethanediol (107-21-1)		
рН	6 – 7.5 Source: GESTIS	
Respiratory or skin sensitisation :	Not classified (Conclusive but not sufficient for classification)	
Germ cell mutagenicity :	Not classified (Conclusive but not sufficient for classification)	
Carcinogenicity :	Not classified (Conclusive but not sufficient for classification)	
Reproductive toxicity : STOT-single exposure :	Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification)	
n-hexane (110-54-3)		
STOT-single exposure	May cause drowsiness or dizziness.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

cyclohexane (110-82-7)		
STOT-single exposure	May cause drowsiness or dizziness.	
Bronopol (INN); 2-bromo-2-nitropropane-1,3-	diol (52-51-7)	
STOT-single exposure	May cause respiratory irritation.	
Hydrocarbons, C6, isoalkanes, <5% n-hexane		
STOT-single exposure	May cause drowsiness or dizziness.	
Hydrocarbons, C7, n-alkanes, isoalkanes, cyd	lics	
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure :	Not classified (Conclusive but not sufficient for classification)	
n-hexane (110-54-3)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
1,2-Ethanediol (107-21-1)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Hydrocarbons, C7, n-alkanes, isoalkanes, cyd	lics	
LOAEC (inhalation, rat, vapour, 90 days)	16.6 mg/l air Animal: rat, Animal sex: male	
NOAEC (inhalation, rat, vapour, 90 days)	3.3 mg/l air Animal: rat, Animal sex: male	
Aspiration hazard :	Not classified (Conclusive but not sufficient for classification)	
HG stainless-steel cleaner		
Vaporizer	Aerosol	
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics		
Viscosity, kinematic	0.67 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'	
11.2. Information on other horardo		

11.2. Information on other hazards

No additional information available

40.4 Tavial

SECTION 12: Ecological information

Toxic to aquatic life with long lasting effects. Not classified (Conclusive but not sufficient for classification) Toxic to aquatic life with long lasting effects.
4.1 mg/l
0.9 mg/l Test organisms (species): Daphnia magna
2.2 mg/l waterflea
1.8 mg/l
9.317 mg/l Source: ECHA
72860 mg/l
> 100 mg/l Test organisms (species): Daphnia magna

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

1,2-Ethanediol (107-21-1)		
EC50 - Other aquatic organisms [1]	> 100 mg/l waterflea	
EC50 - Other aquatic organisms [2]	6500 mg/l	
EC50 96h - Algae [1]	6500 – 13000 mg/l Source: ECHA	
NOEC (chronic)	≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d'	
Bronopol (INN); 2-bromo-2-nitropropane-1,3-c	liol (52-51-7)	
EC50 - Crustacea [1]	1.4 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	0.25 mg/l Test organisms (species): Skeletonema costatum	
EC50 72h - Algae [2]	0.37 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
LOEC (chronic)	0.88 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	21.5 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '49 d'	
Ammonium carbamate (1111-78-0)		
LC50 - Fish [1]	37 mg/l Test organisms (species): Pimephales promelas	
EC50 - Crustacea [1]	63.7 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	129.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h - Algae [2]	75.9 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
Hydrocarbons, C7, n-alkanes, isoalkanes, cyc	lics	
LC50 - Other aquatic organisms [1]	2.6 mg/l Source: IUCLID	
LOEC (chronic)	0.32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0.17 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
12.2. Persistence and degradability		
HG stainless-steel cleaner		
Persistence and degradability	Rapidly degradable	
n-hexane (110-54-3)		
Persistence and degradability	Rapidly degradable	
cyclohexane (110-82-7)		
Persistence and degradability	Rapidly degradable	
1,2-Ethanediol (107-21-1)		
Persistence and degradability	Rapidly degradable	
Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)		
Persistence and degradability	Rapidly degradable	
Ammonium carbamate (1111-78-0)		
Persistence and degradability	Rapidly degradable	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hydrocarbons, C6, isoalkanes, <5% n-hexa	ane	
Persistence and degradability	Rapidly degradable	
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
cyclohexane (110-82-7)		
Partition coefficient n-octanol/water (Log Pow)	3.4	
1,2-Ethanediol (107-21-1)		
Partition coefficient n-octanol/water (Log Pow)	-1.4	
Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)		
Partition coefficient n-octanol/water (Log Pow)	0.18	
Hydrocarbons, C7, n-alkanes, isoalkanes,	cyclics	
Partition coefficient n-octanol/water (Log Pow)	2.1 – 6 Source: IUCLID	
12.4. Mobility in soil		
1,2-Ethanediol (107-21-1)		
Mobility in soil	0.2 Source: HSDB	
Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)		
Mobility in soil	388.3 – 1416 Source: ECHA	
12.5. Results of PBT and vPvB assessment	t	
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
No additional information available		
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional waste regulation Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations	 Disposal must be done according to official regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions. Disposal must be done according to official regulations. Do not pierce or burn, even after use. Discharging into rivers and drains is forbidden. Do not 	

29/05/2024 (Revision date)

Additional information

Ecological information

Product/Packaging disposal recommendations

European List of Waste (LoW, EC 2000/532)

: Do not re-use empty containers.

15 01 04 - metallic packaging

Avoid release to the environment.

20 01 29* - detergents containing dangerous substances

regulations.

20 01 39 - plastics

÷

:

: Do not pierce or burn, even after use. Discharging into rivers and drains is forbidden. Do not dispose of the packaging without first carrying out the necessary cleaning. Do not burn empty packaging. Do not cut using a blowtorch. Disposal must be done according to official

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

HP Code : HP3 - "Flammable:" - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;

- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;

– flammable gaseous waste: gaseous waste which is flammable in air at 20 $^{\circ}\text{C}$ and a standard pressure of 101.3 kPa;

- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			<u>.</u>
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shippin	g name			
AEROSOLS (CONTAINS : White mineral oil (petroleum) ; heptane; n- heptane)	AEROSOLS (CONTAINS : White mineral oil (petroleum) ; heptane; n- heptane)	Aerosols, flammable (CONTAINS : White mineral oil (petroleum) ; heptane; n-heptane)	AEROSOLS (CONTAINS : White mineral oil (petroleum) ; heptane; n- heptane)	AEROSOLS (CONTAINS White mineral oil (petroleum) ; heptane; n- heptane)
Fransport document descr	iption			-
UN 1950 AEROSOLS (CONTAINS : White mineral oil (petroleum) ; heptane; n-heptane), 2.1, (D), ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS (CONTAINS : White mineral oil (petroleum) ; heptane; n-heptane), 2.1, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1950 Aerosols, flammable (CONTAINS : White mineral oil (petroleum) ; heptane; n- heptane), 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS (CONTAINS : White mineral oil (petroleum) ; heptane; n-heptane), 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS (CONTAINS : White mineral oil (petroleum) ; heptane; n-heptane), 2.1 ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard o	class(es)			
2.1	2.1	2.1	2.1	2.1
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
4.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	n available		1	1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.6. Special precautions for user

Over	land	trans	nort
Over	anu	lians	ροπ

Overland transport	
-	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP200
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading	: CV9, CV12
and handling (ADR)	
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Limited quantities (IMDG)	: SP277
,	: E0
Excepted quantities (IMDG)	
Packing instructions (IMDG)	: P207, LP200
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69
Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
3 ()	
Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
,	: E0
Excepted quantities (RID)	
Packing instructions (RID)	: P207, LP200
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading	: CW9, CW12
and handling (RID)	
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23
· · ·	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
aliphatic hydrocarbons ≥15-<3	
METHYLCHLOROISOTHIAZOLINONE (AND) METHYLISOTHIAZOLINONE	
2-BROMO-2-NITROPROPANE-1,3-DIOL	
perfumes	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Training advice

: Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other information :	Normal use of this product shall imply use in accordance with the instructions on the packaging. DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.
---------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H361f	Suspected of damaging fertility.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.