

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 09/02/2023 Revision date: 08/11/2023 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name

UFI : 7YUK-U18J-C109-JM4J

Product code : 365 ART
Type of product : Detergent
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

Use of the substance/mixture : Detergency boosters and in-wash stain removers

1.2.2. Uses advised against

Restrictions on use : All other uses not recommended above

1.3. Details of the supplier of the safety data sheet

ManufacturerImporterHG International B.V.HG UKI LTD

P.J. Oudweg 41 Weston Business Centre NL- 1314 CJ Almere Parsonage Road

The Netherlands UK- CM22 6PU Takeley - Essex

T +31 (0)36 54 94 700 United Kingdom <u>safety@hg.eu</u> - <u>www.hg.eu</u> T +44 (0) 1206 822 744

www.hg.eu

1.4. Emergency telephone number

Emergency number : +31 (0)36 54 94 777

Only for medical personnel

Mon-Fri 09:00 AM - 05:00 PM (CEST)

| Country | Organisation/Company | Address | Emergency number | Comment |
|---------|--|--|--|---------|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye damage.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Contains : Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic

acid, 4-methyl- and sodium hydroxide; Sodium percarbonate; Alcohols, C10-16, ethoxylated

Hazard statements (CLP) : H318 - Causes serious eye damage.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P280 - Wear eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor.

Child-resistant fastening : Not applicable Tactile warning : Not applicable

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | Conc. (% w/w) | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|------------------|---|
| Sodium percarbonate | CAS-No.: 15630-89-4 EC-No.: 239-707-6 REACH-no: 01-2119457268- 30 | ≥ 25 | Ox. Sol. 3, H272 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |
| sodium carbonate | CAS-No.: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2 REACH-no: 01-2119485498- | ≥ 25 – < 50 | Eye Irrit. 2, H319 |
| Reaction product of Benzenesulfonic acid, 4-C10-13- sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide | EC-No.: 932-051-8 REACH-no: 01-2119565112- 48 | ≥ 2 – < 5 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 |
| Alcohols, C10-16, ethoxylated | CAS-No.: 68002-97-1 EC-No.: 500-182-6 | ≥2-<5 | Eye Dam. 1, H318 |

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Specific concentration limits: | Specific concentration limits: | | | |
|--------------------------------|--|--|--|--|
| Name | Product identifier | Specific concentration limits (Conc. (% w/w)) | | |
| Sodium percarbonate | CAS-No.: 15630-89-4 EC-No.: 239-707-6 REACH-no: 01-2119457268- 30 | (7.5 ≤ C < 25) Eye Irrit. 2, H319 (25 ≤ C < 100) Eye Dam. 1, H318 | | |
| Alcohols, C10-16, ethoxylated | CAS-No.: 68002-97-1 EC-No.: 500-182-6 | (1 ≤ C < 3) Eye Irrit. 2, H319 (3 ≤ C < 100) Eye Dam. 1, H318 | | |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Intense heat may cause container to burst.

Hazardous decomposition products in case of fire : Nitrogen oxides. Carbon dioxide. Carbon monoxide. Sulphur oxides. Metallic oxides.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Do not touch or walk on the

spilled product. Avoid contact with skin and eyes. Do not breathe mist, spray, vapours.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up

For containment : Stop leak if safe to do so. Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep cool. Protect from sunlight. Store in a well-ventilated place. Keep container tightly

closed.

Storage temperature : > 0 - < 30 °C

Heat and ignition sources : Keep away from heat and direct sunlight.

Special rules on packaging : Keep only in original container. Opened containers must be carefully closed and kept

upright to avoid leakage.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Wear foot protection.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Personal protective equipment symbol(s):









8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

| Eye protection | | | |
|----------------------------------|-----------------------|-----------------|----------|
| Туре | Field of application | Characteristics | Standard |
| Safety glasses with side shields | Normal use conditions | | EN 166 |

8.2.2.2. Skin protection

Skin and body protection:

Not required for normal conditions of use. If there is a risk of liquid being splashed: Long sleeved protective clothing. Chemical resistant safety shoes

| Skin and body protection | | |
|------------------------------------|--------------|--|
| Туре | Standard | |
| Long sleeved protective clothing | | |
| Chemical resistant safety shoes | EN ISO 20345 | |
| Use chemically protective clothing | EN 13034 | |

Hand protection:

Protective gloves

| Hand protection | | | | | |
|-------------------|----------------------|-------------------|----------------|-------------|------------|
| Туре | Material | Permeation | Thickness (mm) | Penetration | Standard |
| Disposable gloves | Butyl rubber | 6 (> 480 minutes) | 0.5 | | EN ISO 374 |
| Disposable gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | 0.35 | | EN ISO 374 |

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

| Respiratory protection | | | |
|------------------------|-------------|-----------------------------------|----------|
| Device | Filter type | Condition | Standard |
| Half-mask | FFA2P3 | Mist formation, Vapour protection | EN 405 |
| Dust mask | FFFP2 | Dust protection | EN 149 |

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid Colour : White.

Characteristic. Odour Not available Odour threshold Melting point Not available Freezing point Not applicable Boiling point Not available Flammability : Non flammable. Lower explosion limit : Not applicable Upper explosion limit : Not applicable : Not applicable Flash point Auto-ignition temperature : Not applicable Decomposition temperature : Not available рΗ : 10.2 – 11.2 pH solution : 1%

Viscosity, kinematic : Not applicable Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available Density : 1.1 - 1.16 g/ml Relative density : Not available Relative vapour density at 20°C : Not applicable Particle size : Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 11: Toxicological information

| Acute toxicity (dermal) Acute toxicity (inhalation) Acute toxicity) Acute toxicity (inhalation) Acute toxicity (inhalation | SECTION 11: Toxicological information | | |
|--|---|---|--|
| Acute toxicity (inhalation) Sodium carbonate (497-19-8) LD50 oral | 11.1. Information on hazard classes as d | efined in Regulation (EC) No 1272/2008 | |
| LD50 oral rat LD50 oral yes bodyweight Animal: rat LD50 oral 4090 mg/kg bodyweight LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: LC50 Inhalation - Rat (Dust/Mist) 2300 mg/l Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide LD50 oral rat \$2,346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503 LD50 oral > 2000 mg/kg bodyweight Animal: rat, Guideline: CPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503 LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: Sodium percarbonate (15630-89-4) LD50 oral 1034 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: Sodium percarbonate (15630-89-4) LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: Sodium carbonate (497-19-8) pH = 11.6 Concentration: (=)0,1 other: Serious eye damage/irritation = 11.02 - 11.2 sodium carbonate (497-19-8) pH = 11.6 Concentration: (=)0,1 other: Respiratory or skin sensitisation Not classified (Conclusive but not sufficient for classification) Germ cell mutagenicity Not classified (Conclusive but not sufficient for classification) Reproductive toxicity Not classified (Conclusive but not sufficient for classification) Septo-dictive toxicity Not classified (Conclusive but not sufficient for classification) Septo-dictive founds and in the sufficient for classification of classification) Septo-dictive toxicity Not classified (Conclusive but not sufficient for classification) Septo-dictive toxicity Not classified (Conclusive but not sufficient for classification) Septo-dictive toxicity Not classified (Conclusive but not sufficient for classification) | Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) | : Not classified (Conclusive but not sufficient for classification) | |
| LD50 oral 4090 mg/kg bodyweight Animal: rabbit, Guideline: other: LC50 Inhalation - Rat (Dust/Mist) 2300 mg/l Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide LD50 oral rat 2346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503 LD50 oral > 2000 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503 LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: Sodium percarbonate (15630-89-4) LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: Sodium percarbonate (15630-89-4) LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>> | sodium carbonate (497-19-8) | | |
| LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: LC50 Inhalation - Rat (Dust/Mist) 2300 mg/l Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide LD50 oral rat 2 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503 LD50 oral 2 2000 mg/kg bodyweight 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2 2000 mg/kg bodyweight Animal: rat, Guideli | LD50 oral rat | 2800 mg/kg bodyweight Animal: rat | |
| LC50 Inhalation - Rat (Dust/Mist) 2300 mg/l Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide | LD50 oral | 4090 mg/kg bodyweight | |
| Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide LD50 oral rat 2 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503 LD50 oral 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: Sodium percarbonate (15630-89-4) | LD50 dermal rabbit | > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: | |
| LD50 oral rat ≥ 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503 LD50 oral > 2000 mg/kg bodyweight ≥ 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: Sodium percarbonate (15630-89-4) LD50 oral 1034 mg/kg bodyweight LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: LD50 dermal > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: LD50 dermal > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: LD50 dermal > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: LD50 dermal > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: LD50 dermal > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: LD50 dermal > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: LD50 dermal > 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) Skin corrosion/irritation : Not classified (Conclusive but not sufficient for classification) Sectious eye damage/irritation : Not classified (Conclusive but not sufficient for classification) Sectious eye damage/irritation : Not classified (Conclusive but not sufficient for classification) Sectious eye damage/irritation : Not classified (Conclusive but not sufficient for classification) Sectious eye damage/irritation : Not classified (Conclusive but not sufficient for classification) Sectious eye damage/irritation : Not classified (Conclusive but not sufficient for classification) Sectious eye damage/irritation : Not classified (Conclusive but not sufficient for classification) Sectious eye damage/irritation : Not classified (Conclusive but not sufficient for classification) Sectious eye damage/irritation : Not classified (Conclusive but not sufficient for classification) Sectious | LC50 Inhalation - Rat (Dust/Mist) | 2300 mg/l | |
| Toxicity), 95% CL: 3196 - 3503 LD50 oral | | id, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium | |
| 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: Sodium percarbonate (15630-89-4) | LD50 oral rat | | |
| Sodium percarbonate (15630-89-4) LD50 oral | LD50 oral | > 2000 mg/kg bodyweight | |
| LD50 oral LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: LD50 dermal > 2000 mg/kg bodyweight Skin corrosion/irritation : Not classified (Conclusive but not sufficient for classification) pH: 10.2 − 11.2 sodium carbonate (497-19-8) pH ≈ 11.6 Concentration: (≈)0,1 other: Serious eye damage/irritation : Causes serious eye damage. pH: 10.2 − 11.2 sodium carbonate (497-19-8) pH ≈ 11.6 Concentration: (≈)0,1 other: Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Reproductive toxicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : Not classified (Conclusive but not sufficient for classification) STOT-sepeated exposure : Not classified (Conclusive but not sufficient for classification) Aspiration hazard : Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification) | LD50 dermal rat | | |
| LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: > 2000 mg/kg bodyweight > 2000 mg/kg bodyweight > 2000 mg/kg bodyweight > 2000 mg/kg bodyweight > Not classified (Conclusive but not sufficient for classification) pH: 10.2 − 11.2 sodium carbonate (497-19-8) pH ≈ 11.6 Concentration: (≈)0,1 other: Causes serious eye damage. pH: 10.2 − 11.2 sodium carbonate (497-19-8) pH ≈ 11.6 Concentration: (≈)0,1 other: Respiratory or skin sensitisation Serm cell mutagenicity Not classified (Conclusive but not sufficient for classification) Carcinogenicity Not classified (Conclusive but not sufficient for classification) Reproductive toxicity Not classified (Conclusive but not sufficient for classification) STOT-single exposure Not classified (Conclusive but not sufficient for classification) STOT-repeated exposure Not classified (Conclusive but not sufficient for classification) Aspiration hazard Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification) | Sodium percarbonate (15630-89-4) | | |
| Skin corrosion/irritation Not classified (Conclusive but not sufficient for classification) PH: 10.2 – 11.2 | LD50 oral | 1034 mg/kg bodyweight | |
| Skin corrosion/irritation : Not classified (Conclusive but not sufficient for classification) pH: 10.2 – 11.2 sodium carbonate (497-19-8) pH a 11.6 Concentration: (*)0,1 other: Causes serious eye damage. pH: 10.2 – 11.2 sodium carbonate (497-19-8) pH a 11.6 Concentration: (*)0,1 other: a 11.6 Concentration: (*)0,1 other: The sepiratory or skin sensitisation Germ cell mutagenicity Not classified (Conclusive but not sufficient for classification) Carcinogenicity Reproductive toxicity Reproductive toxicity Not classified (Conclusive but not sufficient for classification) STOT-single exposure Not classified (Conclusive but not sufficient for classification) STOT-repeated exposure Not classified (Conclusive but not sufficient for classification) STOT-repeated exposure Not classified (Conclusive but not sufficient for classification) Aspiration hazard : Not classified (Conclusive but not sufficient for classification) | LD50 dermal rabbit | > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: | |
| pH: 10.2 – 11.2 sodium carbonate (497-19-8) pH | LD50 dermal | > 2000 mg/kg bodyweight | |
| pH ≈ 11.6 Concentration: (≈)0,1 other: Serious eye damage/irritation : Causes serious eye damage. pH: 10.2 – 11.2 sodium carbonate (497-19-8) pH ≈ 11.6 Concentration: (≈)0,1 other: Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Reproductive toxicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : Not classified (Conclusive but not sufficient for classification) STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification) Aspiration hazard : Not classified (Conclusive but not sufficient for classification) | Skin corrosion/irritation | · · · · · · · · · · · · · · · · · · · | |
| Serious eye damage/irritation : Causes serious eye damage. pH: 10.2 − 11.2 sodium carbonate (497-19-8) pH ≈ 11.6 Concentration: (≈)0,1 other: Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Reproductive toxicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : Not classified (Conclusive but not sufficient for classification) STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification) Aspiration hazard : Not classified (Conclusive but not sufficient for classification) | sodium carbonate (497-19-8) | | |
| pH: 10.2 − 11.2 sodium carbonate (497-19-8) pH ≈ 11.6 Concentration: (≈)0,1 other: Respiratory or skin sensitisation Germ cell mutagenicity ∴ Not classified (Conclusive but not sufficient for classification) Carcinogenicity ∴ Not classified (Conclusive but not sufficient for classification) Reproductive toxicity ∴ Not classified (Conclusive but not sufficient for classification) STOT-single exposure ∴ Not classified (Conclusive but not sufficient for classification) STOT-repeated exposure ∴ Not classified (Conclusive but not sufficient for classification) Aspiration hazard ∴ Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification) | рН | ≈ 11.6 Concentration: (≈)0,1 other: | |
| pH ≈ 11.6 Concentration: (≈)0,1 other: Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Reproductive toxicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : Not classified (Conclusive but not sufficient for classification) STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification) Aspiration hazard : Not classified (Conclusive but not sufficient for classification) | Serious eye damage/irritation | , | |
| Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Reproductive toxicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : Not classified (Conclusive but not sufficient for classification) STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification) Aspiration hazard : Not classified (Conclusive but not sufficient for classification) | sodium carbonate (497-19-8) | | |
| Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Reproductive toxicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : Not classified (Conclusive but not sufficient for classification) STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification) Aspiration hazard : Not classified (Conclusive but not sufficient for classification) | рН | ≈ 11.6 Concentration: (≈)0,1 other: | |
| Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Reproductive toxicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : Not classified (Conclusive but not sufficient for classification) STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification) Aspiration hazard : Not classified (Conclusive but not sufficient for classification) | Respiratory or skin sensitisation | , | |
| Reproductive toxicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : Not classified (Conclusive but not sufficient for classification) STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification) Aspiration hazard : Not classified (Conclusive but not sufficient for classification) | Germ cell mutagenicity | · | |
| STOT-single exposure : Not classified (Conclusive but not sufficient for classification) STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification) Aspiration hazard : Not classified (Conclusive but not sufficient for classification) | Carcinogenicity | | |
| STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification) Short classified (Conclusive but not sufficient for classification) Short classified (Conclusive but not sufficient for classification) | · · | , | |
| Aspiration hazard : Not classified (Conclusive but not sufficient for classification) | - | | |
| | · | | |
| Viscosity, kinematic Not applicable | Азрігацоп падаго | . Not classified (Conclusive but not sufficient for classification) | |
| Viscosity, kinematic Not applicable | | | |
| | Viscosity, kinematic | Not applicable | |

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

11.2.2. Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

(acute)

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term : Not classified (Conclusive but not sufficient for classification)

Hazardous to the aquatic environment, long-term : Not classified (Conclusive but not sufficient for classification)

| (chronic) | |
|---|---|
| sodium carbonate (497-19-8) | |
| LC50 - Fish [1] | 300 mg/l Test organisms (species): Lepomis macrochirus |
| EC50 - Crustacea [1] | 200 – 227 mg/l Test organisms (species): Ceriodaphnia sp. |
| EC50 96h - Algae [1] | 242 mg/l Source: ECOTOX |
| Reaction product of Benzenesulfonic acid, 4-hydroxide | C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium |
| LC50 - Fish [1] | > 1 mg/l |
| EC50 - Crustacea [1] | 8.8 mg/l Test organisms (species): Daphnia magna |
| EC50 - Other aquatic organisms [1] | > 1 mg/l waterflea |
| EC50 - Other aquatic organisms [2] | > 10 mg/l |
| EC50 72h - Algae [1] | 25 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 72h - Algae [2] | 72 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| NOEC (chronic) | 1.18 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC chronic fish | 0.23 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '72 d' |
| Sodium percarbonate (15630-89-4) | |
| LC50 - Fish [1] | > 70 mg/l |
| EC50 - Crustacea [1] | 4.9 mg/l Test organisms (species): Daphnia pulex |
| EC50 - Other aquatic organisms [1] | 4.9 mg/l waterflea |
| ErC50 algae | > 7.7 mg/l Source: SIDS |

12.2. Persistence and degradability

| Persistence and degradability | The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. |
|-------------------------------|---|

12.3. Bioaccumulative potential

| Bioaccumulative potential | Low bioaccumulation potential. |
|---------------------------|--------------------------------|

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| sodium carbonate (497-19-8) | | |
|---|-----|--|
| Partition coefficient n-octanol/water (Log Pow) -6.19 | | |
| Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide | | |
| Partition coefficient n-octanol/water (Log Pow) | 0.7 | |

12.4. Mobility in soil

| Ecology - soil | Expected to be highly mobile in soil. |
|----------------|---------------------------------------|

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Product/Packaging disposal recommendations

3 3 1

Ecology - waste materials

European List of Waste (LoW, EC 2150/2002)

HP Code

- : Dispose of in accordance with relevant local regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Empty containers retain product residue and can be hazardous. Do not dispose of the packaging without first carrying out the necessary cleaning. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.
- : Recycling is preferred to disposal or incineration.
- : 20 01 29* detergents containing dangerous substances
- 20 01 39 plastics
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|----------------------------------|---------------|---------------|---------------|---------------|
| 14.1. UN number or ID number | | | | |
| Not regulated for transport | | | | |
| 14.2. UN proper shippin | g name | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| ADR | IMDG | IATA | ADN | RID |
|--|---------------|---------------|---------------|---------------|
| 14.5. Environmental hazards | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

| Labelling of contents | |
|------------------------------------|--|
| Component % | |
| oxygen-based bleaching agents ≥30% | |
| anionic surfactants <5% | |
| enzymes | |
| optical brighteners | |

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Abbreviations and acronyms: | | |
|-----------------------------|---|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | |
| ATE | Acute Toxicity Estimate | |
| BCF | Bioconcentration factor | |
| BLV | Biological limit value | |
| BOD | Biochemical oxygen demand (BOD) | |
| COD | Chemical oxygen demand (COD) | |
| DMEL | Derived Minimal Effect level | |
| DNEL | Derived-No Effect Level | |
| EC-No. | European Community number | |
| EC50 | Median effective concentration | |
| EN | European Standard | |
| IARC | International Agency for Research on Cancer | |
| IATA | International Air Transport Association | |
| IMDG | International Maritime Dangerous Goods | |
| LC50 | Median lethal concentration | |
| LD50 | Median lethal dose | |
| LOAEL | Lowest Observed Adverse Effect Level | |
| NOAEC | No-Observed Adverse Effect Concentration | |
| NOAEL | No-Observed Adverse Effect Level | |
| NOEC | No-Observed Effect Concentration | |
| OECD | Organisation for Economic Co-operation and Development | |
| OEL | Occupational Exposure Limit | |
| PBT | Persistent Bioaccumulative Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |
| SDS | Safety Data Sheet | |
| STP | Sewage treatment plant | |

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Abbreviations and acronyms: | |
|-----------------------------|--|
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| VOC | Volatile Organic Compounds |
| CAS-No. | Chemical Abstract Service number |
| N.O.S. | Not Otherwise Specified |
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disrupting properties |

Training advice

Other information

- : Normal use of this product shall imply use in accordance with the instructions on the packaging. Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.
- : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| H272 | May intensify fire; oxidiser. |
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Ox. Sol. 3 | Oxidising Solids, Category 3 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.