

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 12/08/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: HG hygienic whirlpool bath cleaner
UFI	: V981-T9SF-N104-E6QQ
Product code	: 448 ART
Type of product	: Detergent
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Function or use category

: Consumer use : Bathroom cleaners

1.2.2. Uses advised against

Restrictions on use

: All other uses not recommended above

1.3. Details of the supplier of the safety data sheet

Manufacturer

HG International B.V. P.J. Oudweg 41 NL– 1314 CJ Almere The Netherlands T +31 (0)36 54 94 700 <u>safety@hg.eu</u> - <u>www.hg.eu</u>

1.4. Emergency telephone number

Emergency number

: +31 (0)36 54 94 777 Only for medical personnel Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008	[CLP]
Skin corrosion/irritation, Category 1, Sub-Category 1C	H314
Serious eye damage/eye irritation, Category 1	H318
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements	
Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	GHS05
Signal word (CLP)	: Danger
Contains	 Sodium etasulphate; Alcohols, C12-16, ethoxylated; L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid
Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP)	 P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P280 - Wear eye protection, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Child-resistant fastening	: Applicable
Tactile warning	: Applicable

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
L-(+)-lactic acid; (2S)-2-hydroxypropanoic acid	CAS-No.: 79-33-4 EC-No.: 201-196-2 EC Index-No.: 607-743-00-5 REACH-no: 01-2119474164- 39	≥7-<10	Skin Corr. 1C, H314 Eye Dam. 1, H318
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	≥2-<5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Sodium etasulphate	CAS-No.: 126-92-1 EC-No.: 204-812-8 REACH-no: 01-2119971586- 23	≥2-<5	Skin Irrit. 2, H315 Eye Dam. 1, H318

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohols, C12-16, ethoxylated	CAS-No.: 68551-12-2 EC-No.: 500-221-7	≥1-<2	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Diphenyl ether substance with a Community workplace exposure limit	CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545- 33	≥ 0.001 – < 0.1	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. Call a physician immediately.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	: Burns. : Serious damage to eyes. : Burns.
	. Buno.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions Protection during firefighting	 Control run-off water by containing and keeping it out of sewers and watercourses. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	e equipment and emergency procedures	
General measures	: Do not handle until all safety precautions have been read and understood.	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment. See Section 8 for information on personal protection equipment.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

according to Regulation (EC) No. 1907/2006 (RE	EACH) with its amendment Regulation (EU) 2020/878
Emergency procedures	 Ventilate spillage area. Keep unnecessary and unprotected personnel away from the spillage. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for conta	ainment and cleaning up
For containment	: Stop leak if safe to do so. Do not touch or walk on the spilled product. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Dilute small spillage well and wash away with large guantities of water.
Methods for cleaning up	: Take up liquid spill into absorbent material. Clear up spills immediately and dispose of waste safely.
Other information	 Spilled product must never be returned to the original container for recycling. Collect all waste in suitable and labelled containers and dispose according to local legislation. Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Prevent aerosol formation or splashes. Avoid contact with skin and eyes. Do not breathe mist, vapours. Wear personal protective equipment. Remove contaminated clothes. Wash contaminated clothing before reuse. Do not eat, drink
7.2. Conditions for safe storage, including	or smoke when using this product. Always wash hands after handling the product.
Storage conditions Incompatible materials Storage temperature Heat and ignition sources Storage area Special rules on packaging	 Store locked up. Store in a well-ventilated place. Keep cool. Strong bases. > 0 - < 30 °C Keep away from heat and direct sunlight. Store according to local legislation. keep in frostfree area. Keep only in original container. Opened containers must be carefully closed and kept upright to avoid leakage.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
8.1.1 National occupational exposure and biological limit values		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Ireland - Occupational Exposure Limits		
Local name Isopropyl alcohol [Propan-2-ol]		
OEL TWA [2]	200 ppm	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

propan-2-ol; isopropyl alcohol; isopropanol (6	37-63-0)
OEL STEL [ppm]	400 ppm
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)
Regulatory reference	Chemical Agents Code of Practice 2021
Ireland - Biological limit values	
Local name	2-Propanol
BMGV	40 mg/l Parameter: acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B (Background), Ns (Non-specific)
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)
Diphenyl ether (101-84-8)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Diphenyl ether
IOEL TWA	7 mg/m³
IOEL TWA [ppm]	1 ppm
IOEL STEL	14 mg/m³
IOEL STEL [ppm]	2 ppm
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
Ireland - Occupational Exposure Limits	
Local name	Diphenyl ether (vapour)
OEL TWA [1]	7 mg/m³
OEL TWA [2]	1 ppm
OEL STEL	14 mg/m ³
OEL STEL [ppm]	2 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Wear foot protection.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Normal use conditions		EN 166

8.2.2.2. Skin protection

Skin and body protection:

Long sleeved protective clothing. Chemical resistant safety shoes

Skin and body protection	
Туре	Standard
Long sleeved protective clothing	
Chemical resistant safety shoes	EN ISO 20345

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Respiratory protection			
Device	Filter type	Condition	Standard
Half-mask	FFA2P3	Mist formation, Vapour protection	EN 405

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical pro	operties		
9.1. Information on basic physical and chemical properties			
9.1. Information on basic physical and cher Physical state Colour Odour Odour threshold Melting point Freezing point Boiling point Flammability Lower explosion limit Upper explosion limit Flash point Auto-ignition temperature Decomposition temperature pH pH solution Viscosity, kinematic Viscosity, dynamic Solubility Partition coefficient n-octanol/water (Log Kow) Vapour pressure	mical properties : Liquid : Blue. : Floral. : Not available : $0 ^{\circ}C$: Not available : $82.5 ^{\circ}C$: Non flammable. : Not available : Not available : Not available : $61 - 93.3 ^{\circ}C$ (closed cup) : $399 ^{\circ}C$: Not available : $1.4 - 2.4$: $100 ^{\circ}$: Not available : $26 ^{\circ}Pa \cdot s$ (room temperature) : In water, material soluble. : Not available : Not available : Not available : Not available : Not available : Not available		
Vapour pressure at 50°C Density	: Not available : Not available		
Relative density	: 1.02 – 1.03		
Relative vapour density at 20°C Particle characteristics	: Not available : Not applicable		

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Alkalines.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological inforr	nation
11.1. Information on hazard classes a	as defined in Regulation (EC) No 1272/2008
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification)
Sodium etasulphate (126-92-1)	
LD50 oral rat	4000 mg/kg Source: NLM
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	6540 mg/kg Source: NLM
propan-2-ol; isopropyl alcohol; isop	ropanol (67-63-0)
LD50 oral rat	5840 mg/kg Source: ECHA
LD50 oral	4396 mg/kg bodyweight
LD50 dermal rabbit	12800 mg/kg Source: ECHA
LC50 Inhalation - Rat (Dust/Mist)	46600 mg/l
L-(+)-lactic acid; (2S)-2-hydroxyprop	anoic acid (79-33-4)
LD50 dermal rat	>
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 7.94 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
Diphenyl ether (101-84-8)	
LD50 oral rat	2830 mg/kg Source: ECHA
Skin corrosion/irritation	: Causes severe skin burns. pH: 1.4 – 2.4
Sodium etasulphate (126-92-1)	
рН	10.5 – 11.5
Serious eye damage/irritation	: Causes serious eye damage. pH: 1.4 – 2.4
Sodium etasulphate (126-92-1)	
рН	10.5 – 11.5
Respiratory or skin sensitisation	: Not classified (Conclusive but not sufficient for classification)
Germ cell mutagenicity	: Not classified (Conclusive but not sufficient for classification)
Carcinogenicity	: Not classified (Conclusive but not sufficient for classification)
Reproductive toxicity	: Not classified (Conclusive but not sufficient for classification)
STOT-single exposure	: Not classified (Conclusive but not sufficient for classification)
propan-2-ol; isopropyl alcohol; isop	ropanol (67-63-0)
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified (Conclusive but not sufficient for classification)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Sodium etasulphate (126-92-1)	
LOAEL (oral, rat, 90 days)	1016 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	488 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
Diphenyl ether (101-84-8)	
NOAEL (dermal, rat/rabbit, 90 days)	1000 mg/kg bodyweight Animal: rat
Aspiration hazard	: Not classified (Conclusive but not sufficient for classification)
propan-2-ol; isopropyl alcohol; isopropano	ol (67-63-0)
Viscosity, kinematic	2.658 mm ² /s
11.2. Information on other hazards	

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute)	Before neutralisation, the product may represent a danger to aquatic organisms. Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification)
Sodium etasulphate (126-92-1)	
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	483 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	 > 511 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	6.86 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	1.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 1357 mg/l Test organisms (species): Pimephales promelas Duration: '42 d'
propan-2-ol; isopropyl alcohol; isopropanol (6	57-63-0)
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas
L-(+)-lactic acid; (2S)-2-hydroxypropanoic acid	d (79-33-4)
LC50 - Fish [1]	195 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	130 mg/l Test organisms (species): Daphnia magna
NOEC chronic algae	1900 mg/l

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Diphenyl ether (101-84-8)	
LC50 - Fish [1]	> 0.1 – ≤ 1 mg/l
EC50 - Crustacea [1]	1.96 mg/l Test organisms (species): Daphnia magna
ErC50 algae	0.455 mg/l Source: ECHA
12.2. Persistence and degradability	
HG hygienic whirlpool bath cleaner	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
L-(+)-lactic acid; (2S)-2-hydroxypropanoic ac	tid (79-33-4)
Persistence and degradability	Readily biodegradable.
12.3. Bioaccumulative potential	
HG hygienic whirlpool bath cleaner	
Bioaccumulative potential	No bioaccumulation expected.
Sodium etasulphate (126-92-1)	
Partition coefficient n-octanol/water (Log Pow)	-0.35
propan-2-ol; isopropyl alcohol; isopropanol	(67-63-0)
Partition coefficient n-octanol/water (Log Pow)	0.05
Alcohols, C12-16, ethoxylated (68551-12-2)	
Partition coefficient n-octanol/water (Log Pow)	5.96 Source: Ecological Structure Activity Relationships
L-(+)-lactic acid; (2S)-2-hydroxypropanoic ac	sid (79-33-4)
Partition coefficient n-octanol/water (Log Pow)	-0.62
Diphenyl ether (101-84-8)	
Partition coefficient n-octanol/water (Log Pow)	4.21 Source: ECHA
12.4. Mobility in soil	
Alcohols, C12-16, ethoxylated (68551-12-2)	
Mobility in soil	13530 Source: EPI Suite
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
Adverse effects on the environment caused by endocrine disrupting properties	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.
12.7. Other adverse effects	
No additional information available	

Safety Data Sheet

Safety Data Sheet	1907/2006 (REACH) with its amer	ndment Regulation (EU) 2020/878		
SECTION 13: Disposa	I considerations			
13.1. Waste treatment m	ethods			
Regional legislation (waste) Waste treatment methods Sewage disposal recommend Product/Packaging disposal r European List of Waste (LoW HP Code SECTION 14: Transpo	: Dis lations : Do ecommendations : Do haz ') code : 20 15 : HP	pose of in accordance with re pose of contents/container in not flush down sewers. Dispo not pierce or burn, even after zardous. 01 29* - detergents containing 01 02 - plastic packaging 8 - "Corrosive:" waste which c	accordance with licensed colle isal must be done according to use. Empty containers retain g dangerous substances	o official regulations. product residue and can be
n accordance with ADR / IME				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
UN 3265	UN 3265	UN 3265	UN 3265	UN 3265
14.2. UN proper shippin	g name			
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid)	Corrosive liquid, acidic, organic, n.o.s. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid)
Transport document descr	iption			
UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid), 8, III, (E)	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid), 8, III	UN 3265 Corrosive liquid, acidic, organic, n.o.s. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid), 8, III	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid), 8, III	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid), 8 III
14.3. Transport hazard o	class(es)	·	·	·
8	8	8	8	8

14.4. Packing group

III	III	III	III	111
.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No

 14.6. Special precautions for user

 Overland transport

 Classification code (ADR)
 : C3

 Special provisions (ADR)
 : 274

 Limited quantities (ADR)
 : 51

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

according to Regulation (EC) No. 1907/2006 (REACH) with	its amendment Regulation (EU) 2020/878
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	
Portable tank and bulk container special provisions	: TP1, TP28
(ADR)	, -
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	
	80 3265
	22(5
	3203
Tunnel restriction code (ADR)	: E
Transport by sea	
Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2
Segregation (IMDG)	: SGG1, SG36, SG49
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes.
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L
Inland waterway transport	
Classification code (ADN)	: C3
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0
······································	
Rail transport	
Classification code (RID)	: C3
Special provisions (RID)	: 274
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions	: TP1, TP28
(RID)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Tank codes for RID tanks (RID)	:	L4BN
Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)	:	W12
Colis express (express parcels) (RID)	:	CE8
Hazard identification number (RID)	:	80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
anionic surfactants, non-ionic surfactants <5%	
perfumes	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information	
Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and	Abbreviations and acronyms:	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging. Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other information	: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be
	applicable.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.