

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 12/08/2023 Revision date: 09/08/2024 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : HG hygienic whirlpool bath cleaner

UFI : DWQ0-49XN-410M-30ED

Product code : 448 ART
Type of product : Detergent
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Intended for general public

Main use category : Consumer use Function or use category : Bathroom cleaners

Uses advised against

Restrictions on use : All other uses not recommended above

1.3. Details of the supplier of the safety data sheet

ManufacturerImporterHG International B.V.HG UKI LTD

P.J. Oudweg 41 Weston Business Centre
NL 1314 CJ Almere Parsonage Road

The Netherlands UK CM22 6PU Takeley, Essex

T +31 (0)36 54 94 700 United Kingdom <u>safety@hg.eu</u>, <u>www.hg.eu</u> T +44 (0) 1206 822 744

www.hg.eu

1.4. Emergency telephone number

Emergency number : +31 (0)36 54 94 777
Only for medical personnel

Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1C H314
Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS05

Signal word (CLP) : Danger

Contains : Sodium etasulphate; Alcohols, C12-16, ethoxylated; L-(+)-lactic acid; (2S)-2-

hydroxypropanoic acid

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P280 - Wear eye protection, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

Child-resistant fastening : Applicable Tactile warning : Applicable

2.3. Other hazards

Other hazards which do not result in classification : May cause flammable vapours to be released.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
L-(+)-lactic acid; (2S)-2-hydroxypropanoic acid	CAS-No.: 79-33-4 EC-No.: 201-196-2 EC Index-No.: 607-743-00-5 REACH-no: 01-2119474164- 39	≥ 7 – < 10	Skin Corr. 1C, H314 Eye Dam. 1, H318
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	≥2-<5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Sodium etasulphate	CAS-No.: 126-92-1 EC-No.: 204-812-8 REACH-no: 01-2119971586- 23	≥2-<5	Skin Irrit. 2, H315 Eye Dam. 1, H318

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohols, C12-16, ethoxylated	CAS-No.: 68551-12-2 EC-No.: 500-221-7	≥ 1 – < 2	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Diphenyl ether substance with a Community workplace exposure limit	CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545- 33	≥ 0.001 – < 0.1	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
benzaldehyde substance with a Community workplace exposure limit	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	< 0.001	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 STOT SE 3, H335

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air

and keep comfortable for breathing. Call a physician immediately.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid.

Explosion hazard : Intense heat may cause container to burst.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Runoff from fire control or dilution water may cause pollution.

Firefighting instructions : Control run-off water by containing and keeping it out of sewers and watercourses. Do not

enter fire area without proper protective equipment, including respiratory protection.

09/08/2024 (Revision date) IE - en 3/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not handle until all safety precautions have been read and understood. Stop leak if safe

to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to

prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment. See Section 8 for information on

personal protection equipment.

Emergency procedures : Ventilate spillage area. Keep unnecessary and unprotected personnel away from the

spillage. Avoid contact with skin and eyes. Do not breathe mist, vapours.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak if safe to do so. Do not touch or walk on the spilled product. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal.

Dilute small spillage well and wash away with large quantities of water. Contain any spills

with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up

: Take up liquid spill into absorbent material. Clear up spills immediately and dispose of

waste safely.

Other information : Spilled product must never be returned to the original container for recycling. Collect all

waste in suitable and labelled containers and dispose according to local legislation. Dispose

of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

: Ensure good ventilation of the work station. Prevent aerosol formation or splashes. Avoid

contact with skin and eyes. Do not breathe mist, vapours. Wear personal protective

equipment.

Hygiene measures : Remove contaminated clothes. Wash contaminated clothing before reuse. Do not eat, drink

or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store in dry, cool, well-ventilated area. Store locked up. Keep container tightly closed.

Protect from sunlight.

Heat and ignition sources : Keep away from heat and direct sunlight.

Storage area : Store according to local legislation. keep in frostfree area.

09/08/2024 (Revision date) IE - en 4/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Special rules on packaging : Keep only in original container. Opened containers must be carefully closed and kept

upright to avoid leakage.

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)			
Ireland - Occupational Exposure Limits			
Local name	Isopropyl alcohol [Propan-2-ol]		
OEL TWA	200 ppm		
OEL STEL	400 ppm		
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values), Skin (Substances which have the capacity to penetrate intact skin when they come in contact with it and be absorbed into the body. A substantial contribution to the total body burden via dermal exposure is possible)		
Regulatory reference	Chemical Agents Code of Practice 2024		
Ireland - Biological limit values			
Local name	2-Propanol		
BMGV	40 mg/l Parameter: acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B (Background), Ns (Non-specific)		
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)		
Diphenyl ether (101-84-8)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Diphenyl ether		
IOEL TWA	7 mg/m³		
	1 ppm		
IOEL STEL	14 mg/m³		
	2 ppm		
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164		
Ireland - Occupational Exposure Limits			
Local name	Diphenyl ether (vapour)		
OEL TWA	7 mg/m³		
	1 ppm		
OEL STEL	14 mg/m³		
	2 ppm		
Remark	IOELV (Indicative Occupational Exposure Limit Values)		
Regulatory reference	Chemical Agents Code of Practice 2024		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

benzaldehyde (100-52-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL STEL	17.4 mg/m³

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Wear foot protection.

Personal protective equipment symbol(s):









Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Normal use conditions		EN 166

Skin protection

Skin and body protection:

Wear suitable protective clothing

Skin and body protection		
Туре	Standard	
Long sleeved protective clothing		
Chemical resistant safety shoes	EN ISO 20345	
Use chemically protective clothing	EN 14605	

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374

Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Respiratory protection			
Device	Filter type	Condition	Standard
Half-mask	FFA2P3	Mist formation, Vapour protection	EN 405

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Blue. Odour : Floral. Odour threshold : Not available Melting point 0°C Freezing point : Not available Boiling point : 82.5 °C Flammability : Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : 53 °C (closed cup)

Auto-ignition temperature : 399 °C

Decomposition temperature : Not available pH : 1.4 – 2.4 pH solution : 100 %

Viscosity, kinematic : Not available

Viscosity, dynamic : 26 mPa·s (room temperature)
Solubility : In water, material soluble.

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : 1.02 – 1.03 Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.5. Incompatible materials

Alkalines.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information	on hozard alac	see on define	d in Population	n (EC) No 1272/2009
11.1. Information	on nazaro cias	ises as define	a in Reduiation	n (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Conclusive but not sufficient for classification)
Acute toxicity (dermal) : Not classified (Conclusive but not sufficient for classification)
Acute toxicity (inhalation) : Not classified (Conclusive but not sufficient for classification)

Sodium etasulphate (126-92-1)		
LD50 oral rat	4000 mg/kg Source: NLM	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LD50 dermal rabbit 6540 mg/kg Source: NLM		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		

LD50 oral rat	5840 mg/kg Source: ECHA
LD50 oral	4396 mg/kg bodyweight
LD50 dermal rabbit	12800 mg/kg Source: ECHA
LC50 Inhalation - Rat (Dust/Mist)	46600 mg/l

L-(+)-lactic acid; (2S)-2-hydroxypropanoic acid (79-33-4)

LD50 dermal rat	>
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 7.94 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Diphenyl ether (101-84-8)

LD50 oral rat 2830 mg/kg Source: ECHA

benzaldehyde (100-52-7)

LD50 oral rat	≈ 1430 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1,33 - 1,54
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
LC50 Inhalation - Rat	1 – 5 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method)
LC50 Inhalation - Rat (Dust/Mist)	> 1000 mg/l

Skin corrosion/irritation : Causes severe skin burns.

	pH: 1.4 – 2.4
Sodium etasulphate (126-92-1)	

pH 10.5 – 11.5

Serious eye damage/irritation : Causes serious eye damage. pH: 1.4 – 2.4

Sodium etasulphate (126-92-1)	
рН	10.5 – 11.5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Respiratory or skin sensitisation	:	Not classified (Conclusive but not sufficient for classification)
Germ cell mutagenicity	:	Not classified (Conclusive but not sufficient for classification)
Carcinogenicity	:	Not classified (Conclusive but not sufficient for classification)
Reproductive toxicity	:	Not classified (Conclusive but not sufficient for classification)
STOT-single exposure		Not classified (Conclusive but not sufficient for classification)

Reproductive toxicity .	Not classified (Conclusive but not sufficient for classification)
STOT-single exposure :	Not classified (Conclusive but not sufficient for classification)
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)
STOT-single exposure	May cause drowsiness or dizziness.
benzaldehyde (100-52-7)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure :	Not classified (Conclusive but not sufficient for classification)
Sodium etasulphate (126-92-1)	
LOAEL (oral, rat, 90 days)	1016 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	488 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
Diphenyl ether (101-84-8)	
NOAEL (dermal, rat/rabbit, 90 days)	1000 mg/kg bodyweight Animal: rat
Aspiration hazard :	Not classified (Conclusive but not sufficient for classification)
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Viscosity, kinematic	2.658 mm²/s

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term : Not classified (Conclusive but not sufficient for classification)

Hazardous to the aquatic environment, long-term : Not classified (Conclusive but not sufficient for classification)

(chronic)

Sodium etasulphate (126-92-1)	
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	483 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 511 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	6.86 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	1.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 1357 mg/l Test organisms (species): Pimephales promelas Duration: '42 d'

09/08/2024 (Revision date) IE - en 9/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas	
L-(+)-lactic acid; (2S)-2-hydroxypropanoic acid (79-33-4)		
LC50 - Fish [1]	195 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	130 mg/l Test organisms (species): Daphnia magna	
NOEC chronic algae	1900 mg/l	
Diphenyl ether (101-84-8)		
LC50 - Fish [1]	4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	1.96 mg/l Test organisms (species): Daphnia magna	
ErC50 algae	0.455 mg/l Source: ECHA	
benzaldehyde (100-52-7)		
LC50 - Fish [1]	1.07 mg/l	
EC50 - Crustacea [1]	19.7 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [1]	23.7 mg/l waterflea	
EC50 - Other aquatic organisms [2]	> 100 mg/l	
EC50 72h - Algae [1]	33.1 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 72h - Algae [2]	8.05 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	

12.2. Persistence and degradability

HG hygienic whirlpool bath cleaner		
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
Sodium etasulphate (126-92-1)		
Persistence and degradability	Rapidly degradable	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Persistence and degradability	Rapidly degradable	
Alcohols, C12-16, ethoxylated (68551-12-2)		
Persistence and degradability	Rapidly degradable	
L-(+)-lactic acid; (2S)-2-hydroxypropanoic acid (79-33-4)		
Persistence and degradability	Readily biodegradable.	
Diphenyl ether (101-84-8)		
Persistence and degradability	Rapidly degradable	
benzaldehyde (100-52-7)		
Persistence and degradability	Rapidly degradable	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.3. Bioaccumulative potential

HG hygienic whirlpool bath cleaner		
Bioaccumulative potential	No bioaccumulation expected.	
Sodium etasulphate (126-92-1)		
Partition coefficient n-octanol/water (Log Pow)	-0.35	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05	
Alcohols, C12-16, ethoxylated (68551-12-2)		
Partition coefficient n-octanol/water (Log Pow)	5.96 Source: Ecological Structure Activity Relationships	
L-(+)-lactic acid; (2S)-2-hydroxypropanoic acid (79-33-4)		
Partition coefficient n-octanol/water (Log Pow)	-0.62	
Diphenyl ether (101-84-8)		
Partition coefficient n-octanol/water (Log Pow)	4.21 Source: ECHA	
benzaldehyde (100-52-7)		

12.4. Mobility in soil

Alcohols, C12-16, ethoxylated (68551-12-2)	
Mobility in soil	13530 Source: EPI Suite

1.48

12.5. Results of PBT and vPvB assessment

Partition coefficient n-octanol/water (Log Pow)

HG hygienic whirlpool bath cleaner

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

- : Dispose of in accordance with relevant local regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Do not flush down sewers. Disposal must be done according to official regulations.
- Do not pierce or burn, even after use. Empty containers retain product residue and can be hazardous. Disposal must be done according to official regulations. Discharging into rivers and drains is forbidden. Do not dispose of the packaging without first carrying out the necessary cleaning.

09/08/2024 (Revision date) IE - en 11/17

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Additional information : Do not re-use empty containers.

European List of Waste (LoW, EC 2000/532) : 20 01 29* - detergents containing dangerous substances

20 01 39 - plastics

15 01 02 - plastic packaging

HP Code : HP8 - "Corrosive:" waste which on application can cause skin corrosion.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3265	UN 3265	UN 3265	UN 3265	UN 3265
14.2. UN proper shippin	g name			
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid)	Corrosive liquid, acidic, organic, n.o.s. (CONTAINS : L-(+)-lactic acid; (2S)-2-hydroxypropanoic acid)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid)
Transport document descr	iption			
UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid), 8, III, (E)	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid), 8, III	UN 3265 Corrosive liquid, acidic, organic, n.o.s. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid), 8, III	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid), 8, III	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS : L-(+)-lactic acid; (2S)-2- hydroxypropanoic acid), 8,
14.3. Transport hazard o	class(es)			
8	8	8	8	8
	8	8	8	8
14.4. Packing group				
III	III	111	111	III
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-A EmS-No. (Spillage): S-B	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C3
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : L4BN Vehicle for tank carriage : AT Transport category (ADR) 3 Special provisions for carriage - Packages (ADR) V12 Hazard identification number (Kemler No.) 80

Orange plates

80 3265

Tunnel restriction code (ADR) : E

Transport by sea

Special provisions (IMDG) : 223, 274 Limited quantities (IMDG) : 5 L : E1 Excepted quantities (IMDG) : P001, LP01 Packing instructions (IMDG) IBC packing instructions (IMDG) IBC03 Tank instructions (IMDG) T7 Tank special provisions (IMDG) TP1, TP28 Stowage category (IMDG) : A

Stowage and handling (IMDG) : SW2

Segregation (IMDG) SGG1, SG36, SG49

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y841 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 856 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3, A803 ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C3 Special provisions (ADN) : 274 Limited quantities (ADN) : 5 L Excepted quantities (ADN) : E1 Carriage permitted (ADN) : T : PP, EP Equipment required (ADN) Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C3 Special provisions (RID) 274 Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19 Portable tank and bulk container instructions (RID) T7 : TP1, TP28 Portable tank and bulk container special provisions

(RID)

: L4BN Tank codes for RID tanks (RID) Transport category (RID) : 3 Special provisions for carriage – Packages (RID) : W12 Colis express (express parcels) (RID) : CE8 Hazard identification number (RID) : 80

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Detergent Regulation (648/2004)

Allergenic fragrances > 0.01 %:

LIMONENE

TERPINEOL

CAMPHOR

Labelling of contents	
Component	%
anionic surfactants, non-ionic surfactants	<5%
perfumes	
LIMONENE	
TERPINEOL	
CAMPHOR	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information

Indication of changes:

UFI : Unique Formula Identifier.

Indication of changes		
Section	Changed item	Comments
	Adverse health effects caused by endocrine disrupting properties	Added
	Revision date	Added
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified
2.3	Other hazards which do not result in classification	Added
3	Composition/information on ingredients	Modified
4.1	First-aid measures for first aider	Added
4.2	Symptoms/effects after inhalation	Added
5.2	Fire hazard	Added
5.2	Explosion hazard	Added
5.3	Precautionary measures fire	Added
5.3	Firefighting instructions	Added
6.1	Emergency procedures	Added
6.1	General measures	Added
6.1	Emergency procedures	Modified
6.3	For containment	Added
7.1	Additional hazards when processed	Added
7.2	Technical measures	Added
7.2	Packaging materials	Added
7.2	Storage conditions	Modified
8.2	Skin and body protection	Modified
9	Flammability	Removed
9	Flash point	Modified
13.1	Product/Packaging disposal recommendations	Added
13.1	European List of Waste (LoW, EC 2000/532)	Modified
13.1	Additional information	Added
13.1	Sewage disposal recommendations	Added

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:	
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging. Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.