



# HG power gel brush oven cleaner

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 19/05/2025 Revision date: 15/05/2025 Version: 1.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : HG power gel brush oven cleaner  
Product code : 75483  
Type of product : Detergent  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Intended for general public  
Main use category : Consumer use

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

HG International B.V.  
P.J. Oudweg 41  
NL 1314 CJ Almere  
The Netherlands  
T +31 (0)36 54 94 700  
[safety@hg.eu](mailto:safety@hg.eu), [www.hg.eu](http://www.hg.eu)

##### Importer

HG UKI LTD  
Weston Business Centre  
Parsonage Road  
UK CM22 6PU Takeley, Essex  
United Kingdom  
T +44 (0) 1206 822 744  
[www.hg.eu](http://www.hg.eu)

#### 1.4. Emergency telephone number

Emergency number : +31 (0)36 54 94 777  
Only for medical personnel  
Mon-Fri 09:00 AM - 05:00 PM (CEST)

| Country/Area | Organisation/Company                                     | Address                                  | Emergency number   | Comment |
|--------------|--|--|--|---------|
| Ireland      | National Poisons Information Centre<br>Beaumont Hospital | PO Box 1297<br>Beaumont Road<br>9 Dublin | +353 1 809 2566<br>(Healthcare professionals-<br>24/7)<br>+353 1 809 2166 (public,<br>8am - 10pm, 7/7) |         |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290  
Skin corrosion/irritation, Category 1, Sub-Category 1A H314  
Serious eye damage/eye irritation, Category 1 H318  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

# HG power gel brush oven cleaner

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

:



GHS05

Signal word (CLP)

: Danger

Contains

: Sodium hydroxide; caustic soda

Hazard statements (CLP)

: H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP)

: P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P234 - Keep only in original packaging.

P280 - Wear eye protection, protective gloves.

P301+P310+P331 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor, a POISON CENTER.

P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Child-resistant fastening

: Applicable

Tactile warning

: Applicable

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

| Name   | Product identifier  | Conc.<br>(% w/w) | Classification according to<br>Regulation (EC) No. 1272/2008<br>[CLP]  |
|--|---|------------------|--|
| Sodium hydroxide; caustic soda                     | CAS-No.: 1310-73-2<br>EC-No.: 215-185-5<br>EC Index-No.: 011-002-00-6<br>REACH-no: 01-2119457892-27 | $\geq 5 - < 15$  | Met. Corr. 1, H290<br>Skin Corr. 1A, H314<br>Eye Dam. 1, H318  |
| N,N-dimethyltetradecylamine N-oxide                | CAS-No.: 3332-27-2<br>EC-No.: 222-059-3<br>REACH-no: 01-2119949262-37                               | $\geq 1 - < 7$   | Acute Tox. 4 (Oral), H302<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Aquatic Acute 1, H400<br>Aquatic Chronic 2, H411 |
| D-Glucopyranose, oligomers, decyl octyl glycosides | CAS-No.: 68515-73-1<br>EC-No.: 500-220-1<br>REACH-no: 01-2119488530-36                              | $\geq 0.1 - < 1$ | Eye Dam. 1, H318   |

# HG power gel brush oven cleaner

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name  | Product identifier   | Conc. (% w/w) | Classification according to Regulation (EC) No. 1272/2008 [CLP]    |
|---|--|---------------|--|
| Alcohols, C12-14, ethoxylated, sulfates, sodium salts | CAS-No.: 68891-38-3<br>EC-No.: 500-234-8<br>REACH-no: 01-2119488639-16 | ≥ 0.1 – < 1   | Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Aquatic Chronic 3, H412 |

| Specific concentration limits:                        |   |   |
|---|---|---|
| Name  | Product identifier  | Specific concentration limits (Conc. (% w/w))   |
| Sodium hydroxide; caustic soda                        | CAS-No.: 1310-73-2<br>EC-No.: 215-185-5<br>EC Index-No.: 011-002-00-6<br>REACH-no: 01-2119457892-27 | (0.5 ≤ C < 2) Skin Irrit. 2; H315<br>(0.5 ≤ C < 2) Eye Irrit. 2; H319<br>(2 ≤ C < 5) Skin Corr. 1B; H314<br>(5 ≤ C ≤ 100) Skin Corr. 1A; H314 |
| Alcohols, C12-14, ethoxylated, sulfates, sodium salts | CAS-No.: 68891-38-3<br>EC-No.: 500-234-8<br>REACH-no: 01-2119488639-16                              | (5 ≤ C < 10) Eye Irrit. 2; H319<br>(10 ≤ C < 100) Eye Dam. 1; H318  |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures general            | : Call a physician immediately.  |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.   |
| First-aid measures after skin contact | : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.  |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. |
| First-aid measures after ingestion    | : Rinse mouth. Do not induce vomiting. Call a physician immediately.   |
| First-aid measures for first aider    | : First aid workers will be equipped with suitable personal protective equipment.  |

### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |                                 |
|-------------------------------------|---------------------------------|
| Symptoms/effects after inhalation   | : None under normal conditions. |
| Symptoms/effects after skin contact | : Burns.                        |
| Symptoms/effects after eye contact  | : Serious damage to eyes.       |
| Symptoms/effects after ingestion    | : Burns.                        |

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.               |

### 5.2. Special hazards arising from the substance or mixture

|  |                                |
|--|--------------------------------|
| Fire hazard                                      | : No fire hazard.              |
| Explosion hazard                                 | : No direct explosion hazard.  |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

# HG power gel brush oven cleaner

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 5.3. Advice for firefighters

- |                                |   |
|--------------------------------|---|
| Firefighting instructions      | : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.              |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- |                  |   |
|------------------|---|
| General measures | : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage. |
|------------------|---|

#### For non-emergency personnel

- |                      |   |
|----------------------|---|
| Protective equipment | : Wear recommended personal protective equipment.   |
| Emergency procedures | : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. |

#### For emergency responders

- |                      |   |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Evacuate unnecessary personnel. Stop leak if safe to do so.   |

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- |                         |   |
|-------------------------|---|
| For containment         | : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. |
| Methods for cleaning up | : Take up liquid spill into absorbent material.   |
| Other information       | : Dispose of materials or solid residues at an authorized site.   |

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- |                                   |   |
|-----------------------------------|---|
| Additional hazards when processed | : Not expected to present a significant hazard under anticipated conditions of normal use.  |
| Precautions for safe handling     | : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. |
| Hygiene measures                  | : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.                          |

### 7.2. Conditions for safe storage, including any incompatibilities

- |                        |  |
|------------------------|--|
| Technical measures     | : Keep in a cool, well-ventilated place away from heat.  |
| Storage conditions     | : Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up. |
| Incompatible materials | : Metals.  |
| Packaging materials    | : Store always product in container of same material as original container.  |

### 7.3. Specific end use(s)

No additional information available

# HG power gel brush oven cleaner

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### National occupational exposure and biological limit values

| Sodium hydroxide; caustic soda (1310-73-2) |   |
|--|---|
| Ireland - Occupational Exposure Limits     |   |
| Local name                                 | Sodium hydroxide  |
| OEL STEL                                   | 2 mg/m <sup>3</sup>   |
| Remark                                     | Advisory OELV (Advisory Occupational Exposure Limit Values) |
| Regulatory reference                       | Chemical Agents Code of Practice 2024                       |

#### 8.2. Exposure controls

##### Appropriate engineering controls

###### Appropriate engineering controls:

Ensure good ventilation of the work station.

##### Personal protection equipment

###### Personal protective equipment:

Wear recommended personal protective equipment.

###### Personal protective equipment symbol(s):



##### Eye and face protection

###### Eye protection:

Safety glasses

##### Skin protection

###### Skin and body protection:

Wear suitable protective clothing

###### Hand protection:

Protective gloves

##### Respiratory protection

###### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

##### Environmental exposure controls

###### Environmental exposure controls:

Avoid release to the environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|                 |                     |
|-----------------|---------------------|
| Physical state  | : Liquid            |
| Colour          | : Colourless.       |
| Odour           | : Lemon-like odour. |
| Odour threshold | : Not available     |
| Melting point   | : Not applicable    |
| Freezing point  | : Not available     |
| Boiling point   | : Not available     |
| Flammability    | : Non flammable.    |

# HG power gel brush oven cleaner

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|   |                          |
|---|--------------------------|
| Lower explosion limit                           | : Not available          |
| Upper explosion limit                           | : Not available          |
| Flash point                                     | : Not available          |
| Auto-ignition temperature                       | : Not available          |
| Decomposition temperature                       | : Not available          |
| pH  | : 13.4                   |
| pH solution concentration                       | : 100 %                  |
| Viscosity, kinematic                            | : 360 mm <sup>2</sup> /s |
| Viscosity, dynamic                              | : 360 mPa·s              |
| Solubility                                      | : Not available          |
| Partition coefficient n-octanol/water (Log Kow) | : Not available          |
| Vapour pressure                                 | : Not available          |
| Vapour pressure at 50°C                         | : Not available          |
| Density   | : ≈ 1 g/cm <sup>3</sup>  |
| Relative density                                | : Not available          |
| Relative vapour density at 20°C                 | : Not available          |
| Particle characteristics                        | : Not applicable         |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

metals.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                             |   |
|-----------------------------|---|
| Acute toxicity (oral)       | : Not classified (Conclusive but not sufficient for classification) |
| Acute toxicity (dermal)     | : Not classified (Conclusive but not sufficient for classification) |
| Acute toxicity (inhalation) | : Not classified (Conclusive but not sufficient for classification) |

| N,N-dimethyltetradecylamine N-oxide (3332-27-2) |  |
|---|--|
| LD50 oral rat                                   | 1064 mg/kg   |
| LD50 dermal rat                                 | > 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |

# HG power gel brush oven cleaner

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|   |   |
|---|---|
| <b>D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)</b>    |   |
| LD50 oral rat   | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method) |
| LD50 dermal rabbit  | > 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)   |
| LD50 dermal   | > 2000 mg/kg bodyweight   |
| <b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)</b> |   |
| LD50 oral rat   | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)  |
| LD50 dermal rat   | ≥ 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:  |
| Skin corrosion/irritation   | : Causes severe skin burns.<br>pH: 13.4   |
| <b>Sodium hydroxide; caustic soda (1310-73-2)</b>                         |   |
| pH  | > 14  |
| <b>N,N-dimethyltetradecylamine N-oxide (3332-27-2)</b>                    |   |
| pH  | 7 – 9   |
| Serious eye damage/irritation   | : Causes serious eye damage.<br>pH: 13.4  |
| <b>Sodium hydroxide; caustic soda (1310-73-2)</b>                         |   |
| pH  | > 14  |
| <b>N,N-dimethyltetradecylamine N-oxide (3332-27-2)</b>                    |   |
| pH  | 7 – 9   |
| Respiratory or skin sensitisation   | : Not classified (Conclusive but not sufficient for classification)   |
| Germ cell mutagenicity  | : Not classified (Conclusive but not sufficient for classification)   |
| Carcinogenicity   | : Not classified (Conclusive but not sufficient for classification)   |
| Reproductive toxicity   | : Not classified (Conclusive but not sufficient for classification)   |
| STOT-single exposure  | : Not classified (Conclusive but not sufficient for classification)   |
| STOT-repeated exposure  | : Not classified (Conclusive but not sufficient for classification)   |
| <b>N,N-dimethyltetradecylamine N-oxide (3332-27-2)</b>                    |   |
| NOAEL (oral, rat, 90 days)  | 40 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)                                |
| <b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)</b> |   |
| LOAEL (oral, rat, 90 days)  | 25 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:  |
| NOAEL (oral, rat, 90 days)  | > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:   |
| Aspiration hazard   | : Not classified (Conclusive but not sufficient for classification)   |
| <b>HG power gel brush oven cleaner</b>                                    |   |
| Viscosity, kinematic  | 360 mm²/s   |
| <b>Sodium hydroxide; caustic soda (1310-73-2)</b>                         |   |
| Viscosity, kinematic  | Not applicable  |

# HG power gel brush oven cleaner

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.  
Hazardous to the aquatic environment, short-term (acute) : Not classified (Conclusive but not sufficient for classification)  
Hazardous to the aquatic environment, long-term (chronic) : Not classified (Conclusive but not sufficient for classification)

#### Sodium hydroxide; caustic soda (1310-73-2)

|                                    |  |
|------------------------------------|--|
| LC50 - Fish [1]                    | > 35 mg/l  |
| EC50 - Crustacea [1]               | 40.4 mg/l Test organisms (species): Ceriodaphnia sp. |
| EC50 - Other aquatic organisms [1] | > 33 mg/l waterflea                                  |

#### N,N-dimethyltetradecylamine N-oxide (3332-27-2)

|                      |   |
|----------------------|---|
| LC50 - Fish [1]      | 2.67 mg/l   |
| EC50 - Crustacea [1] | 3.1 mg/l  |
| ErC50 algae          | 0.19 mg/l   |
| NOEC (chronic)       | 0.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d'         |
| NOEC chronic fish    | 0.42 mg/l Test organisms (species): Pimephales promelas Duration: '302 d' |

#### D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)

|                        |   |
|------------------------|---|
| LC50 - Fish [1]        | 100.81 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)                  |
| LC50 - Fish [2]        | 170 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)                     |
| EC50 - Crustacea [1]   | > 100 mg/l Test organisms (species): Daphnia magna  |
| EC50 - Crustacea [2]   | 31.62 mg/l (OECD 202 method)  |
| EC50 72h - Algae [1]   | 27.22 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 72h - Algae [2]   | 37 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)    |
| NOEC chronic fish      | 1.8 mg/l Brachydanio rerio (zebra-fish)   |
| NOEC chronic crustacea | 2 mg/l Daphnia magna (Water flea)   |

#### Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)

|                      |   |
|----------------------|---|
| LC50 - Fish [1]      | 7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)                         |
| EC50 - Crustacea [1] | 7.4 mg/l Test organisms (species): Daphnia magna  |
| EC50 72h - Algae [1] | 27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)      |
| NOEC (chronic)       | 0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  |
| NOEC chronic fish    | 0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d' |
| NOEC chronic algae   | 0.95 mg/l Scenedesmus subspicatus   |



# HG power gel brush oven cleaner

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.2. Persistence and degradability

#### HG power gel brush oven cleaner

|                               |                    |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
|-------------------------------|--------------------|

#### Sodium hydroxide; caustic soda (1310-73-2)

|                               |                    |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
|-------------------------------|--------------------|

#### N,N-dimethyltetradecylamine N-oxide (3332-27-2)

|                               |                        |
|-------------------------------|------------------------|
| Persistence and degradability | Rapidly degradable     |
| Biodegradation                | 80 % (OECD 310 method) |

#### D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)

|                               |                          |
|-------------------------------|--------------------------|
| Persistence and degradability | Readily biodegradable.   |
| Biodegradation                | 100 % (OECD 301E method) |

#### Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)

|                               |  |
|-------------------------------|--|
| Persistence and degradability | Rapidly degradable                     |
| Chemical oxygen demand (COD)  | 0.51 g O <sub>2</sub> /g substance     |
| Biodegradation                | 80 % (OECD 302B method)                |
| Additional information        | 95 % biodegradation (OECD 301E method) |

### 12.3. Bioaccumulative potential

#### Sodium hydroxide; caustic soda (1310-73-2)

|   |       |
|---|-------|
| Partition coefficient n-octanol/water (Log Pow) | -3.88 |
|---|-------|

#### N,N-dimethyltetradecylamine N-oxide (3332-27-2)

|   |     |
|---|-----|
| Partition coefficient n-octanol/water (Log Pow) | 2.7 |
|---|-----|

#### D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)

|   |                  |
|---|------------------|
| Bioconcentration factor (BCF REACH)             | < 100            |
| Partition coefficient n-octanol/water (Log Kow) | ≤ -0.07 at 20 °C |

#### Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)

|   |     |
|---|-----|
| Partition coefficient n-octanol/water (Log Pow) | 0.3 |
|---|-----|

### 12.4. Mobility in soil

#### N,N-dimethyltetradecylamine N-oxide (3332-27-2)

|                  |   |
|------------------|---|
| Mobility in soil | 3.99 Source: Quantitative Structure Activity Relation |
|------------------|---|

#### D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)

|                  |                         |
|------------------|-------------------------|
| Mobility in soil | 0.2624 Source: EPISUITE |
|------------------|-------------------------|

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

# HG power gel brush oven cleaner

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.7. Other adverse effects

No additional information available






## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|  |   |
|--|---|
| Regional waste regulation                  | : Disposal must be done according to official regulations.  |
| Waste treatment methods                    | : Dispose of contents/container in accordance with licensed collector's sorting instructions.   |
| Sewage disposal recommendations            | : Disposal must be done according to official regulations.  |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations.  |
| Additional information                     | : Do not re-use empty containers.   |
| HP Code                                    | : HP8 - "Corrosive:" waste which on application can cause skin corrosion.<br>HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment |

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR   | IMDG  | IATA   | ADN  | RID  |
|---|---|--|--|--|
| <b>14.1. UN number or ID number</b>   |   |  |  |  |
| UN 3266   | UN 3266   | UN 3266  | UN 3266  | UN 3266  |
| <b>14.2. UN proper shipping name</b>  |   |  |  |  |
| CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide; caustic soda)                     | CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide; caustic soda)                                 | Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide; caustic soda)                | CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide; caustic soda)                | CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide; caustic soda)                |
| <b>Transport document description</b>   |   |  |  |  |
| UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide; caustic soda), 8, II, (E) | UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide; caustic soda), 8, II                  | UN 3266 Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide; caustic soda), 8, II | UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide; caustic soda), 8, II | UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide; caustic soda), 8, II |
| <b>14.3. Transport hazard class(es)</b>   |   |  |  |  |
| 8   | 8   | 8  | 8  | 8  |
|              |                          |         |       |       |
| <b>14.4. Packing group</b>  |   |  |  |  |
| II  | II  | II   | II   | II   |
| <b>14.5. Environmental hazards</b>  |   |  |  |  |
| Dangerous for the environment: No   | Dangerous for the environment: No<br>Marine pollutant: No<br>EmS-No. (Fire): F-A<br>EmS-No. (Spillage): S-B | Dangerous for the environment: No  | Dangerous for the environment: No  | Dangerous for the environment: No  |
| No supplementary information available  |   |  |  |  |

# HG power gel brush oven cleaner

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.6. Special precautions for user

#### Overland transport

|   |             |
|---|-------------|
| Classification code (ADR)                                 | : C5        |
| Special provisions (ADR)                                  | : 274       |
| Limited quantities (ADR)                                  | : 0         |
| Excepted quantities (ADR)                                 | : E0        |
| Packing instructions (ADR)                                | : P001      |
| Mixed packing provisions (ADR)                            | : MP8, MP17 |
| Portable tank and bulk container instructions (ADR)       | : T14       |
| Portable tank and bulk container special provisions (ADR) | : TP2, TP27 |
| Tank code (ADR)   | : L10BH     |
| Vehicle for tank carriage                                 | : AT        |
| Transport category (ADR)                                  | : 1         |
| Special provisions for carriage - Operation (ADR)         | : S20       |
| Hazard identification number (Kemler No.)                 | : 88        |
| Orange plates   | :           |



|                               |     |
|-------------------------------|-----|
| Tunnel restriction code (ADR) | : E |
|-------------------------------|-----|

#### Transport by sea

|                                    |   |
|------------------------------------|---|
| Special provisions (IMDG)          | : 274   |
| Limited quantities (IMDG)          | : 0   |
| Excepted quantities (IMDG)         | : E0  |
| Packing instructions (IMDG)        | : P001  |
| Tank instructions (IMDG)           | : T14   |
| Tank special provisions (IMDG)     | : TP2, TP27   |
| Stowage category (IMDG)            | : B   |
| Stowage and handling (IMDG)        | : SW2   |
| Segregation (IMDG)                 | : SGG18, SG35   |
| Properties and observations (IMDG) | : Reacts violently with acids. Causes burns to skin, eyes and mucous membranes. |

#### Air transport

|  |             |
|--|-------------|
| PCA Excepted quantities (IATA)               | : E0        |
| PCA Limited quantities (IATA)                | : Forbidden |
| PCA limited quantity max net quantity (IATA) | : Forbidden |
| PCA packing instructions (IATA)              | : 850       |
| PCA max net quantity (IATA)                  | : 0.5L      |
| CAO packing instructions (IATA)              | : 854       |
| CAO max net quantity (IATA)                  | : 2.5L      |
| Special provisions (IATA)                    | : A3, A803  |
| ERG code (IATA)                              | : 8L        |

#### Inland waterway transport

|                                   |          |
|-----------------------------------|----------|
| Classification code (ADN)         | : C5     |
| Special provisions (ADN)          | : 274    |
| Limited quantities (ADN)          | : 0      |
| Excepted quantities (ADN)         | : E0     |
| Carriage permitted (ADN)          | : T      |
| Equipment required (ADN)          | : PP, EP |
| Number of blue cones/lights (ADN) | : 0      |

#### Rail transport

|                                |             |
|--------------------------------|-------------|
| Classification code (RID)      | : C5        |
| Special provisions (RID)       | : 274       |
| Limited quantities (RID)       | : 0         |
| Excepted quantities (RID)      | : E0        |
| Packing instructions (RID)     | : P001      |
| Mixed packing provisions (RID) | : MP8, MP17 |

# HG power gel brush oven cleaner

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Portable tank and bulk container instructions (RID) : T14  
Portable tank and bulk container special provisions (RID) : TP2, TP27  
Tank codes for RID tanks (RID) : L10BH  
Special provisions for RID tanks (RID) : TU38, TE22  
Transport category (RID) : 1  
Hazard identification number (RID) : 88

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

##### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

##### Detergent Regulation (648/2004)

| Labelling of contents  |         |
|------------------------|---------|
| Component              | %       |
| amphoteric surfactants | ≥5-<15% |
| perfumes               |         |

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ACGIH                       | American Conference of Government Industrial Hygienists |

# HG power gel brush oven cleaner

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                         | Acute Toxicity Estimate   |
| BCF                         | Bioconcentration factor   |
| BLV                         | Biological limit value  |
| BOD                         | Biochemical oxygen demand (BOD)   |
| CAS-No.                     | Chemical Abstract Service number  |
| CLP                         | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008                     |
| COD                         | Chemical oxygen demand (COD)  |
| CSA                         | Chemical safety assessment  |
| DMEL                        | Derived Minimal Effect level  |
| DNEL                        | Derived-No Effect Level   |
| EC-No.                      | European Community number   |
| EC50                        | Median effective concentration  |
| ED                          | Endocrine disruptor   |
| EN                          | European Standard   |
| EWC                         | European waste catalogue  |
| IARC                        | International Agency for Research on Cancer   |
| IATA                        | International Air Transport Association   |
| IMDG                        | International Maritime Dangerous Goods  |
| LC50                        | Median lethal concentration   |
| LD50                        | Median lethal dose  |
| LOAEL                       | Lowest Observed Adverse Effect Level  |
| Log Kow                     | Partition coefficient n-octanol/water (Log Kow)   |
| Log Pow                     | Partition coefficient n-octanol/water (Log Pow)   |
| MAK                         | maximum workplace concentration   |
| NOAEC                       | No-Observed Adverse Effect Concentration  |
| NOAEL                       | No-Observed Adverse Effect Level  |
| NOEC                        | No-Observed Effect Concentration  |
| N.O.S.                      | Not Otherwise Specified   |
| OECD                        | Organisation for Economic Co-operation and Development  |
| OEL                         | Occupational Exposure Limit   |
| OSHA                        | Occupational Safety Health Administration   |
| PBT                         | Persistent Bioaccumulative Toxic  |
| PNEC                        | Predicted No-Effect Concentration   |
| PPE                         | Personal protection equipment   |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail                    |
| SDS                         | Safety Data Sheet   |
| STP                         | Sewage treatment plant  |

# HG power gel brush oven cleaner

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

|      |  |
|------|--|
| TF   | Technical function                       |
| ThOD | Theoretical oxygen demand (ThOD)         |
| TLM  | Median Tolerance Limit                   |
| TWA  | Time Weighted Average                    |
| VOC  | Volatile Organic Compounds               |
| vPvB | Very Persistent and Very Bioaccumulative |
| UFI  | Unique Formula Identifier                |

### Full text of H- and EUH-statements:

|                     |   |
|---------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4                                 |
| Aquatic Acute 1     | Hazardous to the aquatic environment – Acute Hazard, Category 1   |
| Aquatic Chronic 2   | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3   | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| Eye Dam. 1          | Serious eye damage/eye irritation, Category 1                     |
| Eye Irrit. 2        | Serious eye damage/eye irritation, Category 2                     |
| Met. Corr. 1        | Corrosive to metals, Category 1                                   |
| Skin Corr. 1A       | Skin corrosion/irritation, Category 1, Sub-Category 1A            |
| Skin Corr. 1B       | Skin corrosion/irritation, Category 1, Sub-Category 1B            |
| Skin Irrit. 2       | Skin corrosion/irritation, Category 2                             |
| H290                | May be corrosive to metals.                                       |
| H302                | Harmful if swallowed.   |
| H314                | Causes severe skin burns and eye damage.                          |
| H315                | Causes skin irritation.   |
| H318                | Causes serious eye damage.  |
| H319                | Causes serious eye irritation.                                    |
| H400                | Very toxic to aquatic life.                                       |
| H411                | Toxic to aquatic life with long lasting effects.                  |
| H412                | Harmful to aquatic life with long lasting effects.                |

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|               |      |                    |
|---------------|------|--------------------|
| Met. Corr. 1  | H290 |                    |
| Skin Corr. 1A | H314 | Calculation method |
| Eye Dam. 1    | H318 | Calculation method |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.