

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 26/10/2023 Revision date: 29/11/2024 Version: 2.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : HG silver polish cloth
UFI : 4YV6-1ET6-E10Q-D64S

Product code : 495 ART
Type of product : Detergent
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Intended for general public

Main use category : Consumer use

Function or use category : Metal polish/tarnish remover

Uses advised against

Restrictions on use : All other uses not recommended above

#### 1.3. Details of the supplier of the safety data sheet

ManufacturerImporterHG International B.V.HG UKI LTD

P.J. Oudweg 41 Weston Business Centre
NL 1314 CJ Almere Parsonage Road

The Netherlands UK CM22 6PU Takeley, Essex

T +31 (0)36 54 94 700 United Kingdom <u>safety@hg.eu</u>, <u>www.hg.eu</u> T +44 (0) 1206 822 744

www.hg.eu

#### 1.4. Emergency telephone number

Emergency number : +31 (0)36 54 94 777
Only for medical personnel

Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1 H318 Full text of H- and EUH-statements: see section 16

# Adverse physicochemical, human health and environmental effects

Causes serious eye damage.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H318 - Causes serious eye damage.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children. P280 - Wear eye protection, face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor.

Child-resistant fastening : Not applicable Tactile warning : Not applicable

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3-one (3:1) (Note B)	CAS-No.: 55965-84-9 EC-No.: 611-341-5 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691-	< 15	Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts	CAS-No.: 68411-30-3 EC-No.: 270-115-0 REACH-no: 01-2119489428- 22	≥ 2 - < 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Quartz(SiO2) substance with a Community workplace exposure limit	CAS-No.: 14808-60-7 EC-No.: 238-878-4	≥1-<5	STOT RE 1, H372

Specific concentration limits:			
Name	Product identifier	Specific concentration limits (Conc. (% w/w))	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		$(0.0015 \le C \le 100)$ Skin Sens. 1A; H317 $(0.06 \le C < 0.6)$ Skin Irrit. 2; H315 $(0.06 \le C < 0.6)$ Eye Irrit. 2; H319 $(0.6 \le C \le 100)$ Skin Corr. 1C; H314 $(0.6 \le C \le 100)$ Eye Dam. 1; H318	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Note B:

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

First-aid measures for first aider : First aid workers will be equipped with suitable personal protective equipment.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Serious damage to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Explosion hazard : Intense heat may cause container to burst.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Precautionary measures fire : Runoff from fire control or dilution water may cause pollution.

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

29/11/2024 (Revision date) IE - en 3/14

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up Take up liquid spill into absorbent material.

Other information Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13: "Disposal considerations".

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling

: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures Keep in a cool, well-ventilated place away from heat.

Storage conditions Store in dry, cool, well-ventilated area. Protect from sunlight.

Storage temperature > 0 - < 30 °C

Heat and ignition sources Keep away from heat and direct sunlight.

Special rules on packaging Opened containers must be carefully closed and kept upright to avoid leakage. Packaging materials

Store always product in container of same material as original container.

#### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

National occupational exposure and biological limit values

Quartz(SiO2) (14808-60-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Silica crystaline (Quartz)	
IOEL TWA	0.05 mg/m³ (respirable dust)	
Remark	(Year of adoption 2003)	
Regulatory reference	SCOEL Recommendations	
Ireland - Occupational Exposure Limits		
Local name Quartz, respirable dust		
OEL TWA	0.1 mg/m³	
Remark	BOELV (Binding Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2024	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.2. Exposure controls

#### Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protection equipment

#### Personal protective equipment:

Safety glasses. Wear protective gloves. Wear protective clothing. Wear foot protection.

#### Personal protective equipment symbol(s):









#### Eye and face protection

#### Eye protection:

Safety glasses with side shields

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Droplet, Normal use conditions		EN 166

#### **Skin protection**

#### Skin and body protection:

In case of contact with the skin: Wear suitable protective clothing

Skin and body protection	
Туре	Standard
Long sleeved protective clothing	
Chemical resistant safety shoes	EN ISO 20345

#### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374

#### **Respiratory protection**

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### **Environmental exposure controls**

#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : brown.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Appearance : Wipes. Molecular mass : > g/mol Odour : Characteristic. Odour threshold Not available Melting point : Not applicable Freezing point ≈ 0 °C Boiling point ≈ 100 °C Flammability Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available Flash point : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available 8-85 рΗ

Viscosity, kinematic : ≈ 107.339 mm²/s Viscosity, dynamic : 117 mPa·s 20 °C Solubility : Insoluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : 23 hPa 20 °C Vapour pressure at 50°C : Not available Density : ≈ 1.09 g/cm<sup>3</sup> Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# 10.5. Incompatible materials

Strong oxidizing agents.

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Conclusive but not sufficient for classification)
Acute toxicity (dermal) : Not classified (Conclusive but not sufficient for classification)
Acute toxicity (inhalation) : Not classified (Conclusive but not sufficient for classification)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

pH: 8 – 8.5  reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)  pH  3.43 Temp.: 20 °C Concentration: 10 g/L  Serious eye damage/irritation  : Causes serious eye damage. pH: 8 – 8.5  reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)  pH  3.43 Temp.: 20 °C Concentration: 10 g/L  Respiratory or skin sensitisation  : Not classified (Conclusive but not sufficient for classification)  Germ cell mutagenicity  : Not classified (Conclusive but not sufficient for classification)  Carcinogenicity  : Not classified (Conclusive but not sufficient for classification)  Reproductive toxicity  : Not classified (Conclusive but not sufficient for classification)  STOT-single exposure  : Not classified (Conclusive but not sufficient for classification)  STOT-repeated exposure  : Not classified (Conclusive but not sufficient for classification)  Quartz(SiO2) (14808-60-7)  STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.	HG silver polish cloth		
LD50 oral	LD50 oral rat	> 2000 mg/kg	
Page 200 mg/kg bodyweight	Benzenesulphonic acid, C10-13-alkyl deriv	s., sodium salts (68411-30-3)	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)  LD50 oral rat  105 mg/kg bodyweight  LD50 dermal rat  259 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LD50 dermal rabbit  200 mg/kg Source: US EPA   LD50 dermal rabbit  200 mg/kg Source: US EPA   LD50 dermal  > 75 mg/kg bodyweight  Skin corrosion/irritation  : Not classified (Conclusive but not sufficient for classification) pH: 8 – 8.5  reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)  pH  3.43 Temp.: 20 °C Concentration: 10 g/L  Serious eye damage/irritation  : Causes serious eye damage. pH: 8 – 8.5  reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)  pH  3.43 Temp.: 20 °C Concentration: 10 g/L  Respiratory or skin sensitisation  : Not classified (Conclusive but not sufficient for classification)  Germ cell mutagenicity  : Not classified (Conclusive but not sufficient for classification)  Germ cell mutagenicity  : Not classified (Conclusive but not sufficient for classification)  Serro-single exposure  : Not classified (Conclusive but not sufficient for classification)  STOT-repeated exposure  : Not classified (Conclusive but not sufficient for classification)  Cuartz(SiO2) (14808-60-7)  STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard  : Not classified (Conclusive but not sufficient for classification)	LD50 oral	1080 mg/kg bodyweight	
LD50 oral rat  LD50 oral  S9 mg/kg bodyweight  LD50 dermal rat  D50 dermal rat  LD50 dermal rat  LD50 dermal rat  D50 dermal rat  S00 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LD50 dermal rabbit  D50 dermal rabbit  D50 dermal  T50 mg/kg bodyweight  Skin corrosion/irritation  T50 mg/kg bodyweight  Skin corrosion/irritation  T60 dermal  T75 mg/kg bodyweight  Skin corrosion/irritation  Skin corrosion/irritation  T80 classe serious eye damage.  pH: 8 – 8.5  T60 concentration: 10 g/L  Serious eye damage/irritation  Scala serious eye damage.  pH: 8 – 8.5  T60 concentration: 10 g/L  Serious eye damage.  pH: 8 – 8.5  T60 concentration: 10 g/L  Serious eye damage.  pH: 8 – 8.5  T60 concentration: 10 g/L  Serious eye damage.  pH: 8 – 8.5  T60 concentration: 10 g/L  Scala serious eye damage.  pH: 8 – 8.5  T60 concentration: 10 g/L  Scala serious eye damage.  pH: 8 – 8.5  T60 concentration: 10 g/L  Scala serious eye damage.  pH: 8 – 8.5  T60 concentration: 10 g/L  Scala serious eye damage.  pH: 8 – 8.5  T60 concentration: 10 g/L  Scala serious eye damage.  pH: 8 – 8.5  T60 concentration: 10 g/L  Scala serious eye damage.  pH: 8 – 8.5  T60 concentration: 10 g/L  Sc	LD50 dermal	> 2000 mg/kg bodyweight	
LD50 oral  59 mg/kg bodyweight  LD50 dermal rat  59 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LD50 dermal rabbit  200 mg/kg Source: US EPA   LD50 dermal  > 75 mg/kg bodyweight  Skin corrosion/irritation  : Not classified (Conclusive but not sufficient for classification) pH: 8 – 8.5  reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)  pH  3.43 Temp.: 20 °C Concentration: 10 g/L  Serious eye damage/irritation  : Causes serious eye damage. pH: 8 – 8.5  reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)  pH  3.43 Temp.: 20 °C Concentration: 10 g/L  Respiratory or skin sensitisation  : Not classified (Conclusive but not sufficient for classification)  Germ cell mutagenicity  : Not classified (Conclusive but not sufficient for classification)  Reproductive toxicity  : Not classified (Conclusive but not sufficient for classification)  STOT-repeated exposure  : Not classified (Conclusive but not sufficient for classification)  STOT-repeated exposure    Not classified (Conclusive but not sufficient for classification)  Cauratz(SiO2) (14808-60-7)  STOT-repeated exposure    Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard  : Not classified (Conclusive but not sufficient for classification)	reaction mass of 5-chloro-2-methyl-2H-iso	thiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
LD50 dermal rat	LD50 oral rat	105 mg/kg Source: US EPA	
Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LD50 dermal rabbit 200 mg/kg Source: US EPA   LD50 dermal > 75 mg/kg bodyweight  Skin corrosion/irritation : Not classified (Conclusive but not sufficient for classification)	LD50 oral	59 mg/kg bodyweight	
LD50 dermal > 75 mg/kg bodyweight  Skin corrosion/irritation : Not classified (Conclusive but not sufficient for classification) pH: 8 - 8.5  reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)  pH 3.43 Temp.: 20 °C Concentration: 10 g/L  Serious eye damage/irritation : Causes serious eye damage. pH: 8 - 8.5  reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)  pH 3.43 Temp.: 20 °C Concentration: 10 g/L  Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification)  Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification)  Carcinogenicity : Not classified (Conclusive but not sufficient for classification)  STOT-single exposure : Not classified (Conclusive but not sufficient for classification)  STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification)  Guartz(SiO2) (14808-60-7)  STOT-repeated exposure   Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified (Conclusive but not sufficient for classification)	LD50 dermal rat	, , , , , , , , , , , , , , , , , , , ,	
Skin corrosion/irritation  Causes serious eye damage.  pH: 8 – 8.5  Skin corrosion/irritation  Causes serious eye damage.  pH: 8 – 8.5  Skin corrosion/irritation  Causes serious eye damage.  pH: 8 – 8.5  Skin corrosion/irritation  Causes serious eye damage.  pH: 8 – 8.5  Skin corrosion/irritation  Causes serious eye damage.  pH: 8 – 8.5  Skin corrosion/irritation  Causes serious eye damage.  pH: 8 – 8.5  Skin corrosion/ivg/L  Skin cor	LD50 dermal rabbit	200 mg/kg Source: US EPA	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)  pH 3.43 Temp.: 20 °C Concentration: 10 g/L  Serious eye damage/irritation : Causes serious eye damage.	LD50 dermal	> 75 mg/kg bodyweight	
3.43 Temp.: 20 °C Concentration: 10 g/L  Serious eye damage/irritation  : Causes serious eye damage. pH: 8 – 8.5  reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)  pH  3.43 Temp.: 20 °C Concentration: 10 g/L  Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Reproductive toxicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : Not classified (Conclusive but not sufficient for classification) STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification)  Quartz(SiO2) (14808-60-7)  STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified (Conclusive but not sufficient for classification)	Skin corrosion/irritation	·	
Serious eye damage/irritation  : Causes serious eye damage. pH: 8 – 8.5  reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)  pH  3.43 Temp.: 20 °C Concentration: 10 g/L  Respiratory or skin sensitisation  : Not classified (Conclusive but not sufficient for classification)  Germ cell mutagenicity  : Not classified (Conclusive but not sufficient for classification)  Carcinogenicity  : Not classified (Conclusive but not sufficient for classification)  Reproductive toxicity  : Not classified (Conclusive but not sufficient for classification)  STOT-single exposure  : Not classified (Conclusive but not sufficient for classification)  STOT-repeated exposure  : Not classified (Conclusive but not sufficient for classification).  Quartz(SiO2) (14808-60-7)  STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard  : Not classified (Conclusive but not sufficient for classification)	reaction mass of 5-chloro-2-methyl-2H-iso	thiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)  pH 3.43 Temp.: 20 °C Concentration: 10 g/L  Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification)  Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification)  Carcinogenicity : Not classified (Conclusive but not sufficient for classification)  Reproductive toxicity : Not classified (Conclusive but not sufficient for classification)  STOT-single exposure : Not classified (Conclusive but not sufficient for classification)  STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification).  Quartz(SiO2) (14808-60-7)  STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification)  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified (Conclusive but not sufficient for classification)	рН	3.43 Temp.: 20 °C Concentration: 10 g/L	
3.43 Temp.: 20 °C Concentration: 10 g/L  Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification)  Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification)  Carcinogenicity : Not classified (Conclusive but not sufficient for classification)  Reproductive toxicity : Not classified (Conclusive but not sufficient for classification)  STOT-single exposure : Not classified (Conclusive but not sufficient for classification)  STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification).  Quartz(SiO2) (14808-60-7)  STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified (Conclusive but not sufficient for classification)	Serious eye damage/irritation		
Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification)  Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification)  Carcinogenicity : Not classified (Conclusive but not sufficient for classification)  Reproductive toxicity : Not classified (Conclusive but not sufficient for classification)  STOT-single exposure : Not classified (Conclusive but not sufficient for classification)  STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification).  Quartz(SiO2) (14808-60-7)  STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified (Conclusive but not sufficient for classification)	reaction mass of 5-chloro-2-methyl-2H-iso	thiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Reproductive toxicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : Not classified (Conclusive but not sufficient for classification) STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification).  Quartz(SiO2) (14808-60-7) STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified (Conclusive but not sufficient for classification)	рН	3.43 Temp.: 20 °C Concentration: 10 g/L	
STOT-single exposure : Not classified (Conclusive but not sufficient for classification)  STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification).  Quartz(SiO2) (14808-60-7)  STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified (Conclusive but not sufficient for classification)	Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	: Not classified (Conclusive but not sufficient for classification)	
STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard: Not classified (Conclusive but not sufficient for classification)	Reproductive toxicity STOT-single exposure STOT-repeated exposure	: Not classified (Conclusive but not sufficient for classification)	
Aspiration hazard : Not classified (Conclusive but not sufficient for classification)	Quartz(SiO2) (14808-60-7)		
	STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.	
HG silver polish cloth	Aspiration hazard	: Not classified (Conclusive but not sufficient for classification)	
	HG silver polish cloth		
Viscosity, kinematic ≈ 107.339 mm²/s	Viscosity, kinematic	≈ 107.339 mm²/s	

# 11.2. Information on other hazards

No additional information available

# SECTION 12: Ecological information

12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short–term (acute)	: Not classified (Conclusive but not sufficient for classification)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Conclusive but not sufficient for classification)
HG silver polish cloth	
LC50 - Fish [1]	> 10 mg/l

29/11/2024 (Revision date) IE - en 7/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)		
LC50 - Fish [1]	1.67 mg/l	
EC50 - Other aquatic organisms [1]	2.9 mg/l waterflea	
EC50 - Other aquatic organisms [2]	127.9 mg/l	
reaction mass of 5-chloro-2-methyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
LC50 - Fish [1]	0.19 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
LC50 - Fish [2]	0.28 mg/l Test organisms (species): Lepomis macrochirus	
EC50 - Crustacea [1]	0.16 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [1]	0.126 mg/l waterflea	
EC50 - Other aquatic organisms [2]	0.003 mg/l	
NOEC (chronic)	0.1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	0.098 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'	

# 12.2. Persistence and degradability

HG silver polish cloth		
Persistence and degradability	Rapidly degradable	
Chemical oxygen demand (COD)	220 g O <sub>2</sub> /g substance	
Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)		
Persistence and degradability Rapidly degradable		
Quartz(SiO2) (14808-60-7)		
Persistence and degradability Rapidly degradable		
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
Persistence and degradability Rapidly degradable		

# 12.3. Bioaccumulative potential

Benzenesulphonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)		
Partition coefficient n-octanol/water (Log Pow) 3.32		
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
Partition coefficient n-octanol/water (Log Pow)	0.4	

# 12.4. Mobility in soil

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
Mobility in soil	12.08 Source: EPISUITE

# 12.5. Results of PBT and vPvB assessment

No additional information available

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

#### 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

Additional information European List of Waste (LoW, EC 2000/532)

**HP Code** 

: Disposal must be done according to official regulations.

Dispose of contents/container in accordance with licensed collector's sorting instructions.

Disposal must be done according to official regulations.

Disposal must be done according to official regulations. Do not pierce or burn, even after use. Discharging into rivers and drains is forbidden. Completely empty the packaging prior to decontamination. Do not dispose of the packaging without first carrying out the necessary cleaning.

: Do not re-use empty containers.

: 20 01 29\* - detergents containing dangerous substances

20 01 39 - plastics

: HP8 - "Corrosive:" waste which on application can cause skin corrosion.

HP13 - "Sensitising:" waste which contains one or more substances known to cause

sensitising effects to the skin or the respiratory organs.

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

#### 14.6. Special precautions for user

### **Overland transport**

Not applicable

## Transport by sea

Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### Air transport

Not applicable

#### **Inland waterway transport**

Not applicable

#### Rail transport

Not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

## Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

# **Detergent Regulation (648/2004)**

Labelling of contents	
Component	%
anionic surfactants	<5%
METHYLCHLOROISOTHIAZOLINONE (AND) METHYLISOTHIAZOLINONE	

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 16: Other information**

Indication of ch	anges	
Section	Changed item	Comments
	Revision date	Added
	Adverse health effects caused by endocrine disrupting properties	Removed
	Display additional SDS EU addresses	Added
	Brand door broei	Added
1.1	UFI on SDS 1.1	Added
1.1	Name	Modified
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Added
2.1	Adverse physicochemical, human health and environmental effects	Modified
2.2	Precautionary statements (CLP)	Modified
2.2	Hazard statements (CLP)	Added
2.2	Signal word (CLP)	Added
2.2	Hazard pictograms (CLP)	Added
3	Composition/information on ingredients	Modified
4.1	First-aid measures for first aider	Added
4.1	First-aid measures general	Added
4.1	First-aid measures after eye contact	Modified
4.2	Symptoms/effects after eye contact	Added
5.1	Unsuitable extinguishing media	Added
5.2	Explosion hazard	Added
5.3	Precautionary measures fire	Added
5.3	Firefighting instructions	Modified
6.1	Emergency procedures	Added
6.1	Protective equipment	Added
6.1	Emergency procedures	Modified
6.1	General measures	Modified
6.2	Environmental precautions	Modified
6.3	For containment	Modified
6.4	Reference to other sections (8, 13)	Modified
7.1	Additional hazards when processed	Added
7.1	Precautions for safe handling	Modified
7.2	Special rules on packaging	Modified
7.2	Storage conditions	Modified
7.2	Technical measures	Added
7.2	Packaging materials	Added

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Indication of changes		
Section	Changed item	Comments
8.2	Skin and body protection	Modified
8.2	Respiratory protection	Modified
8.2	Personal protective equipment	Modified
8.2	Hand protection	Modified
9	Viscosity, dynamic	Added
9	Solubility	Added
9	Vapour pressure	Added
9	Freezing point	Added
9	рН	Added
9	Boiling point	Added
9	Density	Added
10.5	Incompatible materials	Added
11.1	LD50 oral rat	Added
12.1	LC50 - Fish [1]	Added
12.2	Chemical oxygen demand (COD)	Added
12.3	Bioaccumulative potential	Added
12.6	Adverse effects on the environment caused by endocrine disrupting properties	Removed
13.1	European List of Waste (LoW, EC 2000/532)	Added
13.1	Product/Packaging disposal recommendations	Modified
13.1	Sewage disposal recommendations	Modified
13.1	Additional information	Added
13.1	Regional waste regulation	Modified
13.1	Ecology - waste materials	Removed
16	Training advice	Modified
16	Other information	Modified

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:		
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Training advice

Other information

- : Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.
- : Normal use of this product shall imply use in accordance with the instructions on the packaging. DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.