

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830. Issue date: 24/03/2023 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : HG grout cleaner concentrate

Product code : 135 ART
Type of product : Detergent
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use
Use of the substance/mixture : Grout cleaners

1.2.2. Uses advised against

Restrictions on use : All other uses not recommended above

## 1.3. Details of the supplier of the safety data sheet

ManufacturerImporterHG International B.V.HG UKI LTD

P.J. Oudweg 41 Weston Business Centre NL- 1314 CJ Almere Parsonage Road

The Netherlands UK- CM22 6PU Takeley - Essex

T +31 (0)36 54 94 700 United Kingdom

safety@hg.eu - www.hg.eu T +44 (0) 1206 822 744

www.hg.eu

## 1.4. Emergency telephone number

Emergency number : +31 (0)36 54 94 777

Only for medical personnel

Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Contains : Isotridecanol, ethoxylated; Sodium hydroxide; caustic soda

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P280 - Wear eye protection, protective gloves.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Child-resistant fastening : Applicable Tactile warning : Applicable

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium p-cumenesulphonate	CAS-No.: 15763-76-5 EC-No.: 239-854-6 REACH-no: 01-2119489411- 37	≥ 2 - < 5	Eye Irrit. 2, H319
sodium carbonate	CAS-No.: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2 REACH-no: 01-2119485498-	≥ 2 - < 5	Eye Irrit. 2, H319
Isotridecanol, ethoxylated	CAS-No.: 69011-36-5 EC-No.: 500-241-6	≥2-<5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	≥1-<2	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Isotridecanol, ethoxylated	CAS-No.: 69011-36-5 EC-No.: 500-241-6	( 1 ≤C < 10) Eye Irrit. 2, H319 ( 10 ≤C < 100) Eye Dam. 1, H318
Sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	( 0.5 ≤C < 2) Skin Irrit. 2, H315 ( 0.5 ≤C < 2) Eye Irrit. 2, H319 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Intense heat may cause container to burst.

Hazardous decomposition products in case of fire : Carbon dioxide. Carbon monoxide. Nitrogen oxides. Sulphur oxides. Phosphorus oxides.

Metallic oxides.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not handle until all safety precautions have been read and understood.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Do not touch or walk on the

spilled product. Avoid contact with skin and eyes. Do not breathe mist, vapours.

24/03/2023 (Issue date) GB - en 3/13

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Stop leak if safe to do so. Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13: "Disposal considerations".

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not

breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible materials : Acids. Storage temperature : > 0 - 30 °C

Heat and ignition sources : Keep away from heat and direct sunlight.

Special rules on packaging : Keep only in original container. Opened containers must be carefully closed and kept

upright to avoid leakage.

### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

Sodium hydroxide; caustic soda (1310-73-2)			
United Kingdom - Occupational Exposure Limits			
Local name	Sodium hydroxide		
WEL STEL (OEL STEL)	2 mg/m³		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Wear foot protection.

#### Personal protective equipment symbol(s):









#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses with side shields

Eye protection					
Туре	Field of application	Characteristics	Standard		
Safety glasses with side shields	Normal use conditions		EN 166		

## 8.2.2.2. Skin protection

#### Skin and body protection:

Long sleeved protective clothing. Chemical resistant safety shoes

Skin and body protection			
Туре	Standard		
Long sleeved protective clothing			
Chemical resistant safety shoes	EN ISO 20345		
Use chemically protective clothing	EN 13034		

#### Hand protection:

Protective gloves

Hand protection						
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard	
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374	
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374	

## 8.2.2.3. Respiratory protection

## Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Respiratory protection			
Device	Filter type	Condition	Standard
Half-mask	FFA2P3	Mist formation, Vapour protection	EN 405

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour: Colourless. light yellow.Odour: Characteristic.Odour threshold: No data available

pH : 13.5

Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable

Freezing point : 0 °C
Boiling point : 100 °C

Flash point : > 100 °C (closed cup)

Auto-ignition temperature : 365 °C

Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20°C : No data available

Relative density : 1.085

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

## 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

Acids.

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

Acute toxicity (oral) : Not classified (Conclusive but not sufficient for classification) Acute toxicity (dermal) : Not classified (Conclusive but not sufficient for classification) Acute toxicity (inhalation) : Not classified (Conclusive but not sufficient for classification) Acute toxicity (inhalation) : Not classified (Conclusive but not sufficient for classification)  sodium carbonate (497-19-8)  LD50 oral rat
Acute toxicity (dermal) Acute toxicity (dermal) Acute toxicity (inhalation) Sodium carbonate (497-19-8)  LD50 oral rat  LD50 oral rat  LD50 oral Acute toxicity (inhalation)  2800 mg/kg bodyweight Animal: rat  LD50 oral Acute toxicity (inhalation)  2800 mg/kg bodyweight Animal: rat  LD50 oral Acute toxicity (inhalation)  2800 mg/kg bodyweight Animal: rat  LD50 oral Acute toxicity (inhalation)  2800 mg/kg bodyweight Animal: rat  LD50 oral Acute Oral
LD50 oral rat  LD50 oral  LD50 oral  LD50 dermal rabbit  LC50 Inhalation - Rat (Dust/Mist)  Sodium p-cumenesulphonate (15763-76-5)  LD50 oral rat  ≥ 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503  Isotridecanol, ethoxylated (69011-36-5)  LD50 oral  LD50 dermal rat  ≥ 2000 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503  Isotridecanol, ethoxylated (69011-36-5)  LD50 dermal rat  ≥ 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LD50 dermal rabbit  ⇒ 5960 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other Skin corrosion/irritation  : Causes severe skin burns. pH: 13.5  sodium carbonate (497-19-8)  pH  ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  Serious eye damage/irritation  : Causes serious eye damage. pH: 13.5
LD50 oral 4090 mg/kg bodyweight Animal: rabbit, Guideline: other:  LC50 Inhalation - Rat (Dust/Mist) 2300 mg/l  Sodium p-cumenesulphonate (15763-76-5)  LD50 oral rat 2346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503  Isotridecanol, ethoxylated (69011-36-5)  LD50 oral 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LD50 dermal rat 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LD50 dermal rabbit 25960 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other Skin corrosion/irritation 25960 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other Skin corrosion/irritation 25400 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other Skin corrosion/irritation 25400 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other Skin corrosion/irritation 25400 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other Skin corrosion/irritation 25400 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other Skin corrosion/irritation 25400 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other Skin corrosion/irritation 25400 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other Skin corrosion/irritation 25400 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other Skin corrosion/irritation 25400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) 25400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) 25400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) 25400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) 25400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) 25400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute D
LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:  LC50 Inhalation - Rat (Dust/Mist) 2300 mg/l  Sodium p-cumenesulphonate (15763-76-5)  LD50 oral rat ≥ 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503  Isotridecanol, ethoxylated (69011-36-5)  LD50 oral > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LD50 dermal rabbit ≈ 5960 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other Skin corrosion/irritation : Causes severe skin burns. pH: 13.5  sodium carbonate (497-19-8)  pH ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH > 14  Serious eye damage/irritation : Causes serious eye damage. pH: 13.5
Sodium p-cumenesulphonate (15763-76-5)       ≥ 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503         Isotridecanol, ethoxylated (69011-36-5)       > 2000 mg/kg bodyweight         LD50 oral       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         LD50 dermal rabbit       ≈ 5960 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: others. pH: 13.5         Skin corrosion/irritation       : Causes severe skin burns. pH: 13.5         sodium carbonate (497-19-8)       ≈ 11.6 Concentration: (≈)0,1 other:         Sodium hydroxide; caustic soda (1310-73-2)       > 14         Serious eye damage/irritation       : Causes serious eye damage. pH: 13.5
Sodium p-cumenesulphonate (15763-76-5)  LD50 oral rat  ≥ 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503  Isotridecanol, ethoxylated (69011-36-5)  LD50 oral  > 2000 mg/kg bodyweight  > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LD50 dermal rat  > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  = 5960 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other skin corrosion/irritation  : Causes severe skin burns. pH: 13.5  sodium carbonate (497-19-8)  pH  ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  > 14  Serious eye damage/irritation  : Causes serious eye damage. pH: 13.5
LD50 oral rat  ≥ 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503    Sotridecanol, ethoxylated (69011-36-5)
Isotridecanol, ethoxylated (69011-36-5)  LD50 oral > 2000 mg/kg bodyweight  LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LD50 dermal rabbit ≈ 5960 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other Skin corrosion/irritation : Causes severe skin burns. pH: 13.5  sodium carbonate (497-19-8)  pH ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH > 14  Serious eye damage/irritation : Causes serious eye damage. pH: 13.5
LD50 oral > 2000 mg/kg bodyweight  LD50 dermal rat
LD50 dermal rat  > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LD50 dermal rabbit  ≈ 5960 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other Skin corrosion/irritation  : Causes severe skin burns. pH: 13.5  sodium carbonate (497-19-8) pH  ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2) pH  > 14  Serious eye damage/irritation  : Causes serious eye damage. pH: 13.5
Toxicity)  LD50 dermal rabbit  ≈ 5960 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other Skin corrosion/irritation  : Causes severe skin burns. pH: 13.5  sodium carbonate (497-19-8)  pH  ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  > 14  Serious eye damage/irritation  : Causes serious eye damage. pH: 13.5
Skin corrosion/irritation : Causes severe skin burns. pH: 13.5  sodium carbonate (497-19-8)  pH ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH > 14  Serious eye damage/irritation : Causes serious eye damage. pH: 13.5
pH: 13.5  sodium carbonate (497-19-8)  pH ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH > 14  Serious eye damage/irritation : Causes serious eye damage. pH: 13.5
pH ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH > 14  Serious eye damage/irritation : Causes serious eye damage. pH: 13.5
Sodium hydroxide; caustic soda (1310-73-2)  pH > 14  Serious eye damage/irritation : Causes serious eye damage. pH: 13.5
pH > 14  Serious eye damage/irritation : Causes serious eye damage. pH: 13.5
Serious eye damage/irritation : Causes serious eye damage. pH: 13.5
pH: 13.5
codium carbonata (407.40.9)
sodium carbonate (497-19-8)
pH ≈ 11.6 Concentration: (≈)0,1 other:
Sodium hydroxide; caustic soda (1310-73-2)
pH > 14
Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification)
Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification)  Carcinogenicity : Not classified (Conclusive but not sufficient for classification)
Carcinogenicity : Not classified (Conclusive but not sufficient for classification)  Sodium p-cumenesulphonate (15763-76-5)
NOAEL (chronic, oral, animal/female, 2 years)  ≥ 60 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 4 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
Reproductive toxicity : Not classified (Conclusive but not sufficient for classification)
STOT-single exposure : Not classified (Conclusive but not sufficient for classification)
STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification)

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

Sodium p-cumenesulphonate (15763-76-5)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
Isotridecanol, ethoxylated (69011-36-5)	
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)

## **SECTION 12: Ecological information**

	_		_			۰		
ш	w.	-	. 1	$\boldsymbol{\cap}$	v	П	ш	▼

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term

: Not classified (Conclusive but not sufficient for classification)

(acute) Hazardous to the aquatic environment, long-term

: Not classified (Conclusive but not sufficient for classification)

(chronic)					
sodium carbonate (497-19-8)					
LC50 - Fish [1]	300 mg/l Test organisms (species): Lepomis macrochirus				
EC50 - Crustacea [1]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.				
EC50 96h - Algae [1]	242 mg/l Source: ECOTOX				
Sodium p-cumenesulphonate (15763-76-5)					
LC50 - Fish [1]	≥ 1580 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)				
EC50 - Crustacea [1]	> 1020 mg/l Test organisms (species): Daphnia magna				
EC50 96h - Algae [1]	≥ 758 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)				
Isotridecanol, ethoxylated (69011-36-5)					
LC50 - Fish [1]	> 1 mg/l				
EC50 - Crustacea [1]	1.5 mg/l Test organisms (species): Daphnia magna				
EC50 - Other aquatic organisms [1]	> 1 mg/l waterflea				
EC50 96h - Algae [1]	11.5 mg/l Source: EPISUITE v4.1				
Sodium hydroxide; caustic soda (1310-73-2)					
LC50 - Fish [1]	> 35 mg/l				
EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.				
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea				

## 12.2. Persistence and degradability

HG grout cleaner concentrate	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

## 12.3. Bioaccumulative potential

HG grout cleaner concentrate		
Bioaccumulative potential	No bioaccumulation expected.	
sodium carbonate (497-19-8)		
Partition coefficient n-octanol/water (Log Pow)	-6.19	
Sodium hydroxide; caustic soda (1310-73-2)		
Partition coefficient n-octanol/water (Log Pow) -3.88		

## 12.4. Mobility in soil

HG grout cleaner concentrate	
Ecology - soil Expected to be highly mobile in soil.	
Isotridecanol, ethoxylated (69011-36-5)	
Mobility in soil	111.3 Source: EPISUITE v4.1

## 12.5. Results of PBT and vPvB assessment

## **HG** grout cleaner concentrate

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional legislation (waste) : Dispose of in accordance with relevant local regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Empty containers retain product residue and can be hazardous. Do not dispose of the packaging without first carrying out the necessary cleaning. Empty containers should be

taken for recycling, recovery or waste in accordance with local regulation.

Ecology - waste materials : Recycling is preferred to disposal or incineration.

European List of Waste (LoW) code : 20 01 29\* - detergents containing dangerous substances

20 01 39 - plastics

HP Code : HP8 - "Corrosive:" waste which on application can cause skin corrosion.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number	14.1. UN number			
UN 3267	UN 3267	UN 3267	UN 3267	UN 3267
14.2. UN proper shippin	g name			
CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Sodium hydroxide; caustic soda)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Sodium hydroxide; caustic soda)	Corrosive liquid, basic, organic, n.o.s. (Sodium hydroxide; caustic soda)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Sodium hydroxide; caustic soda)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Sodium hydroxide; caustic soda)

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

ADR	IMDG	IATA	ADN	RID
Transport document descr	Fransport document description			
UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Sodium hydroxide; caustic soda), 8, III, (E)	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Sodium hydroxide; caustic soda), 8, III	UN 3267 Corrosive liquid, basic, organic, n.o.s. (Sodium hydroxide; caustic soda), 8, III	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Sodium hydroxide; caustic soda), 8, III	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Sodium hydroxide; caustic soda), 8, III
14.3. Transport hazard o	class(es)			
8	8	8	8	8
	B	8	8	8
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

## 14.6. Special precautions for user

### **Overland transport**

Classification code (ADR) : C7
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions : TP1, TP28

(ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80

80 3267

Tunnel restriction code (ADR) : E EAC code : 2X

## Transport by sea

Orange plates

Special provisions (IMDG) : 223, 274 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP1, TP28 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B Stowage category (IMDG) : A Stowage and handling (IMDG) : SW2

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

Segregation (IMDG) : SGG18, SG35

Properties and observations (IMDG) : Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.

#### Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y841 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 PCA max net quantity (IATA) : 5L : 856 CAO packing instructions (IATA) : 60L CAO max net quantity (IATA) : A3. A803 Special provisions (IATA) ERG code (IATA) : 8L

#### Inland waterway transport

Classification code (ADN) : C7

Special provisions (ADN) : 274

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : C7
Special provisions (RID) : 274
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions : TP1, TP28

(RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

## **Detergent Regulation (648/2004)**

Labelling of contents	
Component	%
anionic surfactants, non-ionic surfactants, phosphonates <5%	

## **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

Abbreviations and acronyms:	
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Training advice

Other information

- : Normal use of this product shall imply use in accordance with the instructions on the packaging. Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.
- : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.