

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830. Issue date: 16/12/2022 Revision date: 03/05/2023 Version: 1.1

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product form : Mixture Product name : HG natural stone cleaner shine restorer Product code : 221 ART Type of product : Detergent Product group : Trade product 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Intended for general public Main use category : Consumer use 1.2.2. Uses advised against Restrictions on use : All other uses not recommended above 1.3. Details of the supplier of the safety data sheet Manufacturer Distributor HG International B.V. HG UKI LTD P.J. Oudweg 41 Weston Business Centre NL-1314 CJ Almere Parsonage Road The Netherlands UK- CM22 6PU Takeley - Essex T +31 (0)36 54 94 700 United Kingdom safety@hg.eu - www.hg.eu T +44 (0) 1206 822 744 www.hg.eu 1.4. Emergency telephone number

Emergency number

: +31 (0)36 54 94 777 Only for medical personnel Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

# **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 Full text of H- and EUH-statements: see section 16

H319

#### Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

2.2. Label elements	
Labelling according to Regulation (EC) N	lo. 1272/2008 [CLP]
Hazard pictograms (CLP)	
Signal word (CLP)	GHS07 : Warning
Hazard statements (CLP)	: H319 - Causes serious eye irritation.
Precautionary statements (CLP)	<ul> <li>P101 - If medical advice is needed, have product container or label at hand.</li> <li>P102 - Keep out of reach of children.</li> <li>P264 - Wash hands thoroughly after handling.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> </ul>
EUH-statements	<ul> <li>EUH208 - Contains triisobutyl phosphate (126-71-6) (00086), Rosin, fumarated, polymer with glycerol, ammonium salt (68554-18-7) (00305), 2-methylisothiazol-3(2H)-one (2682-20-4) (00180). May produce an allergic reaction.</li> </ul>
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable
2.3. Other hazards	

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

# SECTION 3: Composition/information on ingredients

## 3.1. Substances

### Not applicable

## 3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2 REACH-no: 01-2119450011- 60	≥2-<5	Not classified
Isotridecanol, ethoxylated	CAS-No.: 69011-36-5 EC-No.: 500-241-6	≥1-<2	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
1-methoxy-2-propanol; monopropylene glycol methyl ether substance with a Community workplace exposure limit	CAS-No.: 107-98-2 EC-No.: 203-539-1 EC Index-No.: 603-064-00-3 REACH-no: 01-2119457435- 35	≥ 0.1 – < 1	Flam. Liq. 3, H226 STOT SE 3, H336
Rosin, fumarated, polymer with glycerol, ammonium salt	CAS-No.: 68554-18-7 EC-No.: 812-691-3	≥ 0.1 – < 1	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 4, H413
triisobutyl phosphate	CAS-No.: 126-71-6 EC-No.: 204-798-3 REACH-no: 01-2119957118- 32	≥ 0.1 – < 1	Skin Sens. 1, H317 Aquatic Chronic 3, H412

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-butoxyethanol; ethylene glycol monobutyl ether substance with a Community workplace exposure limit	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0 REACH-no: 01-2119475108- 36	< 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	0,00125	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Name	Product identifier	Specific concentration limits
Isotridecanol, ethoxylated	CAS-No.: 69011-36-5 EC-No.: 500-241-6	( 1 ≤C < 10) Eye Irrit. 2, H319 ( 10 ≤C < 100) Eye Dam. 1, H318
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	( 0.0015 ≤C ≤ 100) Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects, both acute and delayed	

Symptoms/effects after eye contact

: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream.</li></ul>	
5.2. Special hazards arising from the su	bstance or mixture	
Hazardous decomposition products in case of fir	e : Toxic fumes may be released.	

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

5.3. Advice for firefighters	
Precautionary measures fire	: Stop leak if safe to do so.
Firefighting instructions	: Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained
	breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipm	nent and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment a	nd cleaning up	
Methods for cleaning up Other information	<ul> <li>Take up liquid spill into absorbent material.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>	

### 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.</li> <li>Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, ir	ncluding any incompatibilities
Storage conditions Storage temperature Packaging materials	<ul> <li>Store in a well-ventilated place. Keep cool. Protect from freezing.</li> <li>0 – 35 °C</li> <li>Store always product in container of same material as original container.</li> </ul>
7.3. Specific end use(s)	

No additional information available

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

(2-methoxymethylethoxy)propanol (34590-94-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	(2-Methoxymethylethoxy)-propanol	
IOEL TWA	308 mg/m <sup>3</sup>	
IOEL TWA [ppm]	50 ppm	

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

(2-methoxymethylethoxy)propanol (34590-94-8)		
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
United Kingdom - Occupational Exposure Limits		
Local name	(2-methoxymethylethoxy) propanol	
WEL TWA (OEL TWA) [1]	308 mg/m <sup>3</sup>	
WEL TWA (OEL TWA) [2]	50 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
1-methoxy-2-propanol; monopropylene glyco	l methyl ether (107-98-2)	
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	1-Methoxypropanol-2	
IOEL TWA	375 mg/m³	
IOEL TWA [ppm]	100 ppm	
IOEL STEL	568 mg/m³	
IOEL STEL [ppm]	150 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
United Kingdom - Occupational Exposure Limits	·	
Local name	1-Methoxypropan-2-ol	
WEL TWA (OEL TWA) [1]	375 mg/m³	
WEL TWA (OEL TWA) [2]	100 ppm	
WEL STEL (OEL STEL)	560 mg/m³	
WEL STEL (OEL STEL) [ppm]	150 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	2-Butoxyethanol	
IOEL TWA	98 mg/m³	
IOEL TWA [ppm]	20 ppm	
IOEL STEL	246 mg/m <sup>3</sup>	
IOEL STEL [ppm]	50 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
United Kingdom - Occupational Exposure Limits		
Local name	2-Butoxyethanol	
WEL TWA (OEL TWA) [1]	123 mg/m <sup>3</sup>	

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)		
WEL TWA (OEL TWA) [2]	25 ppm	
WEL STEL (OEL STEL)	246 mg/m <sup>3</sup>	
WEL STEL (OEL STEL) [ppm]	50 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
United Kingdom - Biological limit values		
Local name	2-Butoxyethanol	
BMGV	240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### **8.2. Exposure controls**

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

### Personal protective equipment:

Protective clothing. Gloves. Safety glasses. Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

### Eye protection:

Safety glasses with side shields

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Normal use conditions		EN 166

#### 8.2.2.2. Skin protection

### Skin and body protection:

Wear suitable protective clothing

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

Skin and body protection	
Туре	Standard
Long sleeved protective clothing	
Chemical resistant safety shoes	EN ISO 20345

## Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0,5		EN ISO 374

### 8.2.2.3. Respiratory protection

### **Respiratory protection:**

No respiratory protection needed under normal use conditions

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

### Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
9.1. Information on basic physical and cl Physical state Colour Odour Odour threshold pH pH solution Relative evaporation rate (butylacetate=1) Melting point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapour pressure Relative vapour density at 20°C Relative density Solubility Partition coefficient n-octanol/water (Log Pow) Viscosity, kinematic Viscosity, dynamic Explosive properties	hemical properties : Liquid : White. : Floral. : No data available : 8.8 : 100 % : 0.36 : Not applicable : No data available : 100 °C : 75 °C (closed cup) : 207 °C : No data available : No data available	
Oxidising properties Lower explosive limit (LEL) Upper explosive limit (UEL)	<ul> <li>No data available</li> <li>1.1 vol %</li> <li>14 vol %</li> </ul>	

#### 9.2. Other information

No additional information available

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

**10.3. Possibility of hazardous reactions** 

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

**10.5. Incompatible materials** 

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information			
11.1 Information on toxicological effects			
Acute toxicity (dermal)     :       Acute toxicity (inhalation)     :	Not classified Not classified Not classified		
Isotridecanol, ethoxylated (69011-36-5)			
LD50 oral	> 2000 mg/kg bodyweight		
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)		
LD50 dermal rabbit	≈ 5960 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other:		
(2-methoxymethylethoxy)propanol (34590-94-8)			
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)		
LD50 dermal rat	> 19020 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)		
LD50 dermal rabbit	9510 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)		
1-methoxy-2-propanol; monopropylene glycol	1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
LD50 oral	3739 mg/kg bodyweight		
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal))		
LD50 dermal	> 2000 mg/kg bodyweight		
LC50 Inhalation - Rat (Dust/Mist)	> 26315 mg/l		
2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)			
LD50 oral	1414 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1020 - 1961		
LD50 dermal rat	> 2000 mg/kg Source: ECHA		

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)		
LD50 dermal	435 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	2200 mg/l	
triisobutyl phosphate (126-71-6)		
LD50 oral	> 5000 mg/kg bodyweight	
LD50 dermal	> 5000 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	> 5140 mg/l	
2-methylisothiazol-3(2H)-one (2682-20-4)		
LD50 oral rat	66 – 105 mg/kg	
LD50 dermal rabbit	200 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	0.33 mg/l	
Skin corrosion/irritation :	Not classified pH: 8.8	
2-methylisothiazol-3(2H)-one (2682-20-4)		
pН	2.58 Temp.: 25 °C Concentration: 50 g/L	
Serious eye damage/irritation :	Causes serious eye irritation. pH: 8.8	
2-methylisothiazol-3(2H)-one (2682-20-4)		
рН	2.58 Temp.: 25 °C Concentration: 50 g/L	
Respiratory or skin sensitisation :	Not classified	
Germ cell mutagenicity :	Not classified	
	Not classified	
2-butoxyethanol; ethylene glycol monobutyl e	ether (111-76-2)	
IARC group	3 - Not classifiable	
Reproductive toxicity :	Not classified	
	Not classified	
1-methoxy-2-propanol; monopropylene glyco		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure :	Not classified	
Isotridecanol, ethoxylated (69011-36-5)		
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)	
(2-methoxymethylethoxy)propanol (34590-94-8)		
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other:	
1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
LOAEL (oral, rat, 90 days)	2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)	
NOAEL (oral, rat, 90 days)	919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)	
NOAEL (dermal, rat/rabbit, 90 days)	> 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)	

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

2-methylisothiazol-3(2H)-one (2682-20-4)		
LOAEL (oral, rat, 90 days)	71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents), Guideline: other:	
Aspiration hazard : Not classified		
1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
Viscosity, kinematic 1.848 mm <sup>2</sup> /s		

# **SECTION 12: Ecological information**

12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute)	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified
Isotridecanol, ethoxylated (69011-36-5)	
LC50 - Fish [1]	> 1 mg/l
EC50 - Crustacea [1]	1.5 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 1 mg/l waterflea
EC50 96h - Algae [1]	11.5 mg/l Source: EPISUITE v4.1
(2-methoxymethylethoxy)propanol (34590-94-	8)
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Poecilia reticulata
EC50 - Other aquatic organisms [1]	1930 mg/l Test organisms (species): other aquatic crustacea:
EC50 72h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
NOEC (chronic)	≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
1-methoxy-2-propanol; monopropylene glyco	I methyl ether (107-98-2)
LC50 - Fish [1]	> 4600 mg/l
EC50 - Other aquatic organisms [1]	2954 mg/l Test organisms (species): other aquatic crustacea:
EC50 - Other aquatic organisms [2]	> 500 mg/l
2-butoxyethanol; ethylene glycol monobutyl e	ether (111-76-2)
LC50 - Fish [1]	1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	≈ 1800 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	1550 mg/l waterflea
EC50 - Other aquatic organisms [2]	911 mg/l
EC50 72h - Algae [1]	911 mg/l Source: ECHA
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 100 mg/l Test organisms (species): Oryzias latipes Duration: '14 d'

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

triisobutyl phosphate (126-71-6)		
EC50 - Other aquatic organisms [1]	11 mg/l waterflea	
EC50 - Other aquatic organisms [2] 34.1 mg/l		
2-methylisothiazol-3(2H)-one (2682-20-4)		
LC50 - Fish [1]	4.77 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	1.6 mg/l Test organisms (species): Daphnia magna	

# 12.2. Persistence and degradability

HG natural stone cleaner shine restorer	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

# **12.3. Bioaccumulative potential**

1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
Partition coefficient n-octanol/water (Log Pow)	-0.49	
2-butoxyethanol; ethylene glycol monobutyl e	other (111-76-2)	
Partition coefficient n-octanol/water (Log Pow)	0.8	
triisobutyl phosphate (126-71-6)		
Partition coefficient n-octanol/water (Log Pow)	3.7	
2-methylisothiazol-3(2H)-one (2682-20-4)		
Partition coefficient n-octanol/water (Log Pow)	-0.49	
12.4. Mobility in soil		
Isotridecanol, ethoxylated (69011-36-5)		
Mobility in soil	111.3 Source: EPISUITE v4.1	
12.5. Results of PBT and vPvB assessment		

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Regional legislation (waste) Waste treatment methods	<ul><li>Disposal must be done according to official regulations.</li><li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li></ul>

# SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number	<u>.</u>			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haz	ards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary informatio	n available			

### 14.6. Special precautions for user

Overland transport Not regulated

# Transport by sea

Not regulated

### Air transport

Not regulated

#### Inland waterway transport Not regulated

Not regulated

# Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

### Not applicable

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

# **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Detergent Regulation (648/2004)**

#### Allergenic fragrances > 0.01 %:

LIMONENE LINALOOL

Labelling of contents	
Component	%
non-ionic surfactants, phosphates	<5%
BENZISOTHIAZOLINONE	
METHYLISOTHIAZOLINONE	
perfumes	
LIMONENE	
LINALOOL	

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

:

Abbreviations and acronyms:	
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Other information

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.

Full text of H- and B	Full text of H- and EUH-statements:	
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4	
EUH208	Contains triisobutyl phosphate (126-71-6) (00086), Rosin, fumarated, polymer with glycerol, ammonium salt (68554- 18-7) (00305), 2-methylisothiazol-3(2H)-one (2682-20-4) (00180). May produce an allergic reaction.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H331	Toxic if inhaled.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.