

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 01/08/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: HG stain away 2
UFI	: T8FM-K63Q-H10U-Y7Q2
Product code	: 421 ART
Type of product	: Detergent
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category

: Consumer use

1.2.2. Uses advised against

Restrictions on use

: All other uses not recommended above

1.3. Details of the supplier of the safety data sheet

Manufacturer	Importer
HG International B.V.	HG UKI LTD
P.J. Oudweg 41	Weston Business Centre
NL– 1314 CJ Almere	Parsonage Road
The Netherlands	UK– CM22 6PU Takeley – Essex
T +31 (0)36 54 94 700	United Kingdom
safety@hg.eu - www.hg.eu	T +44 (0) 1206 822 744
	www.hg.eu

1.4. Emergency telephone number

Emergency number

: +31 (0)36 54 94 777 Only for medical personnel Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Serious eye damage/eye irritation, Category 2	H319
Specific target organ toxicity – Single exposure, Category 3,	H336
Narcosis	

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. May cause drowsiness or dizziness. Causes serious eye irritation.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07
Signal word (CLP)	: Warning
Contains	: propan-2-ol; isopropyl alcohol; isopropanol; n-butyl acetate
Hazard statements (CLP)	: H226 - Flammable liquid and vapour.
	H319 - Causes serious eye irritation.
	H336 - May cause drowsiness or dizziness.
Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand.
	P102 - Keep out of reach of children.
	P233 - Keep container tightly closed.
	P261 - Avoid breathing fume.
	P264 - Wash hands thoroughly after handling.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P501 - Dispose of contents and container to a hazardous or special waste collection point.
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.
Child-resistant fastening	: Not applicable
Tactile warning Labelling according to: exemption for packa	: Not applicable
Hazard pictograms (CLP)	
	\mathbf{V} \mathbf{V}
	GHS02 GHS07
Signal word (CLP)	: Warning
Hazardous ingredients	: propan-2-ol; isopropyl alcohol; isopropanol; n-butyl acetate
Hazard statements (CLP)	: H336 - May cause drowsiness or dizziness.
Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand.
	P102 - Keep out of reach of children. P261 - Avoid breathing fume.
	P501 - Dispose of contents and container to a hazardous or special waste collection point.
	P233 - Keep container tightly closed.
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.
2.3. Other hazards	

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	≥ 25 – < 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
n-butyl acetate substance with a Community workplace exposure limit	CAS-No.: 123-86-4 EC-No.: 204-658-1 EC Index-No.: 607-025-00-1 REACH-no: 01-2119485493- 29	≥ 25 – < 50	Flam. Liq. 3, H226 STOT SE 3, H336
Alcohols, C9-11, branched and linear, ethoxylated (>5-10 EO)	CAS-No.: 160901-09-7 EC-No.: 500-446-0	≥ 7 – < 10	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use water jet.		
5.2. Special hazards arising from the substance or mixture			
Fire hazard Hazardous decomposition products in case of fire	Flammable liquid and vapour.Carbon dioxide. Carbon monoxide.		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equi	pment and emergency procedures		
General measures	: Do not handle until all safety precautions have been read and understood.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing mist, vapours. Avoid contact with skin and eyes.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment	t and cleaning up		
For containment	: Stop leak if safe to do so. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Dilute small spillage well and wash away with large quantities of water.		
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing mist, vapours. Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
Incompatible materials	: Oxidizing materials.
Storage temperature	: >0-<30 °C
Heat and ignition sources	: Keep away from heat and direct sunlight. No flames. Eliminate all sources of ignition.
Special rules on packaging	: Keep only in original container. Opened containers must be carefully closed and kept upright to avoid leakage.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
United Kingdom - Occupational Exposure Limits		
Local name	Propan-2-ol	
WEL TWA (OEL TWA) [1]	999 mg/m³	
WEL TWA (OEL TWA) [2]	400 ppm	
WEL STEL (OEL STEL)	1250 mg/m ³	
WEL STEL (OEL STEL) [ppm]	500 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
n-butyl acetate (123-86-4)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	n-Butyl acetate	
IOEL TWA	241 mg/m ³	
IOEL TWA [ppm]	50 ppm	
IOEL STEL	723 mg/m³	
IOEL STEL [ppm]	150 ppm	
Regulatory reference	COMMISSION DIRECTIVE (EU) 2019/1831	
United Kingdom - Occupational Exposure Limits		
Local name	Butyl acetate	
WEL TWA (OEL TWA) [1]	724 mg/m ³	
WEL TWA (OEL TWA) [2]	150 ppm	
WEL STEL (OEL STEL)	966 mg/m ³	
WEL STEL (OEL STEL) [ppm]	200 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Wear foot protection.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side shields

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Normal use conditions		EN 166

8.2.2.2. Skin protection

Skin and body protection:

Long sleeved protective clothing. Chemical resistant safety shoes

Skin and body protection	
Туре	Standard
Long sleeved protective clothing	
Chemical resistant safety shoes	EN ISO 20345

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Respiratory protection			
Device	Filter type	Condition	Standard
Half-mask	FFA2P3	Mist formation, Vapour protection	EN 405

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties		
9.1. Information on basic ph	ysical and chemical properties	
Physical state	: Liquid	
Colour	: Yellow.	
Odour	: Characteristic.	
Odour threshold	: Not available	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Melting point	: Not applicable
Freezing point	: -90 °C
Boiling point	: 82 °C
Flammability	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 25 °C
Auto-ignition temperature	: 425 °C
Decomposition temperature	: Not available
pН	: 9
pH solution concentration	: 100 %
Viscosity, kinematic	: Not available
Solubility	: Soluble in: Methanol. Diethyl ether. n-octanol. Acetone. hot water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.874
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Oxidising agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity (oral) : Not classified (Conclusive but not sufficient for classification) Acute toxicity (dermal) : Not classified (Conclusive but not sufficient for classification) Acute toxicity (inhalation) : Not classified (Conclusive but not sufficient for classification)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

DS0 oral 4396 mg/kg bodyweight LD50 oral 4396 mg/kg bodyweight LD50 darmal rabbit 12800 mg/kg Source: ECHA LC50 Inhalation - Rat (Dust/Mist) 46600 mg/l n-butyl acetate (123-86-4) 10700 mg/kg bodyweight LD50 oral 10700 mg/kg bodyweight LD50 darmal rabbit > 170600 mg/kg Source: ECHA LD50 darmal > 14700 mg/kg bodyweight LD50 darmal > 14100 mg/kg bodyweight LD50 darmal > 14100 mg/kg bodyweight LD50 darmal > 14100 mg/kg Source: ECHA Alcohols, C9-11, branched and linear, ethoxytatet (>5-10 EO) (160901-09-7) LD50 darmal rat > 2000 mg/kg LD50 darmal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Darmal Toxicity), Remarks on results: other: Skin corrosion/irritation : Not classified (Conclusive but not sufficient for classification) pt : 9 ph 6.2 Temp:: 20 °C Concentration: 5.3 g/L Alcohols, C9-11, branched and linear, ethoxytatet (<5-10 EO) (160901-09-7) ph 5 - 7 In aqueous medium : Concentration (%) = 1 Serious eye damage/irritat	propan-2-ol; isopropyl alcohol; isopropanol	(67-63-0)
D50 dermal rabbit 12800 mg/kg Source: ECHA LC50 Inhalation - Rat (Dust/Miat) 46600 mg/t n-butyl acetate (123-86-4) 2200 m/kg Source: ECHA LD50 oral nat 2200 m/kg Source: ECHA LD50 dermal rabbit > 17500 mg/kg bodyweight LD50 dermal rabbit > 17000 mg/kg bodyweight LD50 dermal > 14100 mg/kg bodyweight LC50 Inhalation - Rat (Dust/Miat) > 21100 mg/t LC50 Inhalation - Rat (Vapours) 1802 mg/t Source: ECHA Alcohols, C0-11, branched and linear, ethoxyl=tet (5-510 EO) (160901-09-7) LD50 dermal rat < 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	LD50 oral rat	5840 mg/kg Source: ECHA
LCS0 Inhalation - Rat (Dust/Mist) 46600 mg1 n-butyl acetate (123-86-4) 3200 ml/kg Source: ECHA LD50 oral rat 3200 ml/kg Source: ECHA LD50 demal rabbit > 17000 mg/kg bodyweight LD50 demal rabbit > 14100 mg/kg bodyweight LD50 demal rabbit > 14100 mg/kg bodyweight LD50 demal rabbit > 14100 mg/kg bodyweight LCS0 Inhalation - Rat (Vapours) 1802 mg/k Source: ECHA Alcohols, C9-11, branched and linear, ethoxytated (>5-10 EO) (160901-09-7) LD50 demal rat < 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	LD50 oral	4396 mg/kg bodyweight
hotuyl acetate (123-86-4) LD50 oral rat 3200 mlkg Source: ECHA LD50 dermal rabbit > 1700 mg/kg Source: ECHA LD50 dermal rabbit > 1700 mg/kg Source: ECHA LD50 dermal rabbit > 1700 mg/kg Source: ECHA LD50 dermal rabbit > 21100 mg/kg LC50 Inhaiton - Rat (Vapours) 1802 mg/ Source: ECHA Alcohols, C9-11, branched and linear, ethoxytated (>5-10 EO) (160901-09-7) LD50 dermal rat < 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	LD50 dermal rabbit	12800 mg/kg Source: ECHA
LD50 oral rat 3200 m/kg Source: ECHA LD50 oral 10700 mg/kg Source: ECHA LD50 dermal rabbit > 17600 mg/kg Source: ECHA LD50 dermal > 14100 mg/kg bodyweight LD50 dermal > 14100 mg/kg bodyweight LD50 inhalation - Rat (Dust/Mist) > 21000 mg/kg LD50 oral rat > 2000 mg/kg LD50 oral rat < 2000 mg/kg	LC50 Inhalation - Rat (Dust/Mist)	46600 mg/l
D50 oral 10700 mg/kg bodyweight LD50 dermal rabbit > 17600 mg/kg Source: ECHA LD50 dermal > 14100 mg/kg bodyweight LD50 inhalation - Rat (Dust/Mist) > 21100 mg/k LD50 inhalation - Rat (Vapours) 1802 mg/l Source: ECHA Alcohols, C9-11, branched and linear, ethoxy/ated (>5-10 EO) (160901-09-7) LD50 oral rat LD50 inhalation - Rat (Vapours) 2000 mg/kg LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 inhalation - Rat > 16 mg/l air Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 inhalation - Rat > 16 mg/l air Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) Romarks on results: other: Sentime on results: other: Skin corrosion/irritation : Not classified (Conclusive but not sufficient for classification) pt: 9 pri + 9	n-butyl acetate (123-86-4)	
LD50 dermal rabbit > 17600 mg/kg Source: ECHA LD50 dermal > 14100 mg/kg bodyweight LC50 Inhalation - Rat (Dust/Mist) > 21100 mg/t LC50 Inhalation - Rat (Vapours) 1802 mg/t Source: ECHA Alcohols, C9-11, branched and linear, ethoxyl=ted (-5-10 EO) (160901-09-7) ECHA LD50 dermal rat > 2000 mg/kg LD50 dermal rat > 2000 mg/kg LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) Remarks on results: other: Stick mg/t ar Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other: Skin corrosion/irritation : Not classified (Conclusive but not sufficient for classification) pH: 9 pH 6.2 Temp: 20 °C Concentration: 5.3 g/L Alcohols, C9-11, branched and linear, ethoxyl=ted (-5-10 EO) (160901-09-7) pH 5 – 7 In aqueous medium : Concentration (%) = 1 Serious eye damage/irritation : Causes serious eye irritation. pH: 9 pH 6.2 Temp:: 20 °C Concentration: 5.3 g/L Alcohols, C9-11, branched and linear, ethoxyl=ted (-5-10 EO) (160901-09-7) pH 5 – 7 In aqueous medium : Concentration (%) = 1 Seriours eye damage/irritation : Not classified (Conclusive but not sufficient for classification) <td< td=""><td>LD50 oral rat</td><td>3200 ml/kg Source: ECHA</td></td<>	LD50 oral rat	3200 ml/kg Source: ECHA
D50 dermal > 14100 mg/k bodyweight LC50 Inhalation - Rat (Dust/Mist) > 21100 mg/l LC50 Inhalation - Rat (Vapours) 1802 mg/l Source: ECHA Alcohols, C9-11, branched and linear, ethoxy=ted (>5-10 EO) (160901-09-7) LD50 dernal rat < 2000 mg/kg	LD50 oral	10700 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist) > 21100 mg/l LC50 Inhalation - Rat (Vapours) 1802 mg/l Source: ECHA Alcohols, C9-11, branched and linear, ethoxy/text (-5-10 EO) (160901-09-7) LD50 oral rat < 2000 mg/kg	LD50 dermal rabbit	> 17600 mg/kg Source: ECHA
LC50 Inhalation - Rat (Vapours) 1802 mg/l Source: ECHA Alcohols, C9-11, branched and linear, ethoxy: <	LD50 dermal	> 14100 mg/kg bodyweight
Alcohols, C9-11, branched and linear, ethoxyLated (>5-10 EO) (160901-09-7) LD50 oral rat < 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	LC50 Inhalation - Rat (Dust/Mist)	> 21100 mg/l
LD50 oral rat < 2000 mg/kg	LC50 Inhalation - Rat (Vapours)	1802 mg/l Source: ECHA
DS0 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 Inhalation - Rat > 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other: Skin corrosion/irritation : Not classified (Conclusive but not sufficient for classification) pH is 9 n-butyl acetate (123-86-4) pH 6.2 Temp:: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxylated (>5-10 EO) (160901-09-7) pH 5 - 7 In aqueous medium : Concentration (%) = 1 Serious eye damage/irritation : Causes serious eye irritation. pH 9 n-butyl acetate (123-86-4) pH 6.2 Temp:: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxylated (>5-10 EO) (160901-09-7) pH 6.2 Temp:: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxylated (>5-10 EO) (160901-09-7) pH 5 - 7 In aqueous medium : Concentration (%) = 1 Serpiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Serpiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Serpiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classified (Conclusive but not sufficient for c	Alcohols, C9-11, branched and linear, ethox	ylated (>5-10 EO) (160901-09-7)
Toxicity) Toxicity) LC50 Inhalation - Rat > 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other: Skin corrosion/irritation : Not classified (Conclusive but not sufficient for classification) pH 9 n-butyl acetate (123-86-4) pH 6.2 Temp.: 20 °C Concentration: 5.3 g/L Alcohols, C9-11, branched and linear, ethoxylated (>5-10 EO) (160901-09-7) pH 5 - 7 In aqueous medium : Concentration (%) = 1 Serious eye damage/irritation : Causes serious eye irritation. pH 9 n-butyl acetate (123-86-4) 6.2 Temp.: 20 °C Concentration: 5.3 g/L Alcohols, C9-11, branched and linear, ethoxylated (>5-10 EO) (160901-09-7) 5 pH 5 - 7 In aqueous medium : Concentration (%) = 1 serious eye damage/irritation : Causes serious eye irritation. pH 9 foot classified (Sonclusive but not sufficient for classification) 5 pH 5 - 7 In aqueous medium : Concentration (%) = 1 Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Serm cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Serm cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Serm cell mutagenicity <td>LD50 oral rat</td> <td>< 2000 mg/kg</td>	LD50 oral rat	< 2000 mg/kg
Remarks on results: other: Skin corrosion/irritation : Not classified (Conclusive but not sufficient for classification) pH 6.2 Temp.: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxyl=ted (>5-10 EO) (160901-09-7) pH 5 - 7 In aqueous medium : Concentration (%) = 1 Serious eye damage/irritation : Causes serious eye irritation. pH 6.2 Temp.: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxyl= 9 ritation. pH 5 - 7 In aqueous medium : Concentration (%) = 1 Serious eye damage/irritation : Causes serious eye irritation. pH 6.2 Temp.: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxyl= 1 Serious eye irritation. pH 6.2 Temp.: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxyl= 1 Serious medium : Concentration (%) = 1 Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Serious eyes dawage are serious eye are drowsiness or dizziness. Not classified (Conclusive but not sufficient for classification) <	LD50 dermal rat	
n-butyl acetate (123-86-4) pH 6.2 Temp.: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxy=ted (>5-10 EO) (160901-09-7) pH 5 - 7 In aqueous medium : Concentration (%) = 1 Serious eye damage/irritation : Causes serious eye irritation. pH: 9 n-butyl acetate (123-86-4) 6.2 Temp.: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxy=ted (>5-10 EO) (160901-09-7) pH 6.2 Temp.: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxy=ted (>5-10 EO) (160901-09-7) pH 5 - 7 In aqueous medium : Concentration (%) = 1 Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Serior cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Cause drowsiness or dizziness. propan-2-01; isopropyl alcohol; isopropanol (propan-2-01; isopropyl alcohol; isopropanol (F-63-0) STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) May cause drowsiness or dizziness.	LC50 Inhalation - Rat	
pH 6.2 Temp.: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxylated (>5-10 EO) (160901-09-7) pH 5 - 7 In aqueous medium : Concentration (%) = 1 Serious eye damage/irritation : Causes serious eye irritation. pH : 9 n-butyl acetate (123-86-4) pH 6.2 Temp.: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxylated (>5-10 EO) (160901-09-7) pH 6.2 Temp.: 20 °C Concentration: (%) = 1 Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Gern cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Zarcinogenicity : Not classified (Conclusive but not sufficient for classification) Seproductive toxicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : May cause drowsiness or dizziness. propan-2-0; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) May cause drowsiness or dizziness.	Skin corrosion/irritation	
Alcohols, C9-11, branched and linear, ethoxy tetd (>5-10 EO) (160901-09-7) pH 5 - 7 In aqueous medium : Concentration (%) = 1 Serious eye damage/irritation : Causes serious eye irritation. pH: 9 n-butyl acetate (123-86-4) pH pH 6.2 Temp.: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxy/tetd (>5-10 EO) (160901-09-7) pH 5 - 7 In aqueous medium : Concentration (%) = 1 Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Gern cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Berroductive toxicity : Not classified (Conclusive but not sufficient for classification) Serroductive toxicity : Not classified (Conclusive but not sufficient for classification) Serroductive toxicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : May cause drowsiness or dizziness. propan-2-01; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness.	n-butyl acetate (123-86-4)	
pH 5 – 7 In aqueous medium : Concentration (%) = 1 Serious eye damage/irritation : Causes serious eye irritation. pH 0 n-butyl acetate (123-86-4) pH 6.2 Temp.: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxytet (>5-10 EO) (160901-09-7) pH 5 – 7 In aqueous medium : Concentration (%) = 1 Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Gerr cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Cause drowsiness or dizziness. Not classified (Conclusive but not sufficient for classification) STOT-single exposure : May cause drowsiness or dizziness. n-butyl acetate (123-86-4) May cause drowsiness or dizziness.	рН	6.2 Temp.: 20 °C Concentration: 5,3 g/L
Serious eye damage/irritation : Causes serious eye irritation. pH: 9 n-butyl acetate (123-86-4) pH 6.2 Temp.: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxylated (>5-10 EO) (160901-09-7) pH 5 - 7 In aqueous medium : Concentration (%) = 1 Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Cause drowsiness or dizziness. Not classified (Conclusive but not sufficient for classification) STOT-single exposure : May cause drowsiness or dizziness. n-butyl acetate (123-86-4) May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness.	Alcohols, C9-11, branched and linear, ethox	ylated (>5-10 EO) (160901-09-7)
n-butyl acetate (123-86-4) pH 6.2 Temp.: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxyJtet (>5-10 EO) (160901-09-7) pH 5 - 7 In aqueous medium: Concentration (%) = 1 Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogene : Not classified (Conclusive but not sufficient for classification) Carcinogene : Not classified (Conclusive but not sufficient for classification) Carcinogene : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : May cause drowsiness or dizziness. propan-2-ol; isopropyl alcohol; isopropanol (or classified conclusive but not sufficient for classification) STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) May cause drowsiness or dizziness. <td>рН</td> <td>5 – 7 In aqueous medium : Concentration (%) = 1</td>	рН	5 – 7 In aqueous medium : Concentration (%) = 1
pH 6.2 Temp.: 20 °C Concentration: 5,3 g/L Alcohols, C9-11, branched and linear, ethoxylated (>5-10 EO) (160901-09-7) pH 5 - 7 In aqueous medium : Concentration (%) = 1 Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenetive toxicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : May cause drowsiness or dizziness. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness.	Serious eye damage/irritation	•
Alcohols, C9-11, branched and linear, ethoxylated (>5-10 EO) (160901-09-7) pH 5 - 7 In aqueous medium : Concentration (%) = 1 Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : May cause drowsiness or dizziness. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. May cause drowsiness or dizziness.	n-butyl acetate (123-86-4)	
pH5 – 7 In aqueous medium : Concentration (%) = 1Respiratory or skin sensitisation: Not classified (Conclusive but not sufficient for classification)Germ cell mutagenicity: Not classified (Conclusive but not sufficient for classification)Carcinogenicity: Not classified (Conclusive but not sufficient for classification)Carcinogenicity: Not classified (Conclusive but not sufficient for classification)Reproductive toxicity: Not classified (Conclusive but not sufficient for classification)STOT-single exposure: May cause drowsiness or dizziness.propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)STOT-single exposureMay cause drowsiness or dizziness.n-butyl acetate (123-86-4)STOT-single exposureMay cause drowsiness or dizziness.	рН	6.2 Temp.: 20 °C Concentration: 5,3 g/L
Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification) Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : May cause drowsiness or dizziness. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. May cause drowsiness or dizziness. n-butyl acetate (123-86-4) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness.	Alcohols, C9-11, branched and linear, ethox	ylated (>5-10 EO) (160901-09-7)
Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification) Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Reproductive toxicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : May cause drowsiness or dizziness. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) STOT-single exposure May cause drowsiness or dizziness.	рН	5 – 7 In aqueous medium : Concentration (%) = 1
Carcinogenicity : Not classified (Conclusive but not sufficient for classification) Reproductive toxicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : May cause drowsiness or dizziness. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) STOT-single exposure May cause drowsiness or dizziness.	Respiratory or skin sensitisation	
Reproductive toxicity : Not classified (Conclusive but not sufficient for classification) STOT-single exposure : May cause drowsiness or dizziness. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) STOT-single exposure May cause drowsiness or dizziness.	Germ cell mutagenicity	
STOT-single exposure : May cause drowsiness or dizziness. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) STOT-single exposure May cause drowsiness or dizziness.		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) STOT-single exposure May cause drowsiness or dizziness.		
STOT-single exposure May cause drowsiness or dizziness. n-butyl acetate (123-86-4) STOT-single exposure May cause drowsiness or dizziness.		
STOT-single exposure May cause drowsiness or dizziness.	STOT-single exposure	May cause drowsiness or dizziness.
STOT-single exposure May cause drowsiness or dizziness.	n-butyl acetate (123-86-4)	
	STOT-single exposure	May cause drowsiness or dizziness.
	STOT-repeated exposure	: Not classified (Conclusive but not sufficient for classification)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

n-butyl acetate (123-86-4)	
LOAEL (oral, rat, 90 days)	500 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.2650 (90-Day Oral Toxicity in Rodents)
NOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.2650 (90-Day Oral Toxicity in Rodents)
Alcohols, C9-11, branched and linear, etho	xylated (>5-10 EO) (160901-09-7)
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
Aspiration hazard	: Not classified (Conclusive but not sufficient for classification)
propan-2-ol; isopropyl alcohol; isopropano	l (67-63-0)
Viscosity, kinematic	2.658 mm ² /s
n-butyl acetate (123-86-4)	
Viscosity, kinematic	0.83 mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)'
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute)	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified (Conclusive but not sufficient for classification) Not classified (Conclusive but not sufficient for classification)
propan-2-ol; isopropyl alcohol; isopropanol (6	67-63-0)
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas
n-butyl acetate (123-86-4)	
LC50 - Fish [1]	18 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	44 mg/l Test organisms (species): Daphnia sp.
EC50 - Other aquatic organisms [1]	32 mg/l Test organisms (species): Artemia salina
EC50 72h - Algae [1]	397 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	246 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
LOEC (chronic)	47.6 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	23.2 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Alcohols, C9-11, branched and linear, ethoxylated (>5-10 EO) (160901-09-7)	
LC50 - Fish [1]	5 – 7 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	2.5 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	1.4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

12.2. Persistence and degradability

HG stain away 2	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Alcohols, C9-11, branched and linear, ethoxylated (>5-10 EO) (160901-09-7)	
Biodegradation	81.4 % (OECD 301F method)

12.3. Bioaccumulative potential

HG stain away 2		
Bioaccumulative potential	No bioaccumulation expected.	
propan-2-ol; isopropyl alcohol; isopropanol (6	67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05	
n-butyl acetate (123-86-4)		
Partition coefficient n-octanol/water (Log Pow)	2.3	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
Adverse effects on the environment caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional legislation (waste)	: Disposal must be done according to official regulations.	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Product/Packaging disposal recommendations	: Do not pierce or burn, even after use. Do not burn empty packaging. Do not cut using a blowtorch.	
Additional information	: Flammable vapours may accumulate in the container.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

 20 01 39 - plastics 20 01 29* - detergents containing dangerous substances HP3 - "Flammable:" flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities; other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste. HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber	<u>.</u>		
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993
14.2. UN proper shippin	g name			
FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol ; n-butyl acetate)	FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol ; n-butyl acetate)	Flammable liquid, n.o.s. (propan-2-ol; isopropyl alcohol; isopropanol ; n- butyl acetate)	FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol ; n-butyl acetate)	FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol; n-butyl acetate)
Transport document descr	iption			1
UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol; n-butyl acetate), 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol ; n-butyl acetate), 3, III	UN 1993 Flammable liquid, n.o.s. (propan-2-ol; isopropyl alcohol; isopropanol ; n-butyl acetate), 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol; n-butyl acetate), 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol; n-butyl acetate), 3, III
14.3. Transport hazard o	class(es)	I		I
3	3	3	3	3
14.4. Packing group				
III	III	III	Ш	III
14.5. Environmental haz	ards	-		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary informatic				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	:	F1
Special provisions (ADR)	:	274, 601
Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T4
Portable tank and bulk container special provisions	:	TP1, TP29
(ADR)		
Tank code (ADR)	:	LGBF
Vehicle for tank carriage	:	FL
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12
Special provisions for carriage - Operation (ADR)	:	S2
Hazard identification number (Kemler No.)	:	30
Orange plates	:	<u>30</u> 1993
Tunnel restriction code (ADR)		D/E
EAC code	÷	•3Y
	•	÷.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Transport by sea

Special provisions (IMDG)	: 223, 274, 955
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: A
Slowage calegory (IMDO)	. ^
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	
,	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L
Inland waterway transport	
Classification code (ADN)	: F1
Special provisions (ADN)	: 274, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0
Number of blue concernights (ADN)	. 0
Poil transport	
Rail transport	
Classification code (RID)	: F1
Special provisions (RID)	: 274, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions	: 1P1, 1P29
(RID)	
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE4
Hazard identification number (RID)	: 30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
non-ionic surfactants ≥5-<15%	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:		
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Training advice

Other information

: Normal use of this product shall imply use in accordance with the instructions on the packaging. Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H319	Causes serious eye irritation.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H336	May cause drowsiness or dizziness.
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.