

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 13/02/2023 Revision date: 13/02/2023 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : HG washing machine cleaner and odour freshener

UFI : SDJP-4V9E-Q10P-GQN6

Product code : 657 ART
Type of product : Detergent
Product group : Trade product

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

1.2.2. Uses advised against

Restrictions on use : All other uses not recommended above

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer Importer

HG International B.V. HG UKI LTD

P.J. Oudweg 41 Weston Business Centre

NL- 1314 CJ Almere Parsonage Road

The Netherlands UK- CM22 6PU Takeley - Essex

T +31 (0)36 54 94 700 United Kingdom

<u>safety@hg.eu</u> - <u>www.hg.eu</u> T +44 (0) 1206 822 744

www.hg.eu

#### 1.4. Emergency telephone number

Emergency number : +31 (0)36 54 94 777

Only for medical personnel

Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, Category 3 H272
Acute toxicity (oral), Category 4 H302
Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

May intensify fire; oxidiser. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

Contains

Hazard statements (CLP)

Precautionary statements (CLP)

: Danger

: Sodium percarbonate; Sodium hydroxide; caustic soda

: H272 - May intensify fire; oxidiser.

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

: P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium percarbonate	CAS-No.: 15630-89-4 EC-No.: 239-707-6 REACH-no: 01-2119457268- 30	≥ 50 - < 90	Ox. Sol. 3, H272 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
sodium carbonate	CAS-No.: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2 REACH-no: 01-2119485498-	≥ 15 – < 25	Eye Irrit. 2, H319
Sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	≥2-<5	Met. Corr. 1, H290 Skin Corr. 1A, H314

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name		Classification according to Regulation (EC) No. 1272/2008 [CLP]
Diphenyl ether substance with a Community workplace exposure limit	 ≥ 0.001 – < 0.1	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
Sodium percarbonate	CAS-No.: 15630-89-4 EC-No.: 239-707-6 REACH-no: 01-2119457268- 30	( 7.5 ≤C < 25) Eye Irrit. 2, H319 ( 25 ≤C < 100) Eye Dam. 1, H318	
Sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	( 0.5 ≤C < 2) Skin Irrit. 2, H315 ( 0.5 ≤C < 2) Eye Irrit. 2, H319 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C ≤ 100) Skin Corr. 1A, H314	

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Cool down the containers exposed to heat with a water spray. Move containers from fire

area if it can be done without personal risk. Do not get water inside containers or in contact

with material. Use extinguishing agent suitable for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : May intensify fire; oxidiser. Hazardous decomposition products in case of fire : Toxic fumes may be released.

13/02/2023 (Revision date) GB - en 3/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Do not breathe dust.

#### 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Mechanically recover the product. Notify authorities if product enters sewers or public

waters. Minimise generation of dust.

Other information

: Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

- : May intensify fire; oxidiser. Keep away from combustible materials. Keep away from water.
- : Avoid dust formation. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Do not breathe dust. Do not allow contact with water.

Hygiene measures

: Use good housekeeping practices to avoid rendering dust airborne. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible materials : Do not allow contact with water. combustible materials.

Storage temperature : 0-35 °C

Heat and ignition sources : Keep away from heat and direct sunlight. Storage area : Store according to local legislation.

Special rules on packaging : Store in a closed container. Keep only in original container.

## 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

13/02/2023 (Revision date) GB - en 4/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium hydroxide; caustic soda (1310-73-2)		
United Kingdom - Occupational Exposure Limits		
Local name	Sodium hydroxide	
WEL STEL (OEL STEL)	2 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Diphenyl ether (101-84-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Diphenyl ether	
IOEL TWA	7 mg/m³	
IOEL TWA [ppm]	1 ppm	
IOEL STEL	14 mg/m³	
IOEL STEL [ppm]	2 ppm	
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164	
United Kingdom - Occupational Exposure Limits		
Local name	Diphenyl ether	
WEL TWA (OEL TWA) [1]	7 mg/m³	
WEL TWA (OEL TWA) [2]	1 ppm	
WEL STEL (OEL STEL)	14 mg/m³	
WEL STEL (OEL STEL) [ppm]	2 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

## 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

## 8.2.2. Personal protection equipment

#### Personal protective equipment:

Safety glasses. Gloves. Protective clothing.

## Personal protective equipment symbol(s):









13/02/2023 (Revision date) GB - en 5/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses with side shields. Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Normal use conditions		EN 166

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Long sleeved protective clothing. Chemical resistant safety shoes

Skin and body protection		
Туре	Standard	
Long sleeved protective clothing		
Chemical resistant safety shoes	EN ISO 20345	

#### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374

## 8.2.2.3. Respiratory protection

## Respiratory protection:

No respiratory protection needed under normal use conditions. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Respiratory protection			
Device	Filter type	Condition	Standard
Dust mask	FFFP2	Dust protection	EN 143

#### 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

## Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use. Use good housekeeping practices to avoid rendering dust airborne.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Solid
Colour : white.
Odour
Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not applicable

13/02/2023 (Revision date) GB - en 6/14

10 %

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Boiling point : Not available Flammability : Non flammable.

Oxidising properties : May intensify fire; oxidiser.

Explosive limits : Not applicable
Lower explosion limit : Not applicable
Upper explosion limit : Not applicable
Upper explosion limit : Not applicable
Flash point : Not applicable
Auto-ignition temperature : Not applicable
Decomposition temperature : Not available
pH : 11.6

Viscosity, kinematic : Not applicable
Solubility : Not available
Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : Not available
Relative density : 1.13

Relative vapour density at 20°C : Not applicable Particle size : Not available

#### 9.2. Other information

pH solution

#### 9.2.1. Information with regard to physical hazard classes

Critical temperature : 60 °C

#### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

May cause or intensify fire; oxidiser.

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

## 10.5. Incompatible materials

Combustible materials. Water, humidity.

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

pH: 11.6  sodium carbonate (497-19-8)  pH ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH > 14  Serious eye damage/irritation : Causes serious eye damage. pH: 11.6  sodium carbonate (497-19-8)  pH ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH > 14  Respiratory or skin sensitisation : Not classified  Germ cell mutagenicity : Not classified  Germ cell mutagenicity : Not classified  Carcinogenicity : Not classified  Reproductive toxicity : Not classified  STOT-repeated exposure : Not classified  STOT-repeated exposure : Not classified  Diphenyl ether (101-84-8)  NOAEL (dermal, rat/rabbit, 90 days)   1000 mg/kg bodyweight Animal: rat	HG washing machine cleaner and odour freshener		
LD50 oral 1034 mg/kg bodyweight 1050 dermal rabbit 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: 2000 mg/kg bodyweight Animal: rat 2000 mg/kg bodyweight Animal: rat 2000 mg/kg bodyweight Animal: rat 2000 mg/kg bodyweight Animal: rabbit, Guideline: other: 2000 mg/kg bodyweight Animal: rabbit, Guideli	ATE CLP (oral)	1305.556 mg/kg bodyweight	
LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:    D50 dermal	Sodium percarbonate (15630-89-4)		
Sodium carbonate (497-19-8)	LD50 oral	1034 mg/kg bodyweight	
sodium carbonate (497-19-8)  LD50 oral rat  LD50 oral 4090 mg/kg bodyweight Animal: rat  LD50 oral 4090 mg/kg bodyweight Animal: rabbit, Guideline: other:  LD50 dermal rabbit  LD50 dermal rabbit  LD50 dermal rabbit  Summinum of the transport of	LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:	
LD50 oral rat  LD50 oral 4090 mg/kg bodyweight Animal: rat  LD50 dermal rabbit	LD50 dermal	> 2000 mg/kg bodyweight	
LD50 oral 4090 mg/kg bodyweight  LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:  LC50 Inhalation - Rat (Dust/Mist) 2300 mg/l  Diphenyl ether (101-84-8)  LD50 oral rat 2830 mg/kg Source: ECHA Skin corrosion/irritation : Causes severe skin bums. pH: 11.6  Skin corrosion/irritation = ** 11.6 Concentration: (*)0,1 other:  Sodium carbonate (497-19-8)  PH ** 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  PH ** 11.6 Concentration: (*)0,1 other:  Sodium carbonate (497-19-8)  PH ** 11.6 Concentration: (*)0,1 other:  Sodium carbonate (497-19-8)  PH ** 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  PH ** 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  PH ** 11.6 Concentration: (*)0,1 other:  Sodium lutagenicity ** Not classified Germ cell mutagenicity ** Not classified StoT-repeated exposure ** Not classified StoT	sodium carbonate (497-19-8)		
LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:  LC50 Inhalation - Rat (Dust/Mist) 2300 mg/l  Diphenyl ether (101-84-8)  LD50 oral rat   2830 mg/kg Source: ECHA    Skin corrosion/irritation : Causes severe skin burns. pH: 11.6  sodium carbonate (497-19-8)  pH   *11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH   > 14  Serious eye damage/irritation : Causes serious eye damage. pH: 11.6  Sodium carbonate (497-19-8)  pH   *11.6 Concentration: (*)0,1 other:  Sodium carbonate (497-19-8)  pH   *11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH   *11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH   *11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH   > 14  Respiratory or skin sensitisation : Not classified  Germ cell mutagenicity : Not classified  Carcinogenicity : Not classified  STOT-single exposure : Not classified  STOT-repeated exposure : Not classified  Diphenyl ether (101-84-8)  NOAEL (dermal, rat/rabbit, 90 days)   1000 mg/kg bodyweight Animal: rat  Aspiration hazard : Not classified  HG washing machine cleaner and odour freshere	LD50 oral rat	2800 mg/kg bodyweight Animal: rat	
LC50 Inhalation - Rat (Dust/Mist)  Diphenyl ether (101-84-8)  LD50 oral rat  Skin corrosion/irritation  Causes severe skin burns. pH: 11.6  sodium carbonate (497-19-8)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  > 14  Serious eye damage/irritation  Causes serious eye damage. pH: 11.6  Sodium carbonate (497-19-8)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium carbonate (497-19-8)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium carbonate (497-19-8)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium carbonate (497-19-8)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium carbonate (497-19-8)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium carbonate (497-19-8)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium carbonate (497-19-8)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium carbonate (497-19-8)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium carbonate (497-19-8)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  * 11.6 Concentra	LD50 oral	4090 mg/kg bodyweight	
Diphenyl ether (101-84-8)  LD50 oral rat  2830 mg/kg Source: ECHA  Skin corrosion/irritation  : Causes severe skin burns. pH: 11.6  sodium carbonate (497-19-8)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  Serious eye damage/irritation  : Causes serious eye damage. pH: 11.6  sodium carbonate (497-19-8)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  * 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH  * 14  Respiratory or skin sensitisation  : Not classified  Germ cell mutagenicity  : Not classified  Carcinogenicity  : Not classified  Seproductive toxicity  : Not classified  STOT-repeated exposure  : Not classified  STOT-repeated exposure  : Not classified  STOT-repeated exposure  : Not classified  Diphenyl ether (101-84-8)  NOAEL (dermal, rat/rabbit, 90 days)  1000 mg/kg bodyweight Animal: rat  Aspiration hazard  : Not classified  HG washing machine cleaner and odour freshener	LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:	
LD50 oral rat  2830 mg/kg Source: ECHA  Skin corrosion/irritation  : Causes severe skin burns. pH: 11.6  sodium carbonate (497-19-8)  pH  = 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH    > 14  Serious eye damage/irritation   : Causes serious eye damage. pH: 11.6  sodium carbonate (497-19-8)  pH   = 11.6 Concentration: (*)0,1 other:  Sodium carbonate (497-19-8)  pH   > 14  Respiratory or skin sensitisation   Not classified  Germ cell mutagenicity   Not classified  Germ cell mutagenicity   Not classified  Resproductive toxicity   Not classified  STOT-single exposure   Not classified  STOT-repeated exposure   Not classified	LC50 Inhalation - Rat (Dust/Mist)	2300 mg/l	
Skin corrosion/irritation : Causes severe skin burns. pH: 11.6  sodium carbonate (497-19-8)  pH = 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH > 14  Serious eye damage/irritation : Causes serious eye damage. pH: 11.6  sodium carbonate (497-19-8)  pH = 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH = 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH = 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH = 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH = 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH = 11.6 Concentration: (*)0,1 other:  Sodium carbonate (497-19-8)  Not classified  Sorious eye damage. ph: 11.6  **Total concentration: (*)0,1 other:  **Sodium carbonate (497-19-8)  **Total concentration: (*)0,1 other:  **Sodium carbonate (497-19-8)  **Not classified  Sorious eye damage. ph: 11.6  **Total concentration: (*)0,1 other:  **Sodium carbonate (497-19-8)  **Tota	Diphenyl ether (101-84-8)		
pH: 11.6  sodium carbonate (497-19-8)  pH	LD50 oral rat	2830 mg/kg Source: ECHA	
pH ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH > 14  Serious eye damage/irritation : Causes serious eye damage. pH: 11.6  sodium carbonate (497-19-8)  pH ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH > 14  Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified  Diphenyl ether (101-84-8)  NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Animal: rat  Aspiration hazard : Not classified  HG washing machine cleaner and odour freshener	Skin corrosion/irritation		
pH > 14 Serious eye damage/irritation : Causes serious eye damage. pH: 11.6  sodium carbonate (497-19-8)  pH	sodium carbonate (497-19-8)		
pH > 14 Serious eye damage/irritation : Causes serious eye damage. pH: 11.6  sodium carbonate (497-19-8)  pH ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH > 14  Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified  Diphenyl ether (101-84-8)  NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Animal: rat  Aspiration hazard : Not classified  HG washing machine cleaner and odour freshener	рН	≈ 11.6 Concentration: (≈)0,1 other:	
Serious eye damage/irritation : Causes serious eye damage. pH: 11.6  sodium carbonate (497-19-8)  pH	Sodium hydroxide; caustic soda (1310-73-2)	)	
pH: 11.6  sodium carbonate (497-19-8)  pH ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH > 14  Respiratory or skin sensitisation : Not classified : Not classified : Carcinogenicity : Not classified : Not classified : Reproductive toxicity : Not classified : Not classified : STOT-single exposure : Not classified : STOT-repeated exposure : Not classified : No	рН	> 14	
pH ≈ 11.6 Concentration: (*)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH > 14  Respiratory or skin sensitisation : Not classified  Gern cell mutagenicity : Not classified  Carcinogenicity : Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Not classified  STOT-repeated exposure : Not classified  STOT-repeated exposure : Not classified  Diphenyl ether (101-84-8)  NOAEL (dermal, rat/rabbit, 90 days)  1000 mg/kg bodyweight Animal: rat  Aspiration hazard : Not classified  HG washing machine cleaner and odour freshener	Serious eye damage/irritation		
pH ≈ 11.6 Concentration: (≈)0,1 other:  Sodium hydroxide; caustic soda (1310-73-2)  pH > 14  Respiratory or skin sensitisation : Not classified  Germ cell mutagenicity : Not classified  Carcinogenicity : Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Not classified  STOT-repeated exposure : Not classified  Diphenyl ether (101-84-8)  NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Animal: rat  Aspiration hazard : Not classified  HG washing machine cleaner and odour freshener	sodium carbonate (497-19-8)	pH: 11.6	
Sodium hydroxide; caustic soda (1310-73-2)  pH		≈ 11.6 Concentration: (≈)0.1 other:	
pH > 14  Respiratory or skin sensitisation : Not classified  Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Diphenyl ether (101-84-8)  NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Animal: rat Aspiration hazard : Not classified  HG washing machine cleaner and odour freshener		<u> </u>	
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified  Diphenyl ether (101-84-8)  NOAEL (dermal, rat/rabbit, 90 days)			
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified  Diphenyl ether (101-84-8)  NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Animal: rat  Aspiration hazard : Not classified  HG washing machine cleaner and odour freshener	'		
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified  Diphenyl ether (101-84-8)  NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Animal: rat  Aspiration hazard : Not classified  HG washing machine cleaner and odour freshener			
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified  Diphenyl ether (101-84-8)  NOAEL (dermal, rat/rabbit, 90 days) 1000 mg/kg bodyweight Animal: rat  Aspiration hazard : Not classified  HG washing machine cleaner and odour freshener			
STOT-single exposure : Not classified STOT-repeated exposure : Not classified  Diphenyl ether (101-84-8)  NOAEL (dermal, rat/rabbit, 90 days)			
Diphenyl ether (101-84-8)  NOAEL (dermal, rat/rabbit, 90 days)  Aspiration hazard  HG washing machine cleaner and odour freshener  Not classified  Not classified			
Diphenyl ether (101-84-8)  NOAEL (dermal, rat/rabbit, 90 days)  1000 mg/kg bodyweight Animal: rat  Aspiration hazard: Not classified  HG washing machine cleaner and odour freshener			
Aspiration hazard : Not classified  HG washing machine cleaner and odour freshener			
HG washing machine cleaner and odour freshener	NOAEL (dermal, rat/rabbit, 90 days)	1000 mg/kg bodyweight Animal: rat	
	Aspiration hazard	: Not classified	
Viscosity, kinematic Not applicable	HG washing machine cleaner and odour fre	shener	
	Viscosity, kinematic	Not applicable	

## 11.2. Information on other hazards

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

chronic)				
Sodium percarbonate (15630-89-4)				
LC50 - Fish [1]	> 70 mg/l			
EC50 - Crustacea [1]	4.9 mg/l Test organisms (species): Daphnia pulex			
EC50 - Other aquatic organisms [1]	4.9 mg/l waterflea			
ErC50 algae	> 7.7 mg/l Source: SIDS			
sodium carbonate (497-19-8)				
LC50 - Fish [1]	300 mg/l Test organisms (species): Lepomis macrochirus			
EC50 - Crustacea [1]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.			
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.			
EC50 - Other aquatic organisms [1]	265 mg/l waterflea			
EC50 96h - Algae [1]	242 mg/l Source: ECOTOX			
Sodium hydroxide; caustic soda (1310-73-2)				
LC50 - Fish [1]	> 35 mg/l			
EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.			
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea			
Diphenyl ether (101-84-8)				
LC50 - Fish [1]	4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)			
EC50 - Crustacea [1]	1.96 mg/l Test organisms (species): Daphnia magna			
ErC50 algae	0.455 mg/l Source: ECHA			

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

sodium carbonate (497-19-8)		
Partition coefficient n-octanol/water (Log Pow) -6.19		
Sodium hydroxide; caustic soda (1310-73-2)		
Partition coefficient n-octanol/water (Log Pow) -3.88		
Diphenyl ether (101-84-8)		
Partition coefficient n-octanol/water (Log Pow)  4.21 Source: ECHA		

## 12.4. Mobility in soil

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods Ecology - waste materials : Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID number					
UN 3085	UN 3085	UN 3085	UN 3085	UN 3085	
14.2. UN proper shippin	g name				
OXIDIZING SOLID, CORROSIVE, N.O.S. (CONTAINS : Sodium percarbonate ; Sodium hydroxide; caustic soda)	OXIDIZING SOLID, CORROSIVE, N.O.S. (CONTAINS : Sodium percarbonate ; Sodium hydroxide)	Oxidizing solid, corrosive, n.o.s. (CONTAINS : Sodium percarbonate ; Sodium hydroxide)	OXIDIZING SOLID, CORROSIVE, N.O.S. (CONTAINS : Sodium percarbonate ; Sodium hydroxide; caustic soda)	OXIDIZING SOLID, CORROSIVE, N.O.S. (CONTAINS : Sodium percarbonate ; Sodium hydroxide; caustic soda)	
Transport document descr	iption				
UN 3085 OXIDIZING SOLID, CORROSIVE, N.O.S. (CONTAINS : Sodium percarbonate ; Sodium hydroxide; caustic soda), 5.1 (8), III, (E)	UN 3085 OXIDIZING SOLID, CORROSIVE, N.O.S. (CONTAINS : Sodium percarbonate ; Sodium hydroxide), 5.1 (8), III	UN 3085 Oxidizing solid, corrosive, n.o.s. (CONTAINS : Sodium percarbonate ; Sodium hydroxide), 5.1 (8), III	UN 3085 OXIDIZING SOLID, CORROSIVE, N.O.S. (CONTAINS : Sodium percarbonate ; Sodium hydroxide; caustic soda), 5.1 (8), III	UN 3085 OXIDIZING SOLID, CORROSIVE, N.O.S. (CONTAINS : Sodium percarbonate ; Sodium hydroxide; caustic soda), 5.1 (8), III	
14.3. Transport hazard	class(es)				
5.1 (8)	5.1 (8)	5.1 (8)	5.1 (8)	5.1 (8)	
5.1	5.1	5.1	5.1	5.1	
14.4. Packing group					
III	III	III	III	III	
14.5. Environmental haz	ards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No	
No supplementary information	n available			ı	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 14.6. Special precautions for user

**Overland transport** 

Classification code (ADR) : OC2
Special provisions (ADR) : 274
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, R001

Special packing provisions (ADR) : B3
Mixed packing provisions (ADR) : MP2
Portable tank and bulk container instructions (ADR) : T1
Portable tank and bulk container special provisions : TP33

(ADR)

Tank code (ADR) : SGAN
Tank special provisions (ADR) : TU3
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Loading, unloading : CV24

and handling (ADR)

Hazard identification number (Kemler No.) : 58

Orange plates :

58 3085

Tunnel restriction code (ADR) : E EAC code : 1W

Transport by sea

Special provisions (IMDG) : 223, 274 : 5 kg Limited quantities (IMDG) Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P002 IBC packing instructions (IMDG) IBC08 IBC special provisions (IMDG) В3 Tank instructions (IMDG) T1 Tank special provisions (IMDG) **TP33** EmS-No. (Fire) F-A EmS-No. (Spillage) S-Q Stowage category (IMDG) В Stowage and handling (IMDG) : H1

Segregation (IMDG) : SG38, SG49, SG60

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes. Particular care in handling should be

exercised if packages have become wetted.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) Y545 PCA limited quantity max net quantity (IATA) 5kg PCA packing instructions (IATA) 559 PCA max net quantity (IATA) 25kg CAO packing instructions (IATA) 563 CAO max net quantity (IATA) 100kg Special provisions (IATA) A3, A803 ERG code (IATA) 5C

Inland waterway transport

Classification code (ADN) : OC2
Special provisions (ADN) : 274
Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Rail transport

Classification code (RID) : OC2
Special provisions (RID) : 274
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, R001

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP2

Portable tank and bulk container instructions (RID) : T1

Portable tank and bulk container special provisions : TP33

(RID)

Tank codes for RID tanks (RID) : SGAN
Special provisions for RID tanks (RID) : TU3
Transport category (RID) : 3
Special provisions for carriage - Loading, unloading : CW24

and handling (RID)

Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 58

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

## Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Detergent Regulation (648/2004)**

Labelling of contents		
Component	%	
oxygen-based bleaching agents	≥30%	
perfumes		

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
VOC	Volatile Organic Compounds		
CAS-No.	Chemical Abstract Service number		
N.O.S.	Not Otherwise Specified		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H272	May intensify fire; oxidiser.	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H412	Harmful to aquatic life with long lasting effects.	
Met. Corr. 1	Corrosive to metals, Category 1	
Ox. Sol. 3	Oxidising Solids, Category 3	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.