

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law. Issue date: 20/06/2025 Version: 1.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture
Product name : HG hob cleaner
Product code : 109 ART
Type of product : Detergent
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

1.2.2. Uses advised against

Restrictions on use : All other uses not recommended above

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

HG International B.V.
P.J. Oudweg 41
NL- 1314 CJ Almere
The Netherlands
T +31 (0)36 54 94 700
safety@hg.eu - www.hg.eu

### 1.4. Emergency telephone number

Emergency number : +31 (0)36 54 94 777

Only for medical personnel

Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to GB CLP (SI 2019:720 as amended)

Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### 2.2. Label elements

### Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP)



GHS07

Signal word (GB CLP) : Warning

Hazard statements (GB CLP) : H319 - Causes serious eye irritation.

Precautionary statements (GB CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection, face protection and

hearing protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice or attention.

Child-resistant fastening : Not applicable Tactile warning : Not applicable

### 2.3. Other hazards

Component	
Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII	propan-2-ol; isopropyl alcohol; isopropanol (67-63-0), D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1), Sodium hydroxide; caustic soda (1310-73-2), Bornan-2-one (76-22-2)
Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII	propan-2-ol; isopropyl alcohol; isopropanol (67-63-0), D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1), Sodium hydroxide; caustic soda (1310-73-2), Bornan-2-one (76-22-2)
Component	
Substance(s) not considered as endocrine disrupting. They are not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, nor identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP	propan-2-ol; isopropyl alcohol; isopropanol(67-63-0), D-Glucopyranose, oligomers, decyl octyl glycosides(68515-73-1), Sodium hydroxide; caustic soda(1310-73-2), Bornan-2-one (76-22-2)

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	Classification according to GB CLP (SI 2019:720 as amended)
propan-2-ol; isopropyl alcohol; isopropanol substance with workplace exposure limit(s)	CAS-No.: 67-63-0 EC-No.: 200-661-7 UK Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
D-Glucopyranose, oligomers, decyl octyl glycosides	CAS-No.: 68515-73-1 EC-No.: 500-220-1 REACH-no: 01-2119488530- 36	≥1-<2	Eye Dam. 1, H318
Sodium hydroxide; caustic soda substance with workplace exposure limit(s)	CAS-No.: 1310-73-2 EC-No.: 215-185-5 UK Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	≥ 0.001 – < 0.1	Skin Corr. 1, H314 Eye Dam. 1, H318
Bornan-2-one substance with workplace exposure limit(s)	CAS-No.: 76-22-2 EC-No.: 200-945-0 REACH-no: 01-2119966156- 31	≥ 0.001 - < 0.01	Flam. Sol. 1, H228 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411

Specific concentration limits:			
Name	Product identifier	Specific concentration limits (%)	
Sodium hydroxide; caustic soda	EC-No.: 215-185-5	$(0.5 \le C < 2)$ Skin Irrit. 2; H315 $(0.5 \le C < 2)$ Eye Irrit. 2; H319 $(2 \le C < 5)$ Skin Corr. 1B; H314 $(5 \le C \le 100)$ Skin Corr. 1A; H314	

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

No additional information available

# 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

No additional information available

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Intense heat may cause container to burst.

# 5.3. Advice for firefighters

No additional information available

### Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

No additional information available

#### 6.3. Methods and material for containment and cleaning up

For containment : Stop leak if safe to do so. Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

### 6.4. Reference to other sections

No additional information available

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

No additional information available

## 7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : > 0 - < 30 °C

Heat and ignition sources : Keep away from heat and direct sunlight.

Special rules on packaging : Keep only in original container. Opened containers must be carefully closed and kept

upright to avoid leakage.

## 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Local name

### 8.1.1 National occupational exposure and biological limit values

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
United Kingdom - Occupational Exposure Limits		
Local name	Propan-2-ol	
WEL TWA (OEL TWA)	999 mg/m³	
	400 ppm	
WEL STEL (OEL STEL)	1250 mg/m³	
	500 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Sodium hydroxide; caustic soda (1310-73-2)		
United Kingdom - Occupational Exposure Limits		

Sodium hydroxide

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Sodium hydroxide; caustic soda (1310-73-2)	
WEL STEL (OEL STEL)	2 mg/m³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Bornan-2-one (76-22-2)	
United Kingdom - Occupational Exposure Limits	
Local name	Bornan-2-one
WEL TWA (OEL TWA)	13 mg/m³
	2 ppm
WEL STEL (OEL STEL)	19 mg/m³
	3 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

## 8.2.2. Personal protection equipment

#### Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Wear foot protection.

### Personal protective equipment symbol(s):









### 8.2.2.1. Eye and face protection

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Normal use conditions		EN 166

### 8.2.2.2. Skin protection

Skin and body protection		
Туре	Standard	
Long sleeved protective clothing		
Chemical resistant safety shoes	EN ISO 20345	

### Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374

#### 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid : Colourless. Colour : Characteristic. Odour Odour threshold : Not available рΗ : 10.5 pH solution concentration : 100 % Melting point : Not available : Not available Freezing point : Not available Boiling point Flash point : 41.5 °C (closed cup)

Not sustained combustibility

Explosive limits : Not available
Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Relative vapour density at 20°C : Not available
Relative density : 0.997
Density : Not available

Solubility : Soluble in the following materials: cold water and hot water.

Partition coefficient n-octanol/water (Log Kow) : Not available
Auto-ignition temperature : Not available
Decomposition temperature : Not available
Viscosity, kinematic : Not available
Explosive properties : Not available

### 9.2. Other information

Particle characteristics : Not applicable

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

# 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

No additional information available

### Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

# **SECTION 11: Toxicological information**

1	1.1	I. Int	formation	on on t	oxicol	ogical	effects
---	-----	--------	-----------	---------	--------	--------	---------

Acute toxicity (oral) : Not classified (Conclusive but not sufficient for classification)

Acute toxicity (dermal) : Not classified (Conclusive but not sufficient for classification)

Acute toxicity (inhalation) : Not classified (Conclusive but not sufficient for classification)

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LD50 oral rat	5840 mg/kg Source: ECHA
LD50 oral	4396 mg/kg bodyweight
LD50 dermal rabbit	12800 mg/kg Source: ECHA
LC50 Inhalation - Rat (Dust/Mist) 46600 mg/l	

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal	> 2000 ma/ka hodyweiaht

# Bornan-2-one

(76-22-2)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 10 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	> 5 mg/l

Skin corrosion/irritation : Not classified (Conclusive but not sufficient for classification)
pH: 10.5

## Sodium hydroxide; caustic soda (1310-73-2)

pH > 14

Serious eye damage/irritation : Causes serious eye irritation.

pH: 10.5

#### Sodium hydroxide; caustic soda (1310-73-2)

pH > 14

Respiratory or skin sensitisation : Not classified (Conclusive but not sufficient for classification)
Germ cell mutagenicity : Not classified (Conclusive but not sufficient for classification)
Carcinogenicity : Not classified (Conclusive but not sufficient for classification)
Reproductive toxicity : Not classified (Conclusive but not sufficient for classification)
STOT-single exposure : Not classified (Conclusive but not sufficient for classification)

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
STOT-single exposure	May cause drowsiness or dizziness.	
Bornan-2-one (76-22-2)		
STOT-single exposure	May cause damage to organs.	
STOT-repeated exposure :	Not classified (Conclusive but not sufficient for classification)	
Aspiration hazard :	Not classified (Conclusive but not sufficient for classification)	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Viscosity, kinematic	2.658 mm²/s	

### Other information

#### **Endocrine disrupting properties**

No additional information available

#### Other information

No additional information available

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term

: Not classified (Conclusive but not sufficient for classification)

: Not classified (Conclusive but not sufficient for classification)

(chronic)

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas	
D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)		
LC50 - Fish [1]	100.81 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
LC50 - Fish [2]	170 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna	
EC50 - Crustacea [2]	31.62 mg/l (OECD 202 method)	
EC50 72h - Algae [1]	27.22 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h - Algae [2]	37 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
NOEC chronic fish	1.8 mg/l Brachydanio rerio (zebra-fish)	
NOEC chronic crustacea	2 mg/l Daphnia magna (Water flea)	
Sodium hydroxide; caustic soda (1310-73-2)		
LC50 - Fish [1]	> 35 mg/l	
EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.	
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea	

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

# 12.2. Persistence and degradability

HG hob cleaner		
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Persistence and degradability	Rapidly degradable	
D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	100 % (OECD 301E method)	
Sodium hydroxide; caustic soda (1310-73-2)		
Persistence and degradability	Rapidly degradable	
Bornan-2-one (76-22-2)		
Persistence and degradability	Rapidly degradable	

# 12.3. Bioaccumulative potential

HG hob cleaner		
Bioaccumulative potential	No bioaccumulation expected.	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05	
D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)		
Bioconcentration factor (BCF REACH)	< 100	
Partition coefficient n-octanol/water (Log Kow)	≤ -0.07 at 20 °C	
Sodium hydroxide; caustic soda (1310-73-2)		
Partition coefficient n-octanol/water (Log Pow)	-3.88	
Bornan-2-one		
(76-22-2)		
Partition coefficient n-octanol/water (Log Pow)	2.38 Source: HSDB	

# 12.4. Mobility in soil

HG hob cleaner	
Ecology - soil	Expected to be highly mobile in soil.
D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)	
Mobility in soil 0.2624 Source: EPISUITE	

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### 12.5. Results of PBT and vPvB assessment

Component	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII
D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII
Sodium hydroxide; caustic soda (1310-73-2)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII
Bornan-2-one (76-22-2)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII

### 12.6. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Regional waste regulation

Ecological waste information

: Dispose of in accordance with relevant local regulations.

Product/Packaging disposal recommendations Empty containers retain product residue and can be hazardous. Do not dispose of the packaging without first carrying out the necessary cleaning. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.

Recycling is preferred to disposal or incineration.

HP Code HP4 - "Irritant - skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated for transport				
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
Transport document description				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

### Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

ADR	IMDG	IATA	ADN	RID
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

#### 14.6. Special precautions for user

#### **Overland transport**

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. National regulations

#### **UK REACH Annex XVII (Restriction List)**

This product contains no substance(s) listed on UK REACH Annex XVII (Restriction List) equal to or above the level of SDS disclosure

#### **UK REACH Annex XIV (Authorisation List)**

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

#### **UK REACH Candidate List (SVHC)**

This product contains no substance(s) listed on the UK REACH Candidate List (SVHC) above the 0.1% level of disclosure

### **Detergent Regulation (648/2004)**

Contains no ingredient(s) required to be listed according to the Detergent Regulation (648/2004).

#### **GB PIC regulation (Prior Informed Conset)**

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

#### **POP Regulation (Persistent Organic Pollutants)**

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

#### Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

#### **Control of Poisons and Explosives Precursors Act**

This product contains substance(s) listed on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure: Sodium hydroxide - 1310-73-2 (12 % of total caustic alkalinity)

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

#### **Drug Precursors Regulation (273/2004)**

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

#### 15.1.2. Other Information

### 15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

Training advice

Other information

- : Normal use of this product shall imply use in accordance with the instructions on the packaging. Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.
- : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	
H225	Highly flammable liquid and vapour.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Eye Irrit. 2	H319	Calculation method

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.