

Conforms to Regulation (EC) No. 1907/2006(REACH) Annex II, as amended by UK REACH Regulation SI 2019/758

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : HG GRAFFITY REMOVER

Product code : 127 ART

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. PC35 Heavy duty cleaning products for stone and

similar surfaces.

1.3. Details of the supplier of the safety data sheet

Supplier : HG UKI LTD

Weston Business Centre Parsonage Road

CM22 6PU Takeley, Great Britain

Telephone : +44 (0)1206 822 744

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

GB - Telephone : +44 (0)1206 822 744 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):

National Poisons Information Service +44 344 892 0111 (24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Flammable liquid, category 3. Serious eye damage, category 1.

(1272/2008/EC)

Human health hazards : Causes serious eye damage.

Physical/chemical hazards : Flammable.

Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

2.2. Label elements

Label elements ((EU) 1272/2008):

Hazard pictograms :





Signal word : Danger

H- and P-phrases : H226 Flammable liquid and vapour.

H318 Causes serious eye damage.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P280 Wear eye protection or face protection.

P305+P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

+P338 lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to an official chemical waste depot.

Product name : HG Graffity Remover : Page 1/10

Date of issue : 2025-04-30 Replaces issue dated : --- INFO CARE SDS



Conforms to Regulation (EC) No. 1907/2006(REACH) Annex II, as amended by UK REACH Regulation SI 2019/758

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms

Signal word : Danger

H- and P-phrases : H318 Causes serious eye damage.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear eye protection or face protection.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

+ P338 lenses, if present and easy to do. Continue rinsing. P310 lmmediately call a POISON CENTER/doctor.

Additional labelling (for all packaging sizes)

: Contains: 2-Propylheptyl alcohol, ethoxylated .

Ingredient declaration according to Regulation EC 648/2004:

Contains:	Concentration (%)
Non-ionic surfactants	5 - 15

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%. Human health: This

product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher. Environment: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture. Information on hazardous substances:

Substance name	Concentration	CAS nr.	EC number	Remark	REACH nr.
	(w/w) (%)				
Ethyl 3-ethoxypropionate	10 - < 20	763-69-9	212-112-9		
2-Propylheptyl alcohol, ethoxylated	3 - < 10	160875-66-1	 		
Ethanol	5 - < 10	64-17-5	200-578-6		
Citric acid	1 - < 5	77-92-9	201-069-1		

Substance name	Hazard Class	H-phrases	Pictograms	
Ethyl 3-ethoxypropionate	Flam. Liq. 3	H226; EUH066	GHS02	
2-Propylheptyl alcohol, ethoxylated	Acute Tox. 4; Eye Dam.	H302; H318	GHS05; GHS07	
	1			
Ethanol	Flam. Liq. 2; Eye Irrit. 2	H225; H319	GHS02; GHS07	H319 : C >= 50 %
Citric acid	Eye Irrit. 2; STOT SE 3	H319; H335	GHS07	

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

Product name : HG Graffity Remover Page 2/10

Date of issue : 2025-04-30 Replaces issue dated : --- INFO CARE SDS



Conforms to Regulation (EC) No. 1907/2006(REACH) Annex II, as amended by UK REACH Regulation SI 2019/758

4.1. Description of first aid measures

First aid measures

Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water before product dries up.

Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor

immediately.

Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a

knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim

feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : May cause headache, dizziness and a feeling of sickness.

Skin contact : May cause dry skin.

Eye contact : Strongly irritant. Irreversible effects on the eye/serious damage to eyes. May cause redness and

severe pain.

Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.

Not suitable : Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.

Hazardous thermal : Carbon monoxide may be evolved if incomplete combustion occurs.

decomposition and combustion products

5.3. Advice for firefighters

Special protective : Use adequate respiratory equipment in case of insufficient ventilation.

equipment for fire-fighters

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact

with spilled or released material. Keep away from sources of ignition — No smoking. Vapours are

heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions: Avoid release of product into sewers, surface water and/or ground water. In case of large spills:

contain with dike.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to

occur.

6.3. Methods and material for containment and cleaning up

Product name : HG Graffity Remover : Page 3/10

Date of issue : 2025-04-30 Replaces issue dated : --- INFO CARE SDS



Conforms to Regulation (EC) No. 1907/2006(REACH) Annex II, as amended by UK REACH Regulation SI 2019/758

Methods for cleaning up

: Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an

authorised waste collection point. Wash away remainder with plenty of water.

6.4. Reference to other sections

Reference to other sections: See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas.

> Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding

(earthing) all equipment. Do not breathe vapour. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

: Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Protect from sunlight. Keep away Storage

from oxidizing agents.

Recommended packaging

Non recommended

packaging

Keep only in the original container. Steel (except stainless steel).

7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure

limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have

not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Ethanol		260	1900	-	MAC: NL
	GB	1920	-	-	

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
		Local effect Systemic effect		Local effect	Systemic effect
Ethyl 3-ethoxypropionate	Dermal	102 mg/kg bw			102 mg/kg bw/day
	Inhalation	610 mg/m3			610 mg/m3
Ethanol	Inhalation	1900 mg/m3			950 mg/m3
	Dermal				343 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect
Ethyl 3-ethoxypropionate	Dermal			24,2 mg/kg bw/	24,2 mg/kg bw/day
				day	
	Inhalation				72,6 mg/m3

Product name : HG Graffity Remover Page 4/10

Date of issue : 2025-04-30 Replaces issue dated **INFO CARE SDS**



Conforms to Regulation (EC) No. 1907/2006(REACH) Annex II, as amended by UK REACH Regulation SI 2019/758

 Ethanol	Oral Inhalation	950 mg/m3		1,2 mg/kg bw/day 114 mg/m3
	Dermal			206 mg/kg bw/day
	Oral			87 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Ethyl 3-ethoxypropionate	Water	0.0609 mg/l	0.0061 mg/l	
	Sediment	0.419 mg/kg	0.0419 mg/kg	
	STP			50 mg/l
	Soil			0.048 mg/kg
Ethanol	Water	0,96 mg/l	0,79 mg/l	
	Sediment	3,6 mg/kg	2,9 mg/kg	
	Intermittent water			2,75 mg/l
	STP			580 mg/l
	Soil			0,63 mg/kg
	Oral			0,72 mg/kg food
Citric acid	Water	0,44 mg/l	0,044 mg/l	
	Sediment	34,6 mg/kg	3,46 mg/kg	
	STP			1000 mg/l
	Soil			33,1 mg/kg

8.2. Exposure controls

: Use only in well-ventilated areas. Comply with standard precautionary measures for working with **Engineering measures**

chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection Use of specific protective industrial clothing is not required under normal conditions of use.

Respiratory protection Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale

exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance

Hand protection Under normal conditions of use specific gloves are not required.

Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state : Liquid. Colour Colourless. Odour Characteristic. Odour threshold : Not known.

рΗ : NK 10% solution.

: Emulsifiable. Solubility in water

Partition coefficient (n-oc-: Not applicable. Contains surfactants. The O/W system emulsifies. Not measured. Not tanol/water)

relevant for mixtures.

Flash point : 33 °C Closed cup.

Flammability (solid, gas) : Not applicable. Liquid. See flashpoint.

Auto ignition temperature : 220 °C

: HG Graffity Remover Product name Page 5/10 Date of issue : 2025-04-30 Replaces issue dated **INFO CARE SDS**



Conforms to Regulation (EC) No. 1907/2006(REACH) Annex II, as amended by UK REACH Regulation SI 2019/758

Boiling point/boiling range : > 60 °C Melting point/melting range: Not known. Explosive properties : Not explosive.

Explosion limits (% in air) Lower explosion limit in air (%): 0,8 (Reaction mass of dimethyl adipate : Not known.

(air = 1)

and dimethyl glutarate and dimethyl succinate) Upper explosion limit in air (%): 19 (Ethanol)

Does not contain oxidizing substances. Oxidising properties : Not applicable.

Decomposition temperature: Not applicable.

: > 5000 mm2/sec Viscosity (20°C) (1 mm2/sec = 1cSt)

Viscosity (40°C) : 5658 mm2/sec Vapour pressure (20°C) : > 2300 Pa

Relative vapour density

Relative density (20°C) 0,997 g/ml

Particle characteristics : Not applicable.

Liquid.

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

: Stable under normal conditions. Stability

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from bases. Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known.

products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 29 %. ATE: > 5 mg/l. Low toxicity. Not

classified - based on available data, the classification criteria are not met. May cause headache,

dizziness and a feeling of sickness.

Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.

Sensitisation Does not contain substances classified as respiratory sensitiser. Not classified - based on available

data, the classification criteria are not met.

Carcinogenicity : Not classified - based on available data, the classification criteria are not met.

Product name : HG Graffity Remover Page 6/10 Date of issue : 2025-04-30 Replaces issue dated **INFO CARE SDS**



Conforms to Regulation (EC) No. 1907/2006(REACH) Annex II, as amended by UK REACH Regulation SI 2019/758

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Skin contact

Acute toxicity : Calculated LD50: > 2735 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the

classification criteria are not met.

Sensitisation : Does not contain skin sensitisers. Not classified - based on available data, the classification criteria

are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Eye contact

Corrosion/irritation : Risk of serious damage to eyes.

Ingestion

Acute toxicity : Calculated LD50: > 4854 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Aspiration : Not classified - based on available data, the classification criteria are not met. Does not contain

substances with an aspiration hazard.

Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.

Carcinogenicity : Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available

data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not

classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
2-Propylheptyl alcohol, ethoxylated	Eye irritation	Severely irritant		Rabbit
	LC50 (inhalation) -	> 5000 mg/m3	Read across	
	estimate			
	LD50 (oral) - estimate	> 300 mg/kg bw	Read across	Rat
	Skin irritation	Slightly irritant	OECD 401	

11.2. Information on other hazards

Endocrine disrupting

properties

: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Other information : Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 31 mg/l. Calculated EC50 (waterflea): 66 mg/l. Contains 0 % of components

with unknown hazards to the aquatic environment. Not classified - based on available data, the

classification criteria are not met.

12.2. Persistence and degradability

Persistence – degradability: No specific information known. The surfactants contained in this preparation comply with the

biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

 $\label{eq:bioaccumulative potential} \quad \hbox{i. No specific information known.}$

Product name : HG Graffity Remover : Page 7/10

Date of issue : 2025-04-30 Replaces issue dated : --- INFO CARE SDS



Conforms to Regulation (EC) No. 1907/2006(REACH) Annex II, as amended by UK REACH Regulation SI 2019/758

12.4. Mobility in soil

Mobility : Spilled product can penetrate into the ground and get into the surface water and ground water.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Endocrine disrupting properties

Endocrine disrupting

properties

: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7. Other adverse effects

Other adverse effects : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat

product residues and non-empty pack as hazardous waste.

Additional warning : Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.

Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a

waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local regulations may be more stringent than regional or national requirements and must be

complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : UN 1993

14.2. UN proper shipping name

Transport name : FLAMMABLE LIQUID, N.O.S. (Ethyl 3-ethoxypropionate; Ethanol)
Transport name (IMDG, : FLAMMABLE LIQUID, N.O.S. (Ethyl 3-ethoxypropionate; Ethanol)

IATA)

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 3
Classification code : F1
Packaging group : III
Danger label : 3
Tunnel restriction : D/E

code

3

Product name : HG Graffity Remover : Page 8/10

Date of issue : 2025-04-30 Replaces issue dated : --- INFO CARE SDS



Conforms to Regulation (EC) No. 1907/2006(REACH) Annex II, as amended by UK REACH Regulation SI 2019/758

Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 3 Packaging group : III

EmS (fire / spill) : F - E / S - E

Marine pollutant : No

IATA (air)

Class : 3 ERG code : 3H

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to

the transport of this product.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO)

instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other

regulations. Regulation (EC) No 648/2004 (detergents). Directive 2008/98/EC (waste).

15.2. Chemical safety assessment

Chemical safety assessment

: Not applicable.

SECTION 16

OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be used (but not necessarily are used) in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CLP : Classification, Labeling & Packaging

CMR : Carcinogenic, Mutagenic or toxic for Reproduction

EEC : European Economic Community

GHS : Globally Harmonized System of Classification and Labelling of Chemicals

IATA : International Air Transport Association

IBC code : The IMO International Code for construction and equipment of ships carrying dangerous chemicals

in bulk

IMDG : International Maritime Dangerous Goods Code LD50/LC50 : Lethal Dose/Concentration for 50% of a population

MAC : Maximum Allowable Concentration

Product name : HG Graffity Remover Page 9/10

Date of issue : 2025-04-30 Replaces issue dated : --- INFO CARE SDS



Conforms to Regulation (EC) No. 1907/2006(REACH) Annex II, as amended by UK REACH Regulation SI 2019/758

MARPOL : International Convention for the Prevention of Pollution From Ships

NO(A)EL : No Observed (Adverse) Effect Level

OECD : Organisation for Economic Co-operation and Development

PBT : Persistent, Bioaccumulative and Toxic

PC : Chemical product category

PT : Product type

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STP : Sewage Treatment Plant

SU : Sector of Use

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit

UN : United Nations

UFI : Unique formula identifier
VOC : Volatile Organic Compounds

vPvB : Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Flam. Liq. 3 : On basis of test data. Eye Dam. 1 : Calculation method.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 2 : Flammable liquid, category 2.
Flam. Liq. 3 : Flammable liquid, category 3.
Acute Tox. 4 : Acute toxicity, category 4.
Eye Dam. 1 : Serious eye damage, category 1.

Eye Irrit. 2 : Eye irritation, category 2.

STOT SE 3 : Specific target organ toxicity after single exposure, category 3.

Full text of H-phrases mentioned in section 3:

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

EUH066 Repeated exposure may cause skin dryness or cracking.

Advice on any training appropriate for workers: none.

Country / Language code : GB / EN

Number format : "," used as decimal separator.

End of safety data sheet.

Product name : HG Graffity Remover : Page 10/10

Date of issue : 2025-04-30 Replaces issue dated : --- INFO CARE SDS