

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878. Issue date: 08/07/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : HG oven, grill and barbecue cleaner

Product code : 138 ART
Type of product : Detergent
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

Function or use category : Cleaners for kitchen machinery and equipment

1.2.2. Uses advised against

Restrictions on use : All other uses not recommended above

1.3. Details of the supplier of the safety data sheet

Manufacturer Distributor
HG International B.V. HG UKI LTD

P.J. Oudweg 41 Weston Business Centre NL- 1314 CJ Almere Parsonage Road

The Netherlands UK- CM22 6PU Takeley - Essex

T +31 (0)36 54 94 700 United Kingdom <u>safety@hg.eu</u> - <u>www.hg.eu</u> T +44 (0) 1206 822 744

www.hg.eu

1.4. Emergency telephone number

Emergency number : +31 (0)36 54 94 777

Only for medical personnel

Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Skin corrosion/irritation, Category 1, Sub-Category 1B H314
Serious eye damage/eye irritation, Category 1 H318
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

2.2. Label elements

Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP)



GHS

Signal word (GB CLP) : Danger

Contains : Sodium hydroxide; caustic soda; D-Glucopyranose, oligomers, decyl octyl glycosides;

Sodium etasulphate; Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs.

Hazard statements (GB CLP) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (GB CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P280 - Wear protective gloves, eye protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor.

P501 - Dispose of contents and container to an approved waste disposal plant.

Child-resistant fastening : Applicable Tactile warning : Applicable

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with UK REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Labelling according to GB CLP (SI 2019:720 as amended)
Water	CAS-No.: 7732-18-5 EC-No.: 231-791-2	≥ 75 – < 90	Not classified
Sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 UK Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	≥2-<5	Skin Corr. 1, H314 Eye Dam. 1, H318
D-Glucopyranose, oligomers, decyl octyl glycosides	CAS-No.: 68515-73-1 EC-No.: 500-220-1 REACH-no: 01-2119488530- 36	≥ 2 – < 5	Eye Dam. 1, H318
Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs.	CAS-No.: 85536-14-7 EC-No.: 287-494-3 REACH-no: 01-2119490234- 40	≥2-<5	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Name	Product identifier	%	Labelling according to GB CLP (SI 2019:720 as amended)
Sodium etasulphate	CAS-No.: 126-92-1 EC-No.: 204-812-8 REACH-no: 01-2119971586- 23	≥2-<5	Skin Irrit. 2, H315 Eye Dam. 1, H318

Specific concentration limits:				
Name	Product identifier	Specific concentration limits (%)		
Sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 UK Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	$(0.5 \le C < 2)$ Skin Irrit. 2, H315 $(0.5 \le C < 2)$ Eye Irrit. 2, H319 $(2 \le C < 5)$ Skin Corr. 1B, H314 $(5 \le C \le 100)$ Skin Corr. 1A, H314		

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

: Call a physician immediately. First-aid measures general

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy First-aid measures after eye contact

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

: Although no appropriate human or animal health effects data are known to exist, this Symptoms/effects after inhalation

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact Burns.

Symptoms/effects after eye contact Serious damage to eyes.

Symptoms/effects after ingestion Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Explosion hazard : Intense heat may cause container to burst.

: Thermal decomposition generates : Carbon dioxide. Carbon monoxide. Sulphur oxides. Hazardous decomposition products in case of fire

Metallic oxides.

5.3. Advice for firefighters

Precautionary measures fire : Runoff from fire control or dilution water may cause pollution.

Firefighting instructions Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection. Control run-off water by containing

and keeping it out of sewers and watercourses.

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not handle until all safety precautions have been read and understood. Stop leak if safe

to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to

prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Do not touch or walk on the

spilled product. Avoid contact with skin and eyes. Do not breathe mist, vapours.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak if safe to do so. Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not

breathe mist, vapours. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store in dry, cool, well-ventilated area. Store locked up.

Incompatible materials : Acids.

Storage temperature : > 0 - < 30 °C

Special rules on packaging : Keep only in original container. Opened containers must be carefully closed and kept

upright to avoid leakage.

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

12/09/2023 (Revision date) GB - en 4/16

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Sodium hydroxide; caustic soda (1310-73-2)	odium hydroxide; caustic soda (1310-73-2)	
United Kingdom - Occupational Exposure Limits		
Local name	Sodium hydroxide	
WEL STEL (OEL STEL)	2 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment - Report preview:

Safety glasses. Gloves. Protective clothing. Wear foot protection.

Personal protective equipment symbol(s):









8.2.2.1. Eye and face protection

Eye protection - Report preview:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Chemical goggles or face shield	Droplet		EN 166
Safety glasses with side shields	Normal use conditions		EN 166

8.2.2.2. Skin protection

Skin and body protection - Report preview:

Wear suitable protective clothing

Skin and body protection	
Туре	Standard
Use chemically protective clothing	EN 13034

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Skin and body protection		
Туре	Standard	
Long sleeved protective clothing		
Chemical resistant safety shoes	EN ISO 20345	

Hand protection - Report preview:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection - Report preview:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : light yellow. Odour : Characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : 100 °C Flammability : Non flammable. Explosive limits : Not available Flash point : Not available : Not available Auto-ignition temperature Decomposition temperature : Not available : 13 – 13.5 pН Viscosity, kinematic : Not available

Solubility : Soluble in the following materials: cold water and hot water. Methanol. n-octanol. Acetone.

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : 1.05 – 1.06 Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

Water (7732-18-5)	
Boiling point	100 °C

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Water (7732-18-5)	
Vapour pressure	2300 Pa 25°C

Sodium hydroxide; caustic soda (1310-73-2)		
Boiling point	1388 °C Atm. press.: 101,325 kPa Decomposition: 'no' Remarks on result: 'other:'	
Vapour pressure	0 Pa 25°C	

D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)	
Boiling point > 250 °C	
Vapour pressure	17 mm Hg

Sodium etasulphate (126-92-1)	
Boiling point ≈ 191 °C Atm. press.: 1012 mBar Decomposition: 'yes' Decomp. temp.: 191 °C	
Auto-ignition temperature 400 °C Source: ECHA	
Vapour pressure	≤ 1.2 Pa Temp.: 20 °C Remarks on result: 'other:'

Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7)		
Boiling point 189.05 °C Atm. press.: 102,1 kPa		
Vapour pressure 0.000000001 mm Hg Temp.: 25 °C		

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

SECTION 11: Toxicological information

- Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)	SECTION 11: Toxicological information		
Acute toxicity (climalation) Water (7732-18-5) LD50 oral rat 90000 mg/kg 90000 mg/kg bodyweight LD50 oral 90000 mg/kg bodyweight LD50 oral rat 90000 mg/kg bodyweight ATE GB CLP (oral) 90000 mg/kg bodyw	11.1. Information on toxicological effects		
LD50 oral rat \$90000 mg/kg bodyweight \[\text{LD50 oral} \] \[\text{> 900000 mg/kg bodyweight} \] \[\text{LD50 oral} \] \[\text{> 900000 mg/kg bodyweight} \] \[\text{D50 oral rat} \] \[\text{> 900000 mg/kg bodyweight} \] \[\text{D50 oral rat} \] \[\text{> 900000 mg/kg bodyweight} \] \[\text{D50 oral rat} \] \[\text{\text{> 20000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxici - Acute Toxic Class Method), Guideline: EU Nethod B.1 tris (Acute Oral Toxicity) - Acute Toxic Class Method), Guideline: DECD Guideline 402 (Acute Dermal Toxicity) \[\text{LD50 dermal rabbit} \] \[\text{\tex	Acute toxicity (dermal) :	Not classified (Conclusive but not sufficient for classification)	
LD50 oral	Water (7732-18-5)		
LD50 dermal > 90000 mg/kg bodyweight ATE GB CLP (oral) 90000 mg/kg bodyweight D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1) LD80 oral rat 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxici -Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal rabbit 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal rat 4000 mg/kg Source: NLM LD50 dermal rat 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal rat 4000 mg/kg Source: NLM ATE GB CLP (oral) 4000 mg/kg bodyweight ATE GB CLP (dermal) 6540 mg/kg Source: NLM ATE GB CLP (dermal) 6540 mg/kg bodyweight Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7) LD50 dermal rat 21470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other: ATE GB CLP (oral) 500 mg/kg bodyweight ATE GB CLP (oral) 500 mg/kg bodyweight Skin corrosion/irritetion 7 Sodium hydroxide; caustic soda (1310-73-2) pH 7 Sodium hydroxide; caustic soda (1310-73-2) pH 10.5 – 11.5 Serious eye damage/irritation Causes serious eye damage. pH: 13 – 13.5	LD50 oral rat	90000 mg/kg	
D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1) LD50 oral rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxici - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method) LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal rat 4000 mg/kg Source: NLM	LD50 oral	> 90000 mg/kg bodyweight	
D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1) LD50 oral rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxici - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method) LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal > 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal rat 4000 mg/kg Source: NLM LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal rabbit 6640 mg/kg Source: NLM ATE GB CLP (oral) 4000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7) LD50 dermal rat = 1470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1361 - 1588 LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402	LD50 dermal	> 90000 mg/kg bodyweight	
LD50 oral rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxici - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: OECD Guideline 402 (Acute Dermal Toxicity) D50 dermal	ATE GB CLP (oral)	90000 mg/kg bodyweight	
- Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method) LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal > 2000 mg/kg bodyweight Sodium etasulphate (126-92-1) LD50 dermal rat 4000 mg/kg Source: NLM LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal rabbit 6540 mg/kg Source: NLM ATE GB CLP (oral) 4000 mg/kg bodyweight ATE GB CLP (dermal) Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7) LD50 oral rat 2 1470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1361 - 1588 LD50 dermal rat 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 1361 - 1588 LD50 dermal rat 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) 500 mg/kg bodyweight Skin corrosion/irritation : Causes severe skin burns. ph: 13 – 13.5 Water (7732-18-5) pH 7 Sodium etasulphate (126-92-1) pH 10.5 – 11.5 Serious eye damage/irritation : Causes serious eye damage. ph: 13 – 13.5	D-Glucopyranose, oligomers, decyl octyl glyd	cosides (68515-73-1)	
LD50 dermal > 2000 mg/kg bodyweight Sodium etasulphate (126-92-1) LD50 oral rat 4000 mg/kg Source: NLM LD50 dermal rat 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal rabbit 6540 mg/kg Source: NLM ATE GB CLP (oral) 4000 mg/kg bodyweight ATE GB CLP (dermal) 6540 mg/kg bodyweight Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7) LD50 oral rat 2140 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1361 - 1588 LD50 dermal rat 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) 500 mg/kg bodyweight Skin corrosion/irritation : Causes severe skin burns. pH: 13 – 13.5 Water (7732-18-5) pH 7 Sodium hydroxide; caustic soda (1310-73-2) pH > 14 Sodium etasulphate (126-92-1) pH 10.5 – 11.5 Serious eye damage/irritation : Causes serious eye damage. pH: 13 – 13.5	LD50 oral rat		
Sodium etasulphate (126-92-1) LD50 oral rat 4000 mg/kg Source: NLM LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal rabbit 6540 mg/kg Source: NLM ATE GB CLP (oral) 4000 mg/kg bodyweight ATE GB CLP (dermal) 6540 mg/kg bodyweight Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7) LD50 oral rat = 1470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1361 - 1588 LD50 dermal rat = 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) 500 mg/kg bodyweight Skin corrosion/irritation : Causes severe skin burns. pH: 13 - 13.5 Water (7732-18-5) pH 7 Sodium hydroxide; caustic soda (1310-73-2) pH 10.5 - 11.5 Serious eye damage/irritation : Causes serious eye damage. pH: 13 - 13.5	LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LD50 oral rat 4000 mg/kg Source: NLM > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal rabbit 6540 mg/kg Source: NLM ATE GB CLP (oral) 4000 mg/kg bodyweight ATE GB CLP (dermal) 6540 mg/kg bodyweight Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7) LD50 oral rat 21470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1361 - 1588 LD50 dermal rat 2 > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) 500 mg/kg bodyweight Skin corrosion/irritation : Causes severe skin burns. pH: 13 - 13.5 Water (7732-18-5) pH 7 Sodium hydroxide; caustic soda (1310-73-2) pH 10.5 - 11.5 Serious eye damage/irritation : Causes serious eye damage. pH: 13 - 13.5	LD50 dermal	> 2000 mg/kg bodyweight	
LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal rabbit ATE GB CLP (oral) ATE GB CLP (dermal) Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7) LD50 oral rat ≈ 1470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1361 - 1588 LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) Skin corrosion/irritation : Causes severe skin burns. pH: 13 − 13.5 Water (7732-18-5) pH 7 Sodium hydroxide; caustic soda (1310-73-2) pH > 14 Sodium etasulphate (126-92-1) pH 10.5 − 11.5 Serious eye damage/irritation : Causes serious eye damage. pH: 13 − 13.5	Sodium etasulphate (126-92-1)		
Toxicity) LD50 dermal rabbit 6540 mg/kg Source: NLM ATE GB CLP (oral) 4000 mg/kg bodyweight ATE GB CLP (dermal) 6540 mg/kg bodyweight Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7) LD50 oral rat 21470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1361 - 1588 LD50 dermal rat 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) 500 mg/kg bodyweight Skin corrosion/irritation : Causes severe skin burns. pH: 13 – 13.5 Water (7732-18-5) pH 7 Sodium hydroxide; caustic soda (1310-73-2) pH > 14 Sodium etasulphate (126-92-1) pH 10.5 – 11.5 Serious eye damage/irritation : Causes serious eye damage. pH: 13 – 13.5	LD50 oral rat	4000 mg/kg Source: NLM	
ATE GB CLP (oral) ATE GB CLP (dermal) Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7) LD50 oral rat \$\times \text{1470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1361 - 1588} LD50 dermal rat \$\times \text{2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) \$\times \text{500 mg/kg bodyweight}\$ Skin corrosion/irritation \$\times \text{Causes severe skin burns.} \\ pH: 13 - 13.5 Water (7732-18-5) pH \$\times \text{77} Sodium hydroxide; caustic soda (1310-73-2)} pH \$\times \text{14} Sodium etasulphate (126-92-1)} pH \$\times \text{10.5} - 11.5 Serious eye damage/irritation \$\times \text{Causes serious eye damage.} \\ pH: 13 - 13.5	LD50 dermal rat		
ATE GB CLP (dermal) Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7) LD50 oral rat ≈ 1470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1361 - 1588 LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) Skin corrosion/irritation : Causes severe skin burns. pH: 13 – 13.5 Water (7732-18-5) pH 7 Sodium hydroxide; caustic soda (1310-73-2) pH > 14 Sodium etasulphate (126-92-1) pH 10.5 – 11.5 Serious eye damage/irritation : Causes serious eye damage. pH: 13 – 13.5	LD50 dermal rabbit	6540 mg/kg Source: NLM	
Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7) LD50 oral rat ≈ 1470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1361 - 1588 LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) Skin corrosion/irritation : Causes severe skin burns. pH: 13 – 13.5 Water (7732-18-5) pH 7 Sodium hydroxide; caustic soda (1310-73-2) pH > 14 Sodium etasulphate (126-92-1) pH 10.5 – 11.5 Serious eye damage/irritation : Causes serious eye damage. pH: 13 – 13.5	ATE GB CLP (oral)	4000 mg/kg bodyweight	
LD50 oral rat ~ 1470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1361 - 1588 LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: ATE GB CLP (oral) 500 mg/kg bodyweight Skin corrosion/irritation : Causes severe skin burns. pH: 13 – 13.5 Water (7732-18-5) pH	ATE GB CLP (dermal)	6540 mg/kg bodyweight	
Toxicity), 95% CL: 1361 - 1588 LD50 dermal rat	Benzenesulphonic acid, 4-C10-13-sec-alkyl do	erivs. (85536-14-7)	
Toxicity), Remarks on results: other: ATE GB CLP (oral) Skin corrosion/irritation : Causes severe skin burns. pH: 13 – 13.5 Water (7732-18-5) pH 7 Sodium hydroxide; caustic soda (1310-73-2) pH > 14 Sodium etasulphate (126-92-1) pH 10.5 – 11.5 Serious eye damage/irritation : Causes serious eye damage. pH: 13 – 13.5	LD50 oral rat	, , , , , , , , , , , , , , , , , , ,	
Skin corrosion/irritation : Causes severe skin burns. pH: 13 – 13.5 Water (7732-18-5) pH	LD50 dermal rat		
PH: 13 – 13.5 Water (7732-18-5) pH	ATE GB CLP (oral)	500 mg/kg bodyweight	
pH 7 Sodium hydroxide; caustic soda (1310-73-2) pH > 14 Sodium etasulphate (126-92-1) pH	Skin corrosion/irritation :		
Sodium hydroxide; caustic soda (1310-73-2) pH > 14 Sodium etasulphate (126-92-1) pH	Water (7732-18-5)		
pH > 14 Sodium etasulphate (126-92-1) pH	рН	7	
Sodium etasulphate (126-92-1) pH	Sodium hydroxide; caustic soda (1310-73-2)		
pH 10.5 – 11.5 Serious eye damage/irritation : Causes serious eye damage. pH: 13 – 13.5	рН	> 14	
Serious eye damage/irritation : Causes serious eye damage. pH: 13 – 13.5	Sodium etasulphate (126-92-1)		
pH: 13 – 13.5	рН	10.5 – 11.5	
Water (7732-18-5)	Serious eye damage/irritation :		
	Water (7732-18-5)		
pH 7	рН	7	

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Sodium hydroxide; caustic soda (1310-73-2)		
pH > 14		
Sodium etasulphate (126-92-1)		
рН	10.5 – 11.5	
Respiratory or skin sensitisation	Not classified (Conclusive but not sufficient for classification)	
Germ cell mutagenicity	: Not classified (Conclusive but not sufficient for classification)	
Carcinogenicity : Not classified (Conclusive but not sufficient for classification)		
Reproductive toxicity	: Not classified (Conclusive but not sufficient for classification)	
STOT-single exposure	: Not classified (Conclusive but not sufficient for classification)	
STOT-repeated exposure : Not classified (Conclusive but not sufficient for classification)		
Sodium etasulphate (126-92-1)		
LOAEL (oral, rat, 90 days)	1016 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)	
NOAEL (oral, rat, 90 days)	488 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)	
Aspiration hazard	: Not classified (Conclusive but not sufficient for classification)	

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term : Not classified (Conclusive but not sufficient for classification)

(acute)

Hazardous to the aquatic environment, long-term : Not classified (Conclusive but not sufficient for classification)

(chronic)

Sodium hydroxide; caustic soda (1310-73-2) LC50 - Fish [1] EC50 - Crustacea [1] 40.4 mg/l Test organisms (species): Ceriodaphnia sp. EC50 - Other aquatic organisms [1] > 33 mg/l waterflea D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1) LC50 - Fish [1] 100.81 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) LC50 - Fish [2] 170 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) EC50 - Crustacea [1] > 100 mg/l Test organisms (species): Daphnia magna EC50 - Crustacea [2] 31.62 mg/l (OECD 202 method) EC50 72h - Algae [1] 27.22 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)

Safety Data Sheet

EC50 72h - Algae [2]

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

EC50 72n - Aigae [2]	Scenedesmus subspicatus)	
NOEC chronic fish	1.8 mg/l Brachydanio rerio (zebra-fish)	
NOEC chronic crustacea	2 mg/l Daphnia magna (Water flea)	
Sodium etasulphate (126-92-1)		
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	483 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 511 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
LOEC (chronic)	6.86 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	1.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	≥ 1357 mg/l Test organisms (species): Pimephales promelas Duration: '42 d'	
Benzenesulphonic acid, 4-C10-13-sec-alkyl	derivs. (85536-14-7)	
LC50 - Fish [1]	1.67 mg/l Test organisms (species): Lepomis macrochirus	
EC50 - Crustacea [1]	2.9 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	7.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
NOEC (chronic)	1.18 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	1 mg/l days = 28 ; Species: Lepomis macrochirus (Bluegill); Data source: Literature data	
NOEC chronic fish		
12.2. Persistence and degradability		
12.2. Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
12.2. Persistence and degradability HG oven, grill and barbecue cleaner	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent	
12.2. Persistence and degradability HG oven, grill and barbecue cleaner Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent	
12.2. Persistence and degradability HG oven, grill and barbecue cleaner Persistence and degradability Water (7732-18-5)	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Rapidly degradable	
12.2. Persistence and degradability HG oven, grill and barbecue cleaner Persistence and degradability Water (7732-18-5) Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Rapidly degradable	
12.2. Persistence and degradability HG oven, grill and barbecue cleaner Persistence and degradability Water (7732-18-5) Persistence and degradability Sodium hydroxide; caustic soda (1310-73-2)	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Rapidly degradable Rapidly degradable	
12.2. Persistence and degradability HG oven, grill and barbecue cleaner Persistence and degradability Water (7732-18-5) Persistence and degradability Sodium hydroxide; caustic soda (1310-73-2) Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Rapidly degradable Rapidly degradable	
12.2. Persistence and degradability HG oven, grill and barbecue cleaner Persistence and degradability Water (7732-18-5) Persistence and degradability Sodium hydroxide; caustic soda (1310-73-2) Persistence and degradability D-Glucopyranose, oligomers, decyl octyl gly	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Rapidly degradable Rapidly degradable ycosides (68515-73-1)	
12.2. Persistence and degradability HG oven, grill and barbecue cleaner Persistence and degradability Water (7732-18-5) Persistence and degradability Sodium hydroxide; caustic soda (1310-73-2) Persistence and degradability D-Glucopyranose, oligomers, decyl octyl gly Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Rapidly degradable Rapidly degradable ycosides (68515-73-1) Readily biodegradable.	
12.2. Persistence and degradability HG oven, grill and barbecue cleaner Persistence and degradability Water (7732-18-5) Persistence and degradability Sodium hydroxide; caustic soda (1310-73-2) Persistence and degradability D-Glucopyranose, oligomers, decyl octyl gly Persistence and degradability Biodegradation	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Rapidly degradable Rapidly degradable ycosides (68515-73-1) Readily biodegradable.	
12.2. Persistence and degradability HG oven, grill and barbecue cleaner Persistence and degradability Water (7732-18-5) Persistence and degradability Sodium hydroxide; caustic soda (1310-73-2) Persistence and degradability D-Glucopyranose, oligomers, decyl octyl gly Persistence and degradability Biodegradation Sodium etasulphate (126-92-1)	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Rapidly degradable Rapidly degradable ycosides (68515-73-1) Readily biodegradable. 100 % (OECD 301E method) Rapidly degradable	

37 mg/l Test organisms (species): Desmodesmus subspicatus (previous name:

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

12.3. Bioaccumulative potential

HG oven, grill and barbecue cleaner			
Bioaccumulative potential Low bioaccumulation potential.			
Water (7732-18-5)			
Partition coefficient n-octanol/water (Log Pow)	-1.38		
Sodium hydroxide; caustic soda (1310-73-2)			
Partition coefficient n-octanol/water (Log Pow)	-3.88		
D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)			
Bioconcentration factor (BCF REACH)	< 100		
Partition coefficient n-octanol/water (Log Kow) ≤ -0.07 at 20 °C			
Sodium etasulphate (126-92-1)			
Partition coefficient n-octanol/water (Log Pow) -0.35			
Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7)			
Partition coefficient n-octanol/water (Log Pow) 2			

12.4. Mobility in soil

HG oven, grill and barbecue cleaner		
Ecology - soil Expected to be highly mobile in soil.		
D-Glucopyranose, oligomers, decyl octyl glycosides (68515-73-1)		
Mobility in soil 0.2624 Source: EPISUITE		

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation Waste treatment methods

: Dispose of in accordance with relevant local regulations.

Sewage disposal recommendations Product/Packaging disposal recommendations

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Disposal must be done according to official regulations. Do not flush down sewers.
- : Empty containers retain product residue and can be hazardous. Do not dispose of the packaging without first carrying out the necessary cleaning. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Disposal must be done according to official regulations. Do not pierce or burn, even after use.

Additional information Ecological information

: Recycling is preferred to disposal or incineration.

Do not re-use empty containers.

12/09/2023 (Revision date) GB - en 11/16

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 3267	UN 3267	UN 3267	UN 3267	UN 3267
14.2. UN proper shippin	g name			
CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS : Sodium hydroxide; caustic soda)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS : Sodium hydroxide; caustic soda)	Corrosive liquid, basic, organic, n.o.s. (CONTAINS : Sodium hydroxide; caustic soda)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS : Sodium hydroxide; caustic soda)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS : Sodium hydroxide; caustic soda)
Transport document descr	iption			
UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS : Sodium hydroxide; caustic soda), 8, III, (E)	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS : Sodium hydroxide; caustic soda), 8, III	UN 3267 Corrosive liquid, basic, organic, n.o.s. (CONTAINS : Sodium hydroxide; caustic soda), 8, III	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS : Sodium hydroxide; caustic soda), 8, III	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS : Sodium hydroxide; caustic soda), 8, III
14.3. Transport hazard o	class(es)			
8	8	8	8	8
	8	8	8	8
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	zards			
Dangerous for the environment: Dangerous for the environment	Dangerous for the environment: Dangerous for the environment Marine pollutant: No	Dangerous for the environment: Dangerous for the environment	Dangerous for the environment: Dangerous for the environment	Dangerous for the environment: Dangerous for the environment
No supplementary information	n available			

14.6. Special precautions for user

Special transport precautions : Transport always in closed, upright and safe containers, Make sure that persons

transporting the product know what to do in case of an accident or leakage

Overland transport

Classification code (ADR) : C7
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions : TP1, TP28

(ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80

12/09/2023 (Revision date) GB - en 12/16

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Orange plates : 80

Tunnel restriction code (ADR) : E EAC code : 2X

Transport by sea

Special provisions (IMDG) : 223, 274 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP1, TP28 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B Stowage category (IMDG) : A Stowage and handling (IMDG) : SW2

Segregation (IMDG) : SGG18, SG35

Properties and observations (IMDG) : Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y841 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 856 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3, A803 ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C7
Special provisions (ADN) : 274
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C7
Special provisions (RID) : 274
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T7
Portable tank and bulk container special provisions : TP1, TP28

(RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
anionic surfactants	≥5-<15%
non-ionic surfactants, phosphonates	<5%

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. United Kingdom

UK REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

UK REACH Candidate List (SVHC)

Contains no substance(s) listed on the UK REACH Candidate List

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes (UK)			
Section	Changed item	Change	Comments
3 - Composition/information on ingredients	Composition/information on ingredients	Modified	
2.2 - Label elements	Precautionary statements (CLP)	Modified	

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Abbreviations and acr	ronyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging. Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.