

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878. Issue date: 07/08/2024 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Product name : HG natural stone bathroom cleaner

Product code : 223 ART
Type of product : Detergent
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

Use of the substance/mixture : Cleaning/care products for stone and tiles - regular use

1.2.2. Uses advised against

Restrictions on use : All other uses not recommended above

# 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

HG International B.V.
P.J. Oudweg 41
NL- 1314 CJ Almere
The Netherlands
T +31 (0)36 54 94 700
safety@hg.eu - www.hg.eu

### 1.4. Emergency telephone number

Emergency number : +31 (0)36 54 94 777

Only for medical personnel

Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Classification according to GB CLP (SI 2019:720 as amended)

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 1 H318
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage. Harmful to aquatic life with long lasting effects.

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

### 2.2. Label elements

### Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP)



GHS05

Signal word (GB CLP)

: Danger

Contains

: Alcohols, C12-14, ethoxylated, sulfates, sodium salts; Amides, C8-18 (even numbered) and

C18-unsatd., N, N-bis(hydroxyethyl)

Hazard statements (GB CLP)

: H315 - Causes skin irritation. H318 - Causes serious eye damage.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (GB CLP)

: P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P280 - Wear eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(76-22-2)(1), Sodium hydroxide; caustic soda(1310-73-2)(1)

P501 - Dispose of contents and container to an approved waste disposal plant.

Child-resistant fastening : Not applicable Tactile warning : Not applicable

### 2.3. Other hazards

Component	
Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII	Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3), Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7), Bornan-2-one (76-22-2)(1), Diphenyl ether (101-84-8)(1), Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7), Sodium hydroxide; caustic soda (1310-73-2)(1)
Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII	Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3), Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7), Bornan-2-one (76-22-2)(1), Diphenyl ether (101-84-8)(1), Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7), Sodium hydroxide; caustic soda (1310-73-2)(1)
Component	
Substance(s) not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, or is not	Alcohols, C12-14, ethoxylated, sulfates, sodium salts(68891-38-3), Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)(68155-07-7), Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol(52-51-7), Diphenyl ether(101-84-8)(1), Bornan-2-one

# **SECTION 3: Composition/information on ingredients**

identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and

### 3.1. Substances

Not applicable

GB PPP

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

# 3.2. Mixtures

Name	Product identifier	%	Labelling according to GB CLP (SI 2019:720 as amended)
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639- 16	≥ 5 – < 15	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl)	CAS-No.: 68155-07-7 EC-No.: 931-329-6 REACH-no: 01-2119490100- 53	≥ 2 - < 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	CAS-No.: 52-51-7 EC-No.: 200-143-0	≥ 0.001 – < 1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1600 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400
Diphenyl ether	CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545- 33	≥ 0.001 – < 0.1	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Bornan-2-one	CAS-No.: 76-22-2 EC-No.: 200-945-0 REACH-no: 01-2119966156- 31	≥ 0.01 – < 0.1	Flam. Sol. 1, H228 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411
Sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 UK Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	≥ 0.001 – < 0.01	Skin Corr. 1, H314 Eye Dam. 1, H318

Specific concentration limits:				
Name	Product identifier	Specific concentration limits (%)		
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639- 16	(5 ≤ C < 10) Eye Irrit. 2; H319 (10 ≤ C < 100) Eye Dam. 1; H318		
Sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 UK Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	$(0.5 \le C < 2)$ Skin Irrit. 2; H315 $(0.5 \le C < 2)$ Eye Irrit. 2; H319 $(2 \le C < 5)$ Skin Corr. 1B; H314 $(5 \le C \le 100)$ Skin Corr. 1A; H314		

Full text of H- and EUH-statements: see section 16

### Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Serious damage to eyes.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Precautionary measures fire : Runoff from fire control or dilution water may cause pollution.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not handle until all safety precautions have been read and understood. Stop leak if safe

to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to

prevent material damage.

## 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Do not touch or walk on the

spilled product. Do not breathe mist, vapours. Avoid contact with skin and eyes.

## 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

# 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Stop leak if safe to do so. Do not touch or walk on the spilled product. Dilute spills with

water and mop up. Move containers from spill area. Contain any spills with dikes or

absorbents to prevent migration and entry into sewers or streams.

07/08/2024 (Issue date) GB - en 4/16

### Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13: "Disposal considerations".

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed : Empty containers retain product residue and can be hazardous.

Precautions for safe handling : Ensure good ventilation of the work station. Do not breathe mist, vapours. Avoid contact

with skin and eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store in dry, cool, well-ventilated area. Keep container tightly closed. Protect from sunlight.

Storage temperature : > 0 - < 30 °C

Heat and ignition sources : Keep away from heat and direct sunlight.

Special rules on packaging : Keep only in original container. Opened containers must be carefully closed and kept

upright to avoid leakage.

Packaging materials : Store always product in container of same material as original container.

### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

Bornan-2-one (76-22-2)		
United Kingdom - Occupational Exposure Limits		
Local name	Bornan-2-one	
WEL TWA (OEL TWA)	13 mg/m³	
	2 ppm	
WEL STEL (OEL STEL)	19 mg/m³	
	3 ppm	
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE		
Diphenyl ether (101-84-8)		
United Kingdom - Occupational Exposure Limits		
Local name	Diphenyl ether	
WEL TWA (OEL TWA)	7 mg/m³	
	1 ppm	
WEL STEL (OEL STEL)	14 mg/m³	
	2 ppm	

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Diphenyl ether (101-84-8)		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Sodium hydroxide; caustic soda (1310-73-2)		
United Kingdom - Occupational Exposure Limits		
Local name	Sodium hydroxide	
WEL STEL (OEL STEL)	2 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

### Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Wear foot protection.

### Personal protective equipment symbol(s):









# 8.2.2.1. Eye and face protection

### Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields			EN 166

### 8.2.2.2. Skin protection

### Skin and body protection:

In case of contact with the skin: Wear suitable protective clothing

Skin and body protection	
Туре	Standard
Long sleeved protective clothing	
Chemical resistant safety shoes	EN ISO 20345

### Hand protection:

Protective gloves

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374

### 8.2.2.3. Respiratory protection

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection			
Device	Filter type	Condition	Standard
Half-mask	FFA2P3	Mist formation, Vapour protection	EN 405

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

### **Environmental exposure controls:**

Avoid release to the environment.

### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : White.
Odour
Odour threshold : Not available
pH : 9.5
pH solution concentration : 100 %
Melting point : Not applicable

Freezing point : 0 °C
Boiling point : 100 °C

Flash point : 193 – 195 °C (Closed cup; does not sustain combustion)

Explosive limits : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Relative vapour density at 20°C : Not available Relative density : 1.014 Density : Not available Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available Viscosity, kinematic : Not available : 1400 mPa·s Viscosity, dynamic Explosive properties : Not available

## 9.2. Other information

Particle characteristics : Not applicable

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Conclusive but not sufficient for classification)
Acute toxicity (dermal) : Not classified (Conclusive but not sufficient for classification)
Acute toxicity (inhalation) : Not classified (Conclusive but not sufficient for classification)

Acute toxicity (innalation)	: Not classified (Conclusive but not sufficient for classification)		
Alcohols, C12-14, ethoxylated, sulfates, s	odium salts (68891-38-3)		
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)		
LD50 dermal rat	≥ 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:		
Bronopol (INN); 2-bromo-2-nitropropane-	1,3-diol (52-51-7)		
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:		
LD50 dermal	1600 mg/kg bodyweight		
LC50 Inhalation - Rat (Dust/Mist)	> 5000 mg/l		
Bornan-2-one (76-22-2)			
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)		
LC50 Inhalation - Rat	> 10 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)		
LC50 Inhalation - Rat (Dust/Mist)	> 5 mg/l		
Diphenyl ether (101-84-8)			
LD50 oral rat	2830 mg/kg Source: ECHA		
Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7)			
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral))		

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7)				
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit			
Skin corrosion/irritation :	Causes skin irritation. pH: 9.5			
Sodium hydroxide; caustic soda (1310-73-2)				
рН	> 14			
Serious eye damage/irritation :	Causes serious eye damage. pH: 9.5			
Sodium hydroxide; caustic soda (1310-73-2)				
рН	> 14			
Respiratory or skin sensitisation :	Not classified (Conclusive but not sufficient for classification)			
Germ cell mutagenicity :	Not classified (Conclusive but not sufficient for classification)			
Carcinogenicity :	Not classified (Conclusive but not sufficient for classification)			
Reproductive toxicity :	Not classified (Conclusive but not sufficient for classification)			
STOT-single exposure :	Not classified (Conclusive but not sufficient for classification)			
Bronopol (INN); 2-bromo-2-nitropropane-1,3-	diol (52-51-7)			
STOT-single exposure	May cause respiratory irritation.			
Bornan-2-one (76-22-2)				
STOT-single exposure	May cause damage to organs.			
STOT-repeated exposure :	Not classified (Conclusive but not sufficient for classification)			
Alcohols, C12-14, ethoxylated, sulfates, sodi	um salts (68891-38-3)			
LOAEL (oral, rat, 90 days)	25 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Remarks on results: other:			
NOAEL (oral, rat, 90 days)	> 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:			
Diphenyl ether (101-84-8)				
NOAEL (dermal, rat/rabbit, 90 days)	1000 mg/kg bodyweight Animal: rat			
Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7)				
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)			
Aspiration hazard :	Not classified (Conclusive but not sufficient for classification)			

# 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

No additional information available

### 11.2.2. Other information

No additional information available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified (Conclusive but not sufficient for classification)

(acute)

07/08/2024 (Issue date) GB - en 9/16

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Hazardous to the aquatic environment, long–term : Harmful to aquatic life with long lasting effects. (chronic)

(CHIONIC)			
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)			
LC50 - Fish [1]	7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)		
EC50 - Crustacea [1]	7.4 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic fish	0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'		
NOEC chronic algae	0.95 mg/l Scenedesmus subspicatus		
Bronopol (INN); 2-bromo-2-nitropropane-1,3-c	liol (52-51-7)		
EC50 - Crustacea [1]	1.4 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	0.25 mg/l Test organisms (species): Skeletonema costatum		
EC50 72h - Algae [2]	0.37 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
LOEC (chronic)	0.88 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic fish	21.5 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '49 d'		
Diphenyl ether (101-84-8)			
LC50 - Fish [1]	4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
EC50 - Crustacea [1]	1.96 mg/l Test organisms (species): Daphnia magna		
ErC50 algae	0.455 mg/l Source: ECHA		
Amides, C8-18 (even numbered) and C18-uns	atd., N, N-bis(hydroxyethyl) (68155-07-7)		
LC50 - Fish [1]	≈ 2.4 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
EC50 - Crustacea [1]	≈ 3.2 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	≈ 7.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
EC50 72h - Algae [2]	≈ 2.2 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
LOEC (chronic)	≈ 0.32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	≈ 0.1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic fish	≈ 0.32 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'		
NOEC chronic algae	2 mg/l		
Sodium hydroxide; caustic soda (1310-73-2)			
LC50 - Fish [1]	> 35 mg/l		
EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.		
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea		

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

12.2.	<b>Persistence</b>	and degradab	ility

HG natural stone bathroom cleaner		
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
Alcohols, C12-14, ethoxylated, sulfates, sod	ium salts (68891-38-3)	
Persistence and degradability	Rapidly degradable	
Chemical oxygen demand (COD)	0.51 g O <sub>2</sub> /g substance	
Biodegradation	80 % (OECD 302B method)	
Additional information	95 % biodegradation (OECD 301E method)	
Bronopol (INN); 2-bromo-2-nitropropane-1,3-	-diol (52-51-7)	
Persistence and degradability	Rapidly degradable	
Bornan-2-one (76-22-2)		
Persistence and degradability	Rapidly degradable	
Diphenyl ether (101-84-8)		
Persistence and degradability	Rapidly degradable	
Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7)		
Persistence and degradability	Rapidly degradable	
Biodegradation	92.5 % (OECD 301B method)	
Sodium hydroxide; caustic soda (1310-73-2)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
HG natural stone bathroom cleaner		
Bioaccumulative potential	No bioaccumulation expected.	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)		

HG natural stone bathroom cleaner		
Bioaccumulative potential	No bioaccumulation expected.	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)		
Partition coefficient n-octanol/water (Log Pow)	0.3	
Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)		
Partition coefficient n-octanol/water (Log Pow) 0.18		
Bornan-2-one (76-22-2)		
Partition coefficient n-octanol/water (Log Pow) 2.38 Source: HSDB		
Diphenyl ether (101-84-8)		
Partition coefficient n-octanol/water (Log Pow) 4.21 Source: ECHA		
Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7)		
Partition coefficient n-octanol/water (Log Pow) 3.1		

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Sodium hydroxide; caustic soda (1310-73-2)	
Partition coefficient n-octanol/water (Log Pow)	-3.88

# 12.4. Mobility in soil

HG natural stone bathroom cleaner	
Ecology - soil	Expected to be highly mobile in soil.
Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)	
Mobility in soil 388.3 – 1416 Source: ECHA	

### 12.5. Results of PBT and vPvB assessment

Component	Component		
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII		
Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII		
Bornan-2-one (76-22-2)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII		
Diphenyl ether (101-84-8)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII		
Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII		
Sodium hydroxide; caustic soda (1310-73-2)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII		

## 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Ecological waste information

Regional waste regulation

Example 1 Dispose of in accordance with relevant local regulations.

Dispose of contents/container in accordance with licensed collector's sorting instructions.

Dispose of contents/container in accordance with licensed collector's sorting instructions.

Disposal must be done according to official regulations.

Empty containers retain product residue and can be hazardous. Do not dispose of the packaging without first carrying out the necessary cleaning. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Do not pierce or burn, even after use. Disposal must be done according to official regulations.

Additional information

Dispose of in accordance with relevant local regulations.

07/08/2024 (Issue date) GB - en 12/16

: Recycling is preferred to disposal or incineration.

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

HP Code

: HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
Not regulated for transport	Not regulated for transport				
14.2. UN proper shipping	g name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
Transport document descr	iption				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.3. Transport hazard o	14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.4. Packing group					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.5. Environmental hazards					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
No supplementary information available					

# 14.6. Special precautions for user

### **Overland transport**

Not regulated

### Transport by sea

Not regulated

### Air transport

Not regulated

# Inland waterway transport

Not regulated

### Rail transport

Not regulated

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

### **UK REACH Annex XVII (Restriction List)**

This product contains no substance(s) listed on UK REACH Annex XVII (Restriction List) equal to or above the level of SDS disclosure

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

### **UK REACH Annex XIV (Authorisation List)**

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

### **UK REACH Candidate List (SVHC)**

Contains no substance(s) listed on the UK REACH Candidate List

### **Detergent Regulation (648/2004)**

### Allergenic fragrances > 0.01 %:

TERPINEOL CAMPHOR LIMONENE

## **GB PIC regulation (Prior Informed Conset)**

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

### **POP Regulation (Persistent Organic Pollutants)**

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

### Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

### **Control of Poisons and Explosives Precursors Act**

This product contains substance(s) listed on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure: Sodium hydroxide - 1310-73-2 (12 % of total caustic alkalinity)

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

### **Drug Precursors Regulation (273/2004)**

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

### 15.1.2. Other Information

# 15.2. Chemical safety assessment

No additional information available

# **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Abbreviations and acronyms:		
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Training advice

Other information

- : Normal use of this product shall imply use in accordance with the instructions on the packaging. Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.
- : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Full text of H- and EUH-statements:		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.