

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878. Issue date: 27/03/2024 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

<ul> <li>Mixture</li> <li>HG natural stone coloured stain remover</li> <li>227 ART</li> <li>Detergent</li> <li>Trade product</li> </ul>
: Trade product

### **1.2.** Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public Main use category Function or use category

: Consumer use: Other stone, tile and grout cleaning/care products

#### 1.2.2. Uses advised against

Restrictions on use

: All other uses not recommended above

## 1.3. Details of the supplier of the safety data sheet

Supplier	Distributor
HG International B.V.	HG UKI LTD
P.J. Oudweg 41	Weston Business Centre
NL– 1314 CJ Almere	Parsonage Road
The Netherlands	UK– CM22 6PU Takeley – Essex
T +31 (0)36 54 94 700	United Kingdom
<u>safety@hg.eu</u> - <u>www.hg.eu</u>	T +44 (0) 1206 822 744
	www.hg.eu

## 1.4. Emergency telephone number

Emergency number

### : +31 (0)36 54 94 777 Only for medical personnel Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification according to GB CLP (SI 2019:720 as amended)

Skin corrosion/irritation, Category 1, Sub-Category 1B	H314
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	

#### Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

2.2. Label elements	
Labelling according to GB CLP (SI 2019:72	20 as amended)
Hazard pictograms (GB CLP)	
	GHS05 GHS09
Signal word (GB CLP)	: Danger
Contains	: sodium hypochlorite, solution % CI active; Sodium hydroxide; caustic soda
Hazard statements (GB CLP)	: H314 - Causes severe skin burns and eye damage.
	H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (GB CLP)	<ul> <li>P101 - If medical advice is needed, have product container or label at hand.</li> <li>P102 - Keep out of reach of children.</li> <li>P264 - Wash hands thoroughly after handling.</li> <li>P280 - Wear protective gloves, eye protection.</li> <li>P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.</li> <li>Rinse skin with water or shower.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 - Immediately call a POISON CENTER, a doctor.</li> <li>P405 - Store locked up.</li> <li>P501 - Dispose of contents and container to an approved waste disposal plant.</li> </ul>
EUH-statements (GB CLP)	: EUH206 - Warning! Do not use together with other products. May release dangerous gases (chlorine).
Child-resistant fastening	: Applicable
Tactile warning	: Applicable

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with UK REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

#### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Labelling according to GB CLP (SI 2019:720 as amended)
Water	CAS-No.: 7732-18-5 EC-No.: 231-791-2	≥ 90	Not classified
sodium hypochlorite, solution… % Cl active (Note B)	CAS-No.: 7681-52-9 EC-No.: 231-668-3 UK Index-No.: 017-011-00-1 REACH-no: 01-2119488154- 34	≥2-<5	Acute Tox. 4 (Oral), H302 (ATE=1100 mg/kg bodyweight) Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 UK Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	≥1-<2	Skin Corr. 1, H314 Eye Dam. 1, H318

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Name	Product identifier	%	Labelling according to GB CLP (SI 2019:720 as amended)
2-(2-dodecoxyethoxy)acetic acid	CAS-No.: 27306-90-7 EC-No.: 608-079-9	≥ 0.1 – < 1	Eye Dam. 1, H318
Sodium octyl sulphate	CAS-No.: 142-31-4 EC-No.: 205-535-5 REACH-no: 01-2119966154- 35	≥ 0.1 – < 1	Skin Irrit. 2, H315 Eye Dam. 1, H318

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
sodium hypochlorite, solution % Cl active	CAS-No.: 7681-52-9 EC-No.: 231-668-3 UK Index-No.: 017-011-00-1 REACH-no: 01-2119488154- 34	(5 ≤ C ≤ 100) EUH031
Sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 UK Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	$(0.5 \le C < 2)$ Skin Irrit. 2, H315 $(0.5 \le C < 2)$ Eye Irrit. 2, H319 $(2 \le C < 5)$ Skin Corr. 1B, H314 $(5 \le C \le 100)$ Skin Corr. 1A, H314

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: '... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures** 4.1. Description of first aid measures First-aid measures general : Call a physician immediately. First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell. First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately. First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after inhalation : No specific data. Symptoms/effects after skin contact : Redness. Burns. Symptoms/effects after eye contact : Redness. Serious damage to eyes. Symptoms/effects after ingestion : No specific data. Burns.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Unsuitable extinguishing media	: Do not use a heavy water stream. Do not use a solid water stream as it may scatter and spread fire.
5.2. Special hazards arising from the subs	tance or mixture
Fire hazard Explosion hazard Reactivity in case of fire Hazardous decomposition products in case of fire	<ul> <li>Contact with combustible material may cause fire. The active ingredient is an oxidizer. May cause fire or explosion; strong oxidiser.</li> <li>Intense heat may cause container to burst.</li> <li>If the product is involved in a fire, it can release toxic chlorine gases.</li> <li>Carbon dioxide. Carbon monoxide. Sulphur oxides. Metallic oxides. Halogenated compounds.</li> </ul>
5.3. Advice for firefighters	
Precautionary measures fire Firefighting instructions Protection during firefighting	<ul> <li>Evacuate area. Stop leak if safe to do so.</li> <li>Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	e equipment and emergency procedures	
General measures	: Do not handle until all safety precautions have been read and understood. Clean up any spills as soon as possible, using an absorbent material to collect it. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.	
6.1.1. For non-emergency personnel		
Protective equipment Emergency procedures	<ul> <li>Wear recommended personal protective equipment.</li> <li>Ventilate spillage area. Evacuate area. Keep unnecessary and unprotected personnel away from the spillage. Do not touch or walk on the spilled product. Take off contaminated clothing. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Do not breathe mist, spray, vapours.</li> </ul>	
6.1.2. For emergency responders		
Protective equipment Emergency procedures	<ul> <li>Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".</li> <li>Evacuate unnecessary personnel. Stop leak if safe to do so.</li> </ul>	
6.2. Environmental precautions		

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for contain	nment and cleaning up
For containment	: Stop leak if safe to do so. Move containers from spill area. Dilute spills with water and mop up. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up	: Take up liquid spill into absorbent material. Approach from upwind. Dilute spills with water and mop up. Absorb remaining liquid with sand or inert absorbent and remove to safe place.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13: "Disposal considerations". For further information refer to section 13.

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>Ensure good ventilation of the work station. Avoid contact with skin, eyes and clothing. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.</li> </ul>
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	ng any incompatibilities
Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Store in dry, cool, well-ventilated area. Protect from sunlight. Heat sources. Keep container tightly closed. Keep only in original container. Protect from freezing. Store locked up.
Incompatible materials	: Acids. Combustible materials.
Storage temperature	: > 0 - < 30 °C
Special rules on packaging	<ul> <li>Keep only in original container. Opened containers must be carefully closed and kept upright to avoid leakage.</li> </ul>
Packaging materials	: Store always product in container of same material as original container.
7.3. Specific end use(s)	

No additional information available

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

Sodium hydroxide; caustic soda (1310-73-2)	
United Kingdom - Occupational Exposure Limits	
Local name	Sodium hydroxide
WEL STEL (OEL STEL)	2 mg/m³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

## 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

sodium hypochlorite, solution… % CI active (7681-52-9)	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	3.1 mg/m <sup>3</sup>
Acute - local effects, inhalation	3.1 mg/m <sup>3</sup>
Long-term - local effects, dermal	0.5 % in mixture
Long-term - systemic effects, inhalation	1.55 mg/m³
Long-term - local effects, inhalation	1.55 mg/m³
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	3.1 mg/m <sup>3</sup>

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

sodium hypochlorite, solution… % CI active (7681-52-9)		
Acute - local effects, inhalation	3.1 mg/m³	
Long-term - systemic effects,oral	0.26 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1.55 mg/m³	
Long-term - local effects, dermal	0.5 % in mixture	
Long-term - local effects, inhalation	1.55 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	0.21 μg/l	
PNEC aqua (marine water)	0.042 μg/l	
PNEC aqua (intermittent, freshwater)	0.26 µg/l	
PNEC (Oral)		
PNEC oral (secondary poisoning)	11.1 mg/kg food	
PNEC (STP)		
PNEC sewage treatment plant	4.69 mg/l	
Sodium hydroxide; caustic soda (1310-73-2)		
DNEL/DMEL (Workers)		
Long-term - local effects, inhalation	1 mg/m³	
DNEL/DMEL (General population)		
Long-term - local effects, inhalation	1 mg/m³	

### 8.1.5. Control banding

No additional information available

### **8.2. Exposure controls**

## 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment - Report preview:

Protective clothing. Gloves. Safety glasses. Chemical resistant safety shoes.

Personal protective equipment symbol(s):



### 8.2.2.1. Eye and face protection

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Normal use conditions	With side shields	EN 166
Face shield	Droplet, If there is a risk of liquid being splashed :	With side shields	EN 166

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

8.2.2.2. Skin protection		
Skin and body protection		
Туре	Standard	
Long sleeved protective clothing		
Chemical resistant safety shoes EN ISO 2		
Use chemically protective clothing	EN 13034	

## Hand protection - Report preview:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374

### 8.2.2.3. Respiratory protection

Respiratory protection			
Device	Filter type	Condition	Standard
	Gas/vapour filter, Filter B (grey)		

## 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

### Environmental exposure controls:

Avoid release to the environment.

9.1. Information on basic physical and ch	emical properties
Physical state	: Liquid
Colour	: light yellow.
Odour	: Chlorine.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: 0 °C
Boiling point	: 100 °C
Flammability	: Non flammable.
Explosive limits	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: >13
pH solution concentration	: 100 %
Viscosity, kinematic	: Not available
Solubility	: In water, material soluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.075 – 1.085
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Water (7732-18-5)	
Boiling point	100 °C
Vapour pressure	2300 Pa 25°C

sodium hypochlorite, solution… % Cl active (7681-52-9)	
Boiling point 40 °C Source: IPCS	
Flash point	> 111 °C Atm. press.: 101,3 kPa
Vapour pressure	1740 Pa 25°C

Sodium hydroxide; caustic soda (1310-73-2)		
Boiling point 1388 °C Atm. press.: 101,325 kPa Decomposition: 'no' Remarks on result: 'other:'		
Vapour pressure	0 Pa 25°C	

Sodium octyl sulphate (142-31-4)	
Boiling point	≈ 218 °C Atm. press.: 1036 mBar Decomposition: 'yes' Decomp. temp.: 218 °C
Vapour pressure	≤ 0.31 Pa Temp.: 20 °C

### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### **10.2. Chemical stability**

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas. No dangerous reactions known under normal conditions of use.

#### **10.4. Conditions to avoid**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from (strong) acids. None under recommended storage and handling conditions (see section 7).

**10.5. Incompatible materials** 

Acids. Combustible materials.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)

: Not classified (Conclusive but not sufficient for classification)

## Safety Data Sheet

Institution         Toxicity), Guideline: other:           LD50 dermal         > 20000 mg/kg bodyweight           LC50 Inhalation - Rat (Dust/Mist)         > 10500 mg/l           LC50 Inhalation - Rat (Vapours)         > 10.5 mg/l           ATE GB CLP (oral)         1100 mg/kg bodyweight           Sodium octyl sulphate (142-31-4)            LD50 oral rat         > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)           LD50 oral rat         > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)           ATE GB CLP (oral)         3200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)           ATE GB CLP (oral)         3200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)           ATE GB CLP (oral)         3200 mg/kg bodyweight           Skin corosion/irrttation         : Causes server skin burns. pH :> 13           Water (7732-18-5)         T           pH         11           Sodium hypochlorite, solution % CI active (7681-52-9)         P           pH         > 14           Sodium cyt sulphate (142-31-4)         P           pH         8 Concentration: 1 other:           Serious eye damage/irritation         : Causes serious eye damage. pH :> 13				
LD50 oral rat     90000 mg/kg bodyweight       LD50 oral     > 90000 mg/kg bodyweight       LD50 areal     > 90000 mg/kg bodyweight       ATE GB CLP (oral)     90000 mg/kg bodyweight       2/2-odoecoxyethoxy)acetic acid (27306-90-7)     Extended of the state				
L050 oral     > 90000 mg/kg bodyweight       L050 dermal     > 90000 mg/kg bodyweight       ATE GB CLP (oral)     90000 mg/kg bodyweight       212-dodecoxyethoxylacetic acid (27306-90-7)        L050 oral rat     > 2000 mg/kg bodyweight       sodium hypochlorite, solution % Cl active (7681-52-9)        L050 oral rat     1100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)       L050 dermal rabbit     20000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:       L050 dermal rabbit     > 20000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:       L050 dermal rabbit     > 20000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:       L050 dermal rabbit     > 20000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:       L050 dermal rat     > 20000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) and to gui/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)       Sodium octyl sulphate (142-31-4)     > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)       ATE GB CLP (oral)     3200 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: 0ECD Guideline 402 (Acute Dermal Toxicity)       ATE GB CLP (oral)     3200 mg/kg	Water (7732-18-5)			
LD50 dermal     > 90000 mg/kg bodyweight       ATE GB CLP (nm)     90000 mg/kg bodyweight       242-dodecoxyethoxy)acetic acid (27306-90-7)        LD50 oral rat     > 2000 mg/kg       sodium hypochlorite, solution% CI active (7681-52-9)        LD50 oral rat     100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxiciy)       LD50 dermal rabbit     20000 mg/kg bodyweight Animal: ratbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:       LD50 dermal rabbit     > 20000 mg/kg bodyweight       LD50 dermal rat     > 20000 mg/kg bodyweight Animat: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)       LD50 oral rat     > 2000 mg/kg bodyweight Animat: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)       LD50 oral rat     > 2000 mg/kg bodyweight Animat: rat, Animal sex: female, Guideline: 0ECD Guideline 402 (Acute Dermal Toxicity)       LD50 oral rat     > 2000 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)       LD50 oral rat     > 2000 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	LD50 oral rat	90000 mg/kg		
ATE GB CLP (oral)     90000 mg/kg bodyweight       2-(2-dodecoxyethoxy)acetic acid (27306-90-7)     2000 mg/kg       DD50 oral rat     > 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)       LD50 oral rat     1100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)       LD50 dermal rabbit     > 20000 mg/kg bodyweight Animal: ratbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:       LD50 dermal     > 20000 mg/kg bodyweight       LD50 foral rat     > 20000 mg/kg bodyweight       LD50 oral rat     > 20000 mg/kg bodyweight       LD5	LD50 oral	> 90000 mg/kg bodyweight		
24/2-dodecoxyethoxy)acetic acid (27306-90-7)         LD50 oral rat       > 2000 mg/kg         Sodium hypochlorite, solution % CI active (7681-52-9)         LD50 oral rat       1100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401         (Acute Oral Toxitiy), Guideline of the:         LD50 dermal rabbit       > 20000 mg/kg bodyweight         LD50 dermal rabbit       > 20000 mg/kg bodyweight         LD50 dermal rabbit       > 20000 mg/kg bodyweight         LD50 dermal       > 20000 mg/kg bodyweight         LD50 dermal       > 20000 mg/kg bodyweight         LD50 dermal       > 20000 mg/kg bodyweight         LC50 Inhalation - Rat (Dust/Mst)       > 10.5 mg/l         ATE GB CLP (oral)       1100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline         Sodium octyl sulphate (142-31-4)       > 20000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline         LD50 oral rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         ATE GB CLP (oral)       3200 mg/kg bodyweight         LD50 dermal rat       > 2000 mg/kg bodyweight         LD50 dermal rat	LD50 dermal	> 90000 mg/kg bodyweight		
L550 oral rat       > 2000 mg/kg         sodium hypochlorite, solution % Cl active (7681-52-9)         LD50 oral rat       1100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acue Oral Toxisty)         LD50 dral rabbit       8910 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxisty), Guideline: other:         LD50 dermal rabbit       > 20000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxisty), Guideline: other:         LD50 dermal rabbit       > 20000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: 0ECD Guideline 402 (Acute Dermal Toxisty), Guideline: At (Vapours)         ATE GB CLP (oral)       1100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: 0ECD Guideline 402 (Acute Dermal Toxisty) (Acute Oral toxisty) - Acute Toxic Class Method)         LD50 oral rat       > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: 0ECD Guideline 402 (Acute Dermal Toxisty) - Acute Toxic Class Method)         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxisty)         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxisty)         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxisty)         ATE GB CLP (oral)       3200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxisty)         Shin corcesion/initation       : Causes severe skin	ATE GB CLP (oral)	90000 mg/kg bodyweight		
sodium hypochlorite, solution % CI active (7681-52-9)         LD50 oral rat       1100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)         LD50 oral       8910 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: oECD Guideline 402 (Acute Dermal 2300 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)         LD50 oral rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         ATE GB CLP (oral)       3200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         ATE GB CLP (oral)       3200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         Vater (7732-18-5)       pH         pH       7         sodium hypochlorite, solution % CI active (7681-52-9)         pH       8 Concentration: 1 other:         Sarous eye damage/irritation       : Causes ser	2-(2-dodecoxyethoxy)acetic acid (27306-90-7	7)		
LD50 oral rat       1100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)         LD50 oral       8910 mg/kg bodyweight         LD50 dermal rabbit       > 20000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: one:         LD50 dermal       > 20000 mg/kg bodyweight         LC50 Inhalation - Rat (Dust/Mist)       > 10500 mg/l         LC50 Inhalation - Rat (Vapours)       > 10.5 mg/l         ATE GB CLP (oral)       1100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)         LD50 oral rat       > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)         LD50 oral rat       > 2000 mg/kg bodyweight         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         LD50 oral rat       > 2000 mg/kg bodyweight         LD50 dermal rat       > 2000 mg/kg bodyweight         Stin corrosion/irritation       : Causes servere skin burns. p+i > 13 <td< td=""><td>LD50 oral rat</td><td>&gt; 2000 mg/kg</td></td<>	LD50 oral rat	> 2000 mg/kg		
LD50 oral(Acute Öral Toxicity)LD50 oral8910 mg/kg bodyweightLD50 dermal rabbit> 20000 mg/kg bodyweight Animat: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:LD50 dermal> 20000 mg/kg bodyweightLD50 dermal> 10500 mg/lLC50 Inhalation - Rat (Dust/Mist)> 10500 mg/lLC50 Inhalation - Rat (Vapours)> 10.5 mg/lATE GB CLP (oral)1100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)LD50 oral rat> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)LD50 oral2300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)LD50 oral2300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)LD50 dermal rat> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)LD50 dermal rat> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)Mater (7732-18-5) pH7sodium hypochlorite, solution % CI active (7681-52-9)pH11Serious eye damage/irritation: Causes serious eye damage. pH: > 13Water (7732-18-5)pHpH8 Concentration: 1 other:Serious eye damage/irritation: Causes serious eye damage. pH: > 13Water (7732-18-5)pH7sodium hypochlorite, solution % CI active (7681-52-9)pH <td>sodium hypochlorite, solution % Cl active</td> <td>(7681-52-9)</td>	sodium hypochlorite, solution % Cl active	(7681-52-9)		
LD50 dermal rabbit       > 20000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:         LD50 dermal       > 20000 mg/kg bodyweight         LC50 Inhalation - Rat (User/Mist)       > 1050 mg/l         LC50 Inhalation - Rat (Vapours)       > 10.5 mg/l         ATE GB CLP (oral)       1100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Acute Oral toxicity - Acute Toxic Class Method)         LD50 oral rat       > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Acute Dermal Toxicity)         LD50 oral rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         ATE GB CLP (oral)       3200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         ATE GB CLP (oral)       3200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         ATE GB CLP (oral)       3200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         ATE GB CLP (oral)       3200 mg/kg bodyweight         Skin corrosion/irritration       : Causes severe skin burns. pH: > 13         Water (7732-18-5)       PH       11         Sodium hydroxide; caustic soda (1310-73-2)       PH         pH       > 14         Sodium octyl sulphate (142-31-4)       PH         pH       8 Concentration:	LD50 oral rat			
Institution         Toxicity), Guideline: other:           LD50 dermal         > 20000 mg/kg bodyweight           LC50 Inhalation - Rat (Dust/Mist)         > 10500 mg/l           LC50 Inhalation - Rat (Vapours)         > 10.5 mg/l           ATE GB CLP (oral)         1100 mg/kg bodyweight           Sodium octyl sulphate (142-31-4)            LD50 oral rat         > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)           LD50 oral rat         > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)           ATE GB CLP (oral)         3200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)           ATE GB CLP (oral)         3200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)           ATE GB CLP (oral)         3200 mg/kg bodyweight           Skin corosion/irrttation         : Causes server skin burns. pH :> 13           Water (7732-18-5)         T           pH         11           Sodium hypochlorite, solution % CI active (7681-52-9)         P           pH         > 14           Sodium cyt sulphate (142-31-4)         P           pH         8 Concentration: 1 other:           Serious eye damage/irritation         : Causes serious eye damage. pH :> 13	LD50 oral	8910 mg/kg bodyweight		
LC50 Inhalation - Rat (Dust/Mist)       > 1050 mg/l         LC50 Inhalation - Rat (Vapours)       > 10.5 mg/l         ATE GB CLP (oral)       1100 mg/kg bodyweight         Sodium octyl sulphate (142-31-4)       > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)         LD50 oral rat       > 2000 mg/kg bodyweight         LD50 oral rat       > 2000 mg/kg bodyweight         LD50 dermal rat       > 2000 mg/kg bodyweight         LD50 dermal rat       > 2000 mg/kg bodyweight         Skin corrosion/irritation       : Causes severe skin burns. pH: > 13         Water (7732-18-5)       PH         pH       11         Sodium hypochlorite, solution % Cl active (7681-52-9)         pH       > 14         Sodium ctyl sulphate (142-31-4)         pH       > 14         Sodium hypochlorite, solution % Cl active (7681-52-9)         pH       11         Sodium ctyl sulphate (142-31-4)         pH       > 14         Sodium ctyl sulphate (142-31-4)         pH       8 Concentration: 1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: > 13         Water (7732-18-5)       pH         pH       7         sodium	LD50 dermal rabbit	> 20000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:		
LC50 Inhalation - Rat (Vapours)       > 10.5 mg/l         ATE GB CLP (oral)       1100 mg/kg bodyweight         Sodium octyl sulphate (142-31-4)       > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)         LD50 oral rat       > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)         LD50 oral       3200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         ATE GB CLP (oral)       3200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         ATE GB CLP (oral)       3200 mg/kg bodyweight         Skin corrosion/irritation       : Causes severe skin burns. pH: > 13         Water (7732-18-5)       PH         pH       7         sodium hypochlorite, solution % Cl active (7681-52-9)         pH       8 Concentration: 1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: > 13         Water (7732-18-5)       PH         pH       8 Concentration: 1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: > 13         Water (7732-18-5)       PH         pH       8 Concentration: 1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: > 13	LD50 dermal	> 20000 mg/kg bodyweight		
ATE GB CLP (oral)       1100 mg/kg bodyweight         Sodium octyl sulphate (142-31-4)       > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)         LD50 oral rat       > 2000 mg/kg bodyweight         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         ATE GB CLP (oral)       3200 mg/kg bodyweight         Skin corrosion/irritation       : Causes severe skin burns. pH: > 13         Water (7732-18-5)       7         pH       7         sodium hypochlorite, solution % Cl active (7681-52-9)         pH       > 14         Sodium octyl sulphate (142-31-4)         pH       > 14         Sodium octyl sulphate (142-31-4)         pH       > 14         Sodium octyl sulphate (142-31-4)         pH       > 13         Water (7732-18-5)         pH       > 13         Water (7732-18-5)         pH       > 14         Sodium hypochlorite, solution       : Causes serious eye damage. pH: > 13         Water (7732-18-5)	LC50 Inhalation - Rat (Dust/Mist)	> 10500 mg/l		
Sodium octyl sulphate (142-31-4)         LD50 oral rat       > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)         LD50 oral       3200 mg/kg bodyweight         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         ATE GB CLP (oral)       3200 mg/kg bodyweight         Skin corrosion/irritation       : Causes severe skin burns. pH: > 13         Water (7732-18-5)       PH         pH       7         sodium hypochlorite, solution % CI active (7681-52-9)         pH       11         Sodium octyl sulphate (142-31-4)         pH       > 14         Sodium octyl sulphate (142-31-4)         pH       8 Concentration: 1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: > 13         Water (7732-18-5)       PH         pH       1         Sodium hydroxide; caustic soda (1310-73-2)         pH       > 14         Sodium cotyl sulphate (142-31-4)         pH       13         Water (7732-18-5)       PH         pH       7         sodium hypochlorite, solution % CI active (7681-52-9)	LC50 Inhalation - Rat (Vapours)	> 10.5 mg/l		
LD50 oral rat       > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)         LD50 oral       3200 mg/kg bodyweight         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         ATE GB CLP (oral)       3200 mg/kg bodyweight         Skin corrosion/irritation       : Causes severe skin burns. pH: > 13         Water (7732-18-5)       7         pH       7         sodium hypochlorite, solution % Cl active (7681-52-9)         pH       11         Sodium octyl sulphate (142-31-4)         pH       > 14         Sodium octyl sulphate (142-31-4)         pH       8 Concentration: 1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: > 13         Water (7732-18-5)       pH         pH       8 Concentration: 1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: > 13         Water (7732-18-5)       pH         pH       7         sodium hypochlorite, solution % Cl active (7681-52-9)	ATE GB CLP (oral)	1100 mg/kg bodyweight		
423 (Acute Öral toxicity - Acute Toxic Class Method)LD50 oral3200 mg/kg bodyweightLD50 dermal rat> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)ATE GB CLP (oral)3200 mg/kg bodyweightSkin corrosion/irritation: Causes severe skin burns. pH: > 13Water (7732-18-5)7pH7sodium hypochlorite, solution % Cl active (7681-52-9)pH11Sodium octyl sulphate (142-31-4) pH> 14Sodium octyl sulphate (142-31-4) pH& Concentration: 1 other: Causes serious eye damage/irritation ; Causes serious eye damage. pH: > 13Water (7732-18-5)pH% Concentration: 1 other: Causes serious eye damage. pH: > 13Water (7732-18-5)pH% Concentration: 1 other: 	Sodium octyl sulphate (142-31-4)			
LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         ATE GB CLP (oral)       3200 mg/kg bodyweight         Skin corrosion/irritation       : Causes severe skin burns. pH: > 13         Water (7732-18-5)       pH         pH       7         sodium hypochlorite, solution % CI active (7681-52-9)         pH       11         Sodium hydroxide; caustic soda (1310-73-2)         pH       > 14         Sodium octyl sulphate (142-31-4)         pH       & Concentration: 1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: > 13         Water (7732-18-5)       pH         pH       % Concentration: 1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: > 13         Water (7732-18-5)       pH         pH       7         sodium hypochlorite, solution % CI active (7681-52-9)	LD50 oral rat			
Toxicity)ATE GB CLP (oral)3200 mg/kg bodyweightSkin corrosion/irritation: Causes severe skin burns. pH: > 13Water (7732-18-5)pHpH7sodium hypochlorite, solution % Cl active (7681-52-9)pH11Sodium hydroxide; caustic soda (1310-73-2)pH> 14Sodium octyl sulphate (142-31-4)pH8 Concentration: 1 other:Serious eye damage/irritation: Causes serious eye damage. pH: > 13Water (7732-18-5)pH7sodium hypochlorite, solution % Cl active (7681-52-9)	LD50 oral	3200 mg/kg bodyweight		
Skin corrosion/irritation       : Causes severe skin burns. pH: > 13         Water (7732-18-5)       7         sodium hypochlorite, solution % Cl active (7681-52-9)         pH       11         Sodium hydroxide; caustic soda (1310-73-2)         pH       > 14         Sodium octyl sulphate (142-31-4)         pH       8 Concentration: 1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: > 13         Water (7732-18-5)       pH         pH       7         sodium hypochlorite, solution % Cl active (7681-52-9)	LD50 dermal rat			
pH: > 13         Water (7732-18-5)         pH       7         sodium hypochlorite, solution % Cl active (7681-52-9)         pH       11         Sodium hydroxide; caustic soda (1310-73-2)         pH       > 14         Sodium octyl sulphate (142-31-4)         pH       8 Concentration: 1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: > 13         Water (7732-18-5)       pH         pH       7         sodium hypochlorite, solution % Cl active (7681-52-9)	ATE GB CLP (oral)	3200 mg/kg bodyweight		
Water (7732-18-5)         7           pH         7           sodium hypochlorite, solution % CI active (7681-52-9)         p           pH         11           Sodium hydroxide; caustic soda (1310-73-2)         p           pH         > 14           Sodium octyl sulphate (142-31-4)         > 14           Sodium octyl sulphate (142-31-4)         8 Concentration: 1 other:           Serious eye damage/irritation         : Causes serious eye damage. pH: > 13           Water (7732-18-5)         p           pH         7           sodium hypochlorite, solution % CI active (7681-52-9)	Skin corrosion/irritation			
pH       7         sodium hypochlorite, solution % Cl active (7681-52-9)         pH       11         Sodium hydroxide; caustic soda (1310-73-2)         pH       > 14         Sodium octyl sulphate (142-31-4)         pH       8 Concentration: 1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: > 13         Water (7732-18-5)       pH         pH       7         sodium hypochlorite, solution % Cl active (7681-52-9)	Water (7732-18-5)	pri. 2 13		
sodium hypochlorite, solution % Cl active (7681-52-9)         pH       11         Sodium hydroxide; caustic soda (1310-73-2)         pH       > 14         Sodium octyl sulphate (142-31-4)         pH       8 Concentration: 1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: > 13         Water (7732-18-5)       7         sodium hypochlorite, solution % Cl active (7681-52-9)		7		
pH       11         Sodium hydroxide; caustic soda (1310-73-2)         pH       > 14         Sodium octyl sulphate (142-31-4)         pH       8 Concentration: 1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: > 13         Water (7732-18-5)         pH       7         sodium hypochlorite, solution % Cl active (7681-52-9)	·			
Sodium hydroxide; caustic soda (1310-73-2)           pH         > 14           Sodium octyl sulphate (142-31-4)         8 Concentration: 1 other:           Serious eye damage/irritation         : Causes serious eye damage. pH: > 13           Water (7732-18-5)         7           sodium hypochlorite, solution % CI active (7681-52-9)				
pH         > 14           Sodium octyl sulphate (142-31-4)         8 Concentration: 1 other:           pH         8 Concentration: 1 other:           Serious eye damage/irritation         : Causes serious eye damage. pH: > 13           Water (7732-18-5)				
Sodium octyl sulphate (142-31-4)         8 Concentration: 1 other:           pH         8 Concentration: 1 other:           Serious eye damage/irritation         : Causes serious eye damage. pH: > 13           Water (7732-18-5)         7           pH         7           sodium hypochlorite, solution % Cl active (7681-52-9)				
pH         8 Concentration: 1 other:           Serious eye damage/irritation         : Causes serious eye damage. pH: > 13           Water (7732-18-5)         7           pH         7           sodium hypochlorite, solution % Cl active (7681-52-9)		> 14		
Serious eye damage/irritation     : Causes serious eye damage. pH: > 13       Water (7732-18-5)     7       pH     7       sodium hypochlorite, solution % Cl active (7681-52-9)				
pH: > 13       Water (7732-18-5)       pH       7       sodium hypochlorite, solution % Cl active (7681-52-9)				
pH 7 sodium hypochlorite, solution % CI active (7681-52-9)				
sodium hypochlorite, solution % Cl active (7681-52-9)	Water (7732-18-5)			
	рН	7		
nH 11	sodium hypochlorite, solution % Cl active (7681-52-9)			
hu li	рН	11		

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Sodium hydroxide; caustic soda (1310-73-2)				
рН	> 14			
Sodium octyl sulphate (142-31-4)				
рН	8 Concentration: 1 other:			
Respiratory or skin sensitisation	Not classified (Conclusive but not sufficient for classification)			
Germ cell mutagenicity	: Not classified (Conclusive but not sufficient for classification)			
Carcinogenicity	: Not classified (Conclusive but not sufficient for classification)			
sodium hypochlorite, solution % Cl ac	tive (7681-52-9)			
IARC group	3 - Not classifiable			
Reproductive toxicity	Not classified (Conclusive but not sufficient for classification)			
STOT-single exposure	: Not classified (Conclusive but not sufficient for classification)			
STOT-repeated exposure	: Not classified (Conclusive but not sufficient for classification)			
Sodium octyl sulphate (142-31-4)				
LOAEL (oral, rat, 90 days)	1016 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)			
NOAEL (oral, rat, 90 days)	488 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)			
Aspiration hazard	: Not classified (Conclusive but not sufficient for classification)			
11.2. Information on other hazards				
11.2.1. Endocrine disrupting properties				
Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out i			

Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at a concentration equal to or greater than 0,1 %

#### 11.2.2. Other information

No additional information available

12.1. Toxicity	
lazardous to the aquatic environment, short–term acute) lazardous to the aquatic environment, long–term chronic)	<ul><li>: Very toxic to aquatic life.</li><li>: Toxic to aquatic life with long lasting effects.</li></ul>
sodium hypochlorite, solution… % CI act	ive (7681-52-9)
EC50 - Crustacea [1]	141 μg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	35 μg/l Test organisms (species): Ceriodaphnia dubia
EC50 - Other aquatic organisms [1]	0.141 mg/l waterflea
EC50 72h - Algae [1]	0.0365 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.0183 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
Sodium hydroxide; caustic soda (1310-73	3-2)
LC50 - Fish [1]	> 35 mg/l
EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.

## Safety Data Sheet

Sodium hydroxide; caustic soda (1310-73-2)			
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea		
Sodium octyl sulphate (142-31-4)			
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)		
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	> 511 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
EC50 72h - Algae [2]	511 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
LOEC (chronic)	6.86 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	1.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic fish	≥ 1.357 mg/l Test organisms (species): Pimephales promelas Duration: '42 d'		
12.2. Persistence and degradability			
HG natural stone coloured stain remover			
Persistence and degradability The surfactant(s) contained in this preparation complies(comply) with the bioded criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to sup assertion are held at the disposal of the competent authorities of the Member St will be made available to them, at their direct request or at the request of a determanufacturer.			
Water (7732-18-5)			
Persistence and degradability	Rapidly degradable		
2-(2-dodecoxyethoxy)acetic acid (27306-90-7)			
Persistence and degradability	Rapidly degradable		
sodium hypochlorite, solution % Cl active (	7681-52-9)		
Persistence and degradability	Rapidly degradable		
Sodium hydroxide; caustic soda (1310-73-2)			
Persistence and degradability	Rapidly degradable		
Sodium octyl sulphate (142-31-4)	·		
Persistence and degradability	Rapidly degradable		
12.3. Bioaccumulative potential			
HG natural stone coloured stain remover			
Bioaccumulative potential No bioaccumulation expected.			
Water (7732-18-5)			
Partition coefficient n-octanol/water (Log Pow) -1.38			
sodium hypochlorite, solution % Cl active (7681-52-9)			
Partition coefficient n-octanol/water (Log Pow) -3.42			
Sodium hydroxide; caustic soda (1310-73-2)			
Partition coefficient n-octanol/water (Log Pow)	-3.88		

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Sodium octyl sulphate (142-31-4)				
Partition coefficient n-octanol/water (Log Pow)	-0.27			
12.4. Mobility in soil				
No additional information available				
12.5. Results of PBT and vPvB assessment				
No additional information available				
12.6. Endocrine disrupting properties				
Adverse effects on the environment caused by : endocrine disrupting properties	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.			

No additional information available

## SECTION 13: Disposal considerations

13.1. Waste treatment methods		
Regional waste regulation	: Disposal must be done according to official regulations.	
Waste treatment methods	: Dispose of in accordance with relevant local regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Sewage disposal recommendations	: Do not flush down sewers. Disposal must be done according to official regulations.	
Product/Packaging disposal recommendations	: Do not pierce or burn, even after use. Beware of residues or vapours which remain in the drums. Disposal must be done according to official regulations.	
Additional information	: Do not re-use empty containers.	

## **SECTION 14: Transport information**

ADR	ADR IMDG IATA		ADN	RID	
ADR	IMIDG	IATA	ADN	ND	
14.1. UN number					
UN 3267	UN 3267	UN 3267	UN 3267	UN 3267	
14.2. UN proper shippin	g name				
CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (sodium hypochlorite, solution % CI active ; Sodium hydroxide; caustic soda)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (sodium hypochlorite, solution % Cl active ; Sodium hydroxide; caustic soda)	Corrosive liquid, basic, organic, n.o.s. (sodium hypochlorite, solution % Cl active ; Sodium hydroxide; caustic soda)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (sodium hypochlorite, solution % Cl active ; Sodium hydroxide; caustic soda)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (sodium hypochlorite, solution % Cl active ; Sodium hydroxide; caustic soda)	
Transport document description					
UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (sodium hypochlorite, solution % Cl active ; Sodium hydroxide; caustic soda), 8, II, (E), ENVIRONMENTALLY HAZARDOUS	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (sodium hypochlorite, solution % Cl active ; Sodium hydroxide; caustic soda), 8, II, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 3267 Corrosive liquid, basic, organic, n.o.s. (sodium hypochlorite, solution % Cl active ; Sodium hydroxide; caustic soda), 8, II, ENVIRONMENTALLY HAZARDOUS	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (sodium hypochlorite, solution % Cl active ; Sodium hydroxide; caustic soda), 8, II, ENVIRONMENTALLY HAZARDOUS	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (sodium hypochlorite, solution % Cl active ; Sodium hydroxide; caustic soda), 8, II, ENVIRONMENTALLY HAZARDOUS	

## Safety Data Sheet

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.3. Transport hazard class(es)				
8	8	8	8	8
14.4. Packing group	I	I		I
II	II	II	II	II
14.5. Environmental haz	zards			
Dangerous for the environment: Dangerous for the environment	Dangerous for the environment: Dangerous for the environment Marine pollutant: Yes	Dangerous for the environment: Dangerous for the environment	Dangerous for the environment: Dangerous for the environment	Dangerous for the environment: Dangerous for the environment
No supplementary informatic	on available			
14.6. Special precaution	s for user			
Overland transport       :       C7         Special provisions (ADR)       :       274         Limited quantities (ADR)       :       11         Excepted quantities (ADR)       :       E2         Packing instructions (ADR)       :       P001, IBC02         Mixed packing provisions (ADR)       :       MP15         Portable tank and bulk container instructions (ADR)       :       T11         Portable tank and bulk container special provisions       :       TP2, TP27         (ADR)       :       L4BN         Vehicle for tank carriage       :       AT         Transport category (ADR)       :       2         Hazard identification number (Kemler No.)       :       80         Orange plates       :       80         J2267       :       .				
EAC code <b>Transport by sea</b> Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Stowage and handling (IMDG) Segregation (IMDG) Properties and observations (	: T1 G) : TP : F-A : S-E : B : B : SW : SG	4 01 C02 1 2, TP27 A 3	es burns to skin, eyes and mu	ucous membranes.
<b>Air transport</b> PCA Excepted quantities (IAT	ΓA) : E2			

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L
Inland waterway transport	
Classification code (ADN)	: C7
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: C7
Special provisions (RID)	: 274
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T11
Portable tank and bulk container special provisions (RID)	: TP2, TP27
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

## Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

	Detergent Regulation (648/2004)		
Labelling of contents			
	Component	%	
	anionic surfactants, chlorine-based bleaching agents	<5%	

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. United Kingdom

### UK REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### UK REACH Candidate List (SVHC)

Contains no substance(s) listed on the UK REACH Candidate List

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Indication of changes (UK)			
Section	Changed item	Change	Comments
2.2 - Label elements	Precautionary statements (CLP)	Modified	
	Indication of changes	Removed	
	Type of product	Modified	
7.2 - Conditions for safe storage, including any incompatibilities	Incompatible materials	Modified	
7.2 - Conditions for safe storage, including any incompatibilities	Incompatible products	Removed	
7.2 - Conditions for safe storage, including any incompatibilities	Storage conditions	Modified	
6.3 - Methods and material for containment and cleaning up	Methods for cleaning up	Modified	
6.3 - Methods and material for containment and cleaning up	For containment	Modified	

## Safety Data Sheet

Indication of changes (UK)			
Section	Changed item	Change	Comments
1.2 - Relevant identified uses of the substance or mixture and uses advised against	Main use category	Modified	
	Revision date	Modified	
5.2 - Special hazards arising from the substance or mixture	Reactivity in case of fire	Added	
5.2 - Special hazards arising from the substance or mixture	Explosion hazard	Added	
5.2 - Special hazards arising from the substance or mixture	Fire hazard	Added	
10.5 - Incompatible materials	Incompatible materials	Modified	
5.2 - Special hazards arising from the substance or mixture	Hazardous decomposition products in case of fire	Modified	
5.1 - Extinguishing media	Suitable extinguishing media	Modified	
8.2 - Exposure controls	Respiratory protection	Modified	
	Adverse health effects caused by endocrine disrupting properties	Added	
12.3 - Bioaccumulative potential	Bioaccumulative potential	Added	
12.2 - Persistence and degradability	Persistence and degradability	Added	
7.2 - Conditions for safe storage, including any incompatibilities	Special rules on packaging	Added	
4.1 - Description of first aid measures	First-aid measures general	Added	
7.2 - Conditions for safe storage, including any incompatibilities	Packaging materials	Added	

## Safety Data Sheet

Indication of changes (UK)			
Section	Changed item	Change	Comments
9.1 - Information on basic physical and chemical properties	Melting point	Added	
13.1 - Waste treatment methods	Regional waste regulation	Added	
7.2 - Conditions for safe storage, including any incompatibilities	Technical measures	Added	
5.3 - Advice for firefighters	Firefighting instructions	Added	
13.1 - Waste treatment methods	Additional information	Added	
13.1 - Waste treatment methods	Sewage disposal recommendations	Added	
13.1 - Waste treatment methods	Product/Packaging disposal recommendations	Added	
7.1 - Precautions for safe handling	Additional hazards when processed	Added	
6.1 - Personal precautions, protective equipment and emergency procedures	Protective equipment	Added	
6.1 - Personal precautions, protective equipment and emergency procedures	Emergency procedures	Added	
6.1 - Personal precautions, protective equipment and emergency procedures	General measures	Added	
7.2 - Conditions for safe storage, including any incompatibilities	Storage temperature	Modified	
4.2 - Most important symptoms and effects, both acute and delayed	Symptoms/effects after ingestion	Added	
13.1 - Waste treatment methods	Waste treatment methods	Modified	

## Safety Data Sheet

Indication of changes (UK)			
Section	Changed item	Change	Comments
6.4 - Reference to other sections	Reference to other sections (8, 13)	Modified	
10.3 - Possibility of hazardous reactions	Possibility of hazardous reactions	Modified	
	Flammability	Modified	
10.1 - Reactivity	Reactivity	Removed	
10.2 - Chemical stability	Chemical stability	Removed	
10.6 - Hazardous decomposition products	Hazardous decomposition products	Removed	
4.1 - Description of first aid measures	First-aid measures after ingestion	Modified	
8.2 - Exposure controls	Eye protection	Modified	
8.2 - Exposure controls	Appropriate engineering controls	Modified	
10.4 - Conditions to avoid	Conditions to avoid	Modified	
4.3 - Indication of any immediate medical attention and special treatment needed	Other medical advice or treatment	Modified	
12.1 - Toxicity	Ecology - general	Modified	
4.2 - Most important symptoms and effects, both acute and delayed	Symptoms/effects after eye contact	Modified	
4.1 - Description of first aid measures	First-aid measures after eye contact	Modified	
6.1 - Personal precautions, protective equipment and emergency procedures	Emergency procedures	Modified	
2.1 - Classification of the substance or mixture	Adverse physicochemical, human health and environmental effects	Modified	
7.1 - Precautions for safe handling	Precautions for safe handling	Modified	

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Indication of changes (UK)			
Section	Changed item	Change	Comments
4.2 - Most important symptoms and effects, both acute and delayed	Symptoms/effects after skin contact	Modified	
4.1 - Description of first aid measures	First-aid measures after skin contact	Modified	
2.2 - Label elements	EUH-statements	Added	

Training advice

Other information

: Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.

: Normal use of this product shall imply use in accordance with the instructions on the packaging. DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
EUH031	Contact with acids liberates toxic gas.	
EUH206	Warning! Do not use together with other products. May release dangerous gases (chlorine).	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
Met. Corr. 1	Corrosive to metals, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.