

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 24/05/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: HG tile stain remover
UFI	: U39U-XFHH-K00H-PM4R
Product code	: 166 ART
Type of product	: Detergent
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Function or use category

- : Consumer use
- : Other stone, tile and grout cleaning/care products

1.2.2. Uses advised against

Restrictions on use

: All other uses not recommended above

1.3. Details of the supplier of the safety data sheet

Manufacturer

HG International B.V. P.J. Oudweg 41 NL– 1314 CJ Almere The Netherlands T +31 (0)36 54 94 700 <u>safety@hg.eu</u> - <u>www.hg.eu</u> Importer HG UKI LTD Weston Business Centre Parsonage Road UK– CM22 6PU Takeley – Essex United Kingdom T +44 (0) 1206 822 744 www.hg.eu

1.4. Emergency telephone number

Emergency number

: +31 (0)36 54 94 777 Only for medical personnel Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Serious eve damage/eve irritation. Category 1

Serious eye damage/eye irritation, Category 1 Specific target organ toxicity – Single exposure, Category 3, Narcosis Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H318 H336 H335
Aspiration hazard, Category 1 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Full text of H- and EUH-statements: see section 16	H304 H411

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Adverse physicochemical, human health and environmental effects

May cause drowsiness or dizziness. May cause respiratory irritation. Causes serious eye damage. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS05 GHS07 GHS08 GHS09 Signal word (CLP) Danger : Contains propan-2-ol; isopropyl alcohol; isopropanol; Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs.; Alcohols, C12-14, ethoxylated, sulfates, sodium salts; Oleic acid monoethanolamide, ethoxylated; Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C8 through C10 and boiling in the range of approximately 135°C to 210°C (275°F to 410°F).]; Alcohols, C12-14, ethoxylated Hazard statements (CLP) H304 - May be fatal if swallowed and enters airways. H318 - Causes serious eye damage. H335 - May cause respiratory irritation. H336 - May cause drowsiness or dizziness. H411 - Toxic to aquatic life with long lasting effects. Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P261 - Avoid breathing vapours. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear eye protection, protective gloves. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P331 - Do NOT induce vomiting. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Child-resistant fastening Applicable Tactile warning Applicable 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances \geq 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C8 through C10 and boiling in the range of approximately 135°C to 210°C (275°F to 410°F).] (Note P)	CAS-No.: 64742-95-6 EC-No.: 265-199-0 EC Index-No.: 649-356-00-4 REACH-no: 01-2119455851- 35	≥ 25 – < 50	Flam. Liq. 3, H226 Muta. 1B, H340 Carc. 1B, H350 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Oleic acid monoethanolamide, ethoxylated	CAS-No.: 26027-37-2	≥2-<5	Skin Corr. 1B, H314 Eye Dam. 1, H318
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	≥2-<5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639- 16	≥ 0.1 – < 2	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Tetrapotassium pyrophosphate	CAS-No.: 7320-34-5 EC-No.: 230-785-7 REACH-no: 01-2119489369- 18	≥ 1 – < 2	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Alcohols, C12-14, ethoxylated	CAS-No.: 68439-50-9	≥1-<2	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium p-cumenesulphonate	CAS-No.: 15763-76-5 EC-No.: 239-854-6 REACH-no: 01-2119489411- 37	≥1-<2	Eye Irrit. 2, H319
Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs.	CAS-No.: 85536-14-7 EC-No.: 287-494-3 REACH-no: 01-2119490234- 40	≥1-<2	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Aquatic Chronic 3, H412
Sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	≥ 0.1 – < 1	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318
Phosphoric acid substance with a Community workplace exposure limit (Note B)	CAS-No.: 7664-38-2 EC-No.: 231-633-2 EC Index-No.: 015-011-00-6 REACH-no: 01-2119485924- 24	≥ 0.1 – < 1	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	CAS-No.: 52-51-7 EC-No.: 200-143-0 EC Index-No.: 603-085-00-8	< 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639- 16	(5 ≤C < 10) Eye Irrit. 2, H319 (10 ≤C < 100) Eye Dam. 1, H318	
Alcohols, C12-14, ethoxylated	CAS-No.: 68439-50-9	(1 ≤C < 10) Eye Irrit. 2, H319 (10 ≤C < 100) Eye Dam. 1, H318	
Sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	(0.5 ≤C < 2) Skin Irrit. 2, H315 (0.5 ≤C < 2) Eye Irrit. 2, H319 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314	
Phosphoric acid	CAS-No.: 7664-38-2 EC-No.: 231-633-2 EC Index-No.: 015-011-00-6 REACH-no: 01-2119485924- 24	(10 ≤C < 25) Skin Irrit. 2, H315 (10 ≤C < 25) Eye Irrit. 2, H319 (25 ≤C ≤ 100) Skin Corr. 1B, H314	

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: '... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Note P: Note P : The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262- P301 + P310-P331 (Table 3.1) or the S-phrases (2-)23-24-62 (Table 3.2) shall apply. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first ald measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the subst	tance or mixture
Fire hazard Explosion hazard	 Intense heat may cause container to burst. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Hazardous decomposition products in case of fire	: Carbon dioxide. Carbon monoxide. Metallic oxides. Nitrogen oxides. Phosphorus oxides.
5.3. Advice for firefighters	
Firefighting instructions Protection during firefighting	 Prevent fire fighting water from entering the environment. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective ed	quipment and emergency procedures			
General measures	: Do not handle until all safety precautions have been read and understood.			
6.1.1. For non-emergency personnel				
Emergency procedures	: Ventilate spillage area. Avoid breathing mist, vapours. Avoid contact with skin and eyes. Evacuate unnecessary personnel. Do not touch or walk on the spilled product.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			

6.2. Environmental precautions

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up Other information	 Stop leak without risks if possible. Collect spillage. Take up liquid spill into absorbent material. Dispose of materials or solid residues at an authorized site. 	

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13 : "Disposal considerations".

SECTION 7: Handling and stora	age
7.1. Precautions for safe handling	
Precautions for safe handling	: Use only outdoors or in a well-ventilated area. Avoid breathing mist, vapours. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage conditions Storage temperature	 Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. > 0 - < 30 °C
Heat and ignition sources	: Keep away from heat and direct sunlight. No flames. Eliminate all sources of ignition.
Special rules on packaging	: Keep only in original container. Opened containers must be carefully closed and kept upright to avoid leakage.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)			
United Kingdom - Occupational Exposure Limits			
Local name	Propan-2-ol		
WEL TWA (OEL TWA) [1]	999 mg/m³		
WEL TWA (OEL TWA) [2]	400 ppm		
WEL STEL (OEL STEL)	1250 mg/m³		
WEL STEL (OEL STEL) [ppm]	500 ppm		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
Sodium hydroxide; caustic soda (1310-73-2)			
United Kingdom - Occupational Exposure Limits	United Kingdom - Occupational Exposure Limits		
Local name	Sodium hydroxide		
WEL STEL (OEL STEL)	2 mg/m³		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
Phosphoric acid (7664-38-2)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Orthophosphoric acid		
IOEL TWA	1 mg/m³		
IOEL STEL	2 mg/m³		
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC		
United Kingdom - Occupational Exposure Limits			
Local name	Orthophosphoric acid		
WEL TWA (OEL TWA) [1]	1 mg/m³		
WEL STEL (OEL STEL)	2 mg/m³		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Wear foot protection.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side shields

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Normal use conditions		EN 166

8.2.2.2. Skin protection

Skin and body protection:

Long sleeved protective clothing. Chemical resistant safety shoes

Skin and body protection	
Туре	Standard
Long sleeved protective clothing	
Chemical resistant safety shoes	EN ISO 20345

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Respiratory protection			
Device	Filter type	Condition	Standard
Half-mask	FFA2P3	Mist formation, Vapour protection	EN 405

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 54 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: 8.6
pH solution concentration	: 100 %
Viscosity, kinematic	: < 20.5 mm²/s
Solubility	: Soluble in the following materials: cold water and hot water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

: Yes

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not sustained combustibility

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1. Information on hazard classes as	defined in Regulation (EC) No 1272/2008
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified
propan-2-ol; isopropyl alcohol; isopro	panol (67-63-0)
LD50 oral rat	5840 mg/kg Source: ECHA
LD50 oral	4396 mg/kg bodyweight
LD50 dermal rabbit	12800 mg/kg Source: ECHA
LC50 Inhalation - Rat (Dust/Mist)	46600 mg/l
Benzenesulphonic acid, 4-C10-13-sec	-alkyl derivs. (85536-14-7)
LD50 oral rat	≈ 1470 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1361 - 1588
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
Alcohols, C12-14, ethoxylated, sulfate	s, sodium salts (68891-38-3)
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	≥ 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
Bronopol (INN); 2-bromo-2-nitropropa	ne-1,3-diol (52-51-7)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
LD50 dermal	1600 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	> 5000 mg/l
Tetrapotassium pyrophosphate (7320-	-34-5)
LD50 oral rat	300 – 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure), Remarks on results: other:
LD50 dermal rabbit	 > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 1.1 mg/l air Animal: rat, Guideline: other:, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: other:, Guideline: other:, Guideline: other:
Sodium p-cumenesulphonate (15763-	76-5)
LD50 oral rat	≥ 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C8 through C10 and boiling in the range of approximately 135°C to 210°C (275°F to 410°F).] (64742-95-6)

(2/3 F to 410 F).] (04/42-95-0)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg Source: ECHA
LD50 dermal rabbit	> 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 6193 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:
LC50 Inhalation - Rat (Vapours)	5.16 mg/l Source: ECHA
Phosphoric acid (7664-38-2)	
LD50 oral rat	1.25 g/kg
LD50 oral	301 mg/kg
LD50 dermal rabbit	2740 mg/kg Source: ECHA
Alcohols, C12-14, ethoxylated (68439-50-9)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral)), Guideline: other:
LD50 dermal rabbit	> 3000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
LC50 Inhalation - Rat	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:
Skin corrosion/irritation	Not classified. pH: 8.6
Sodium hydroxide; caustic soda (1310-73-2)	•
рН	> 14
Serious eye damage/irritation	: Causes serious eye damage. pH: 8.6
Sodium hydroxide; caustic soda (1310-73-2)	•
рН	> 14
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Sodium p-cumenesulphonate (15763-76-5)	
NOAEL (chronic, oral, animal/female, 2 years)	≥ 60 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness. May cause respiratory irritation.
propan-2-ol; isopropyl alcohol; isopropanol	(67-63-0)
STOT-single exposure	May cause drowsiness or dizziness.
Bronopol (INN); 2-bromo-2-nitropropane-1,3	-diol (52-51-7)
STOT-single exposure	May cause respiratory irritation.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Solvent naphtha (petroleum), light arom.; Lov	v boiling point naphtha -unspecified; [A complex combination of	
hydrocarbons obtained from distillation of ar	omatic streams. It consists predominantly of aromatic hydrocarbons having	
	of C8 through C10 and boiling in the range of approximately 135°C to 210°C	
(275°F to 410°F).] (64742-95-6)		
STOT-single exposure	May cause drowsiness or dizziness. May cause respiratory irritation.	
	Not classified	
Benzenesulphonic acid, 4-C10-13-sec-alkyl d	erivs. (85536-14-7)	
LOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Remarks on results: other:	
NOAEL (oral, rat, 90 days)	85 mg/kg bodyweight Animal: rat, Remarks on results: other:	
Alcohols, C12-14, ethoxylated, sulfates, sodiu	um salts (68891-38-3)	
LOAEL (oral, rat, 90 days)	25 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Remarks on results: other:	
NOAEL (oral, rat, 90 days)	> 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Remarks on results: other:	
Tetrapotassium pyrophosphate (7320-34-5)		
NOAEL (oral, rat, 90 days)	500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)	
Sodium p-cumenesulphonate (15763-76-5)		
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents)	
hydrocarbons obtained from distillation of ar	v boiling point naphtha -unspecified; [A complex combination of omatic streams. It consists predominantly of aromatic hydrocarbons having of C8 through C10 and boiling in the range of approximately 135°C to 210°C	
NOAEL (oral, rat, 90 days)	600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)	
Alcohols, C12-14, ethoxylated (68439-50-9)		
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)	
Aspiration hazard :	May be fatal if swallowed and enters airways.	
HG tile stain remover		
Viscosity, kinematic	< 20.5 mm²/s	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Viscosity, kinematic	2.658 mm ² /s	
hydrocarbons obtained from distillation of ar	v boiling point naphtha -unspecified; [A complex combination of omatic streams. It consists predominantly of aromatic hydrocarbons having of C8 through C10 and boiling in the range of approximately 135°C to 210°C	
Viscosity, kinematic	0.7 – 1.7 mm²/s	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life with long lasting effects.: Not classified (Conclusive but not sufficient for classification)
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
propan-2-ol; isopropyl alcohol; isopropan	ol (67-63-0)

LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas	
Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7)		
LC50 - Fish [1]	1.67 mg/l Test organisms (species): Lepomis macrochirus	
EC50 - Crustacea [1]	2.9 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	7.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
NOEC (chronic)	1.18 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	1 mg/l days = 28 ; Species: Lepomis macrochirus (Bluegill); Data source: Literature data	
Sodium hydroxide; caustic soda (1310-73-2)		
LC50 - Fish [1]	> 35 mg/l	
EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.	
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)		
LC50 - Fish [1]	7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	7.4 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'	
NOEC chronic algae	0.95 mg/l Scenedesmus subspicatus	
Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)		
LC50 - Fish [1]	26.4 mg/l	
EC50 - Crustacea [1]	1.4 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	0.25 mg/l Test organisms (species): Skeletonema costatum	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Bronopol (INN); 2-bromo-2-nitropropane-1,3-o	diol (52-51-7)
EC50 72h - Algae [2]	0.37 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0.88 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	21.5 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '49 d'
Tetrapotassium pyrophosphate (7320-34-5)	
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Sodium p-cumenesulphonate (15763-76-5)	
LC50 - Fish [1]	≥ 1580 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 1020 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	≥ 758 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Phosphoric acid (7664-38-2)	
LC50 - Fish [1]	75.1 mg/l Source: ECHA
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	 > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Alcohols, C12-14, ethoxylated (68439-50-9)	
LC50 - Fish [1]	6.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	1.2 mg/l Test organisms (species): Cyprinus carpio
EC50 - Crustacea [1]	1.2 mg/l Test organisms (species): Daphnia magna
12.2. Persistence and degradability	
HG tile stain remover	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Alcohols, C12-14, ethoxylated, sulfates, sodiu	um salts (68891-38-3)
Chemical oxygen demand (COD)	0.51 g O ₂ /g substance
Biodegradation	80 % (OECD 302B method)
Additional information	95 % biodegradation (OECD 301E method)
12.3. Bioaccumulative potential	
HG tile stain remover	
Bioaccumulative potential	No bioaccumulation expected.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05	
Benzenesulphonic acid, 4-C10-13-sec-alkyl de	erivs. (85536-14-7)	
Partition coefficient n-octanol/water (Log Pow)	2	
Sodium hydroxide; caustic soda (1310-73-2)		
Partition coefficient n-octanol/water (Log Pow)	-3.88	
Alcohols, C12-14, ethoxylated, sulfates, sodiu	ım salts (68891-38-3)	
Partition coefficient n-octanol/water (Log Pow)	0.3	
Bronopol (INN); 2-bromo-2-nitropropane-1,3-0	diol (52-51-7)	
Partition coefficient n-octanol/water (Log Pow)	0.18	
Tetrapotassium pyrophosphate (7320-34-5)		
Partition coefficient n-octanol/water (Log Pow)	-2	
hydrocarbons obtained from distillation of ar	v boiling point naphtha -unspecified; [A complex combination of omatic streams. It consists predominantly of aromatic hydrocarbons having of C8 through C10 and boiling in the range of approximately 135°C to 210°C	
Partition coefficient n-octanol/water (Log Pow)	2.1 – 6 Source: IUCLID	
Phosphoric acid (7664-38-2)		
Partition coefficient n-octanol/water (Log Pow)	-0.77	
12.4. Mobility in soil		
HG tile stain remover		
Ecology - soil	Expected to be highly mobile in soil.	
Bronopol (INN); 2-bromo-2-nitropropane-1,3-0	diol (52-51-7)	
Mobility in soil	388.3 – 1416 Source: ECHA	
12.5. Results of PBT and vPvB assessment		
HG tile stain remover		
This substance/mixture does not meet the PBT criteria	of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria	a of REACH regulation, annex XIII	
12.6. Endocrine disrupting properties		
Adverse effects on the environment caused by endocrine disrupting properties	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.	
12.7. Other adverse effects		

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 13: Disposal consideration	s
13.1. Waste treatment methods	
Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Do not pierce or burn, even after use. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.
Ecology - waste materials	: Avoid release to the environment. Recycling is preferred to disposal or incineration.
European List of Waste (LoW) code	: 20 01 29* - detergents containing dangerous substances 20 01 39 - plastics
HP Code	: HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skir irritation or damage to the eye.
	HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for on or more sectors of the environment

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number or ID number					
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082	
14.2. UN proper shipping name					
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range	Environmentally hazardous substance, liquid, n.o.s. (Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C8 through C10 and	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range	
of C8 through C10 and boiling in the range of approximately 135°C to 210°C (275°F to 410°F).])	of C8 through C10 and boiling in the range of approximately 135°C to 210°C (275°F to 410°F).])	boiling in the range of approximately 135°C to 210°C (275°F to 410°F).])	of C8 through C10 and boiling in the range of approximately 135°C to 210°C (275°F to 410°F).])	of C8 through C10 and boiling in the range of approximately 135°C to 210°C (275°F to 410°F).])	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
Transport document descr	iption		I	I
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C8 through C10 and boiling in the range of approximately 135°C to 210°C (275°F to 410°F).]), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C8 through C10 and boiling in the range of approximately 135°C to 210°C (275°F to 410°F).]), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C8 through C10 and boiling in the range of approximately 135°C to 210°C (275°F to 410°F).]), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C8 through C10 and boiling in the range of approximately 135°C to 210°C (275°F to 410°F).]), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Solvent naphtha (petroleum), light arom. Low boiling point naphtha unspecified; [A complex combination of hydrocarbons obtained from distillation of aroma streams. It consists predominantly of aromat hydrocarbons having carbon numbers predominantly in the range of C8 through C10 and boiling in the range of approximately 135°C to 210°C (275°F to 410°F). 9, III
14.3. Transport hazard o	class(es)			
9	9	9	9	9
14.4. Packing group			1	1
III	III	III	III	III
4.5. Environmental haz	ards			1
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatic	n available			
4.6. Special precaution	s for user			
Dverland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR)	: M6 : 274 : 51 : E1	I, 335, 375, 601 01, IBC03, LP01, R001		

Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01,
Special packing provisions (ADR)	:	PP1
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T4
Portable tank and bulk container special provisions	:	TP1, TP29
(ADR)		
Tank code (ADR)	:	LGBV
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3 3 3 3 3 3 3 3 3 3		
Special provisions for carriage - Loading, unloading and handling (ADR)	:	CV13
Hazard identification number (Kemler No.)	:	90
Orange plates	:	00
		90
		3082
Tunnel restriction and (ADR)		
Tunnel restriction code (ADR) EAC code	:	- •3Z
	•	
Transport by sea		
Special provisions (IMDG)	:	274, 335, 969
Limited quantities (IMDG)		5 L
Excepted quantities (IMDG)		E1
Packing instructions (IMDG) Special packing provisions (IMDG)		LP01, P001 PP1
IBC packing instructions (IMDG)		IBC03
Tank instructions (IMDG)		T4
Tank special provisions (IMDG)		TP1, TP29
EmS-No. (Fire)		F-A
EmS-No. (Spillage)	:	S-F
Stowage category (IMDG)	:	A
Air transport		
PCA Excepted quantities (IATA)		E1
PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA)		Y964 30kgG
PCA packing instructions (IATA)		964
PCA max net quantity (IATA)		450L
CAO packing instructions (IATA)		964
CAO max net quantity (IATA)		450L
Special provisions (IATA)	:	A97, A158, A197, A215
ERG code (IATA)	:	9L
Inland waterway transport		
Classification code (ADN)	:	M6
Special provisions (ADN)		274, 335, 375, 601
Limited quantities (ADN)		5 L
Excepted quantities (ADN)	:	E1
Carriage permitted (ADN)	:	т
Equipment required (ADN)		PP
Number of blue cones/lights (ADN)	:	0
Rail transport		
Classification code (RID)	:	M6
Special provisions (RID)		274, 335, 375, 601
Limited quantities (RID)	:	5L
Excepted quantities (RID)	:	E1
Packing instructions (RID)	:	P001, IBC03, LP01, R001
Special packing provisions (RID)		PP1
Mixed packing provisions (RID)		MP19
Portable tank and bulk container instructions (RID)		T4
Portable tank and bulk container special provisions (RID)	•	TP1, TP29
Tank codes for RID tanks (RID)	:	LGBV
Transport category (RID)	:	
Special provisions for carriage – Packages (RID)		W12
Special provisions for carriage - Loading, unloading	:	CW13, CW31
and handling (RID)	-	050
Colis express (express parcels) (RID) Hazard identification number (RID)		CE8 90
	•	~~

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

Labelling of contents		
Component	%	
aromatic hydrocarbons	≥30%	
non-ionic surfactants	≥5-<15%	
anionic surfactants, phosphates	<5%	
2-BROMO-2-NITROPROPANE-1,3-DIOL		

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:		
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging. Ensure personnel is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Carc. 1B	Carcinogenicity, Category 1B	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H340	May cause genetic defects.	
H350	May cause cancer.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Met. Corr. 1	Corrosive to metals, Category 1	
Muta. 1B	Germ cell mutagenicity, Category 1B	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.